

CERTIFICATE NO.

58883

Application No...... *21013*

Permit No. **45450**

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

I, Kenneth B. Moore, (Name of Applicant) WATER RESOURCES DEP
et al., et al., et al.

WATER RESOURCES DEP
PORTLAND, OREGON

of Route 1, Box 20 C-1 (Name or Appellation) Yamhill (City)
(Mailing Address)

(Mailing Address) *(City)*
State of Oregon, *97148* *Phone No.* *662-3659* *do hereby*
(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is...UN NAMED STREAM and
RESERVOIR....., a tributary of North Yamhill River

2. The point of diversion is to be located 70 ft. S and 280 ft. E
(N. or S.) (E. or W.)

from the N.W. corner of section 19 T 2 S R 4 W W.M.
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

..... being within the N.W. $\frac{1}{4}$ of the N.W. $\frac{1}{4}$ of
Sec. 19 Tp. 25 R. 4 W., W. M., in the county of.... Yamhill.

3. Location of area to be irrigated, or place of use if other than irrigation.

4. The amount of water which the applicant intends to apply to beneficial use is 0.55 ft^3/sec
cubic feet per second.....
(If water is to be used from more than one source, give quantity from each)

(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is (Irrigation), Stock water,
wildlife - fire protection (0.05 ft³/sec) 1 acre ft. 5 cows

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

gravity fed sprinkler system, stock trough with float valve
1 inch pipe for both systems. Small pump. Sprinkler system
with 1" pipe. The stock trough will be used for approx 5-10
cattle.

If for domestic use state number of families to be supplied

7. Construction work will begin on or before..... August 1981.....

8. Construction work will be completed on or before October 1981

9. The water will be completely applied to the proposed use on or before.....July.....1982.....

Application No.

(e) 10 13

Permit No. **45450**

45450

Remarks:.....

Ronnette B. Moore
Signature of Applicant
Jolynn Bush Moore

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....correction and completion.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before March 9, April 6, .. 1981

WITNESS my hand this 9 day of.....January....., 19...81.....

5

February

James E. Sexson Water Resources Director

By

Donald R. Buell

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED
FEB 10 1981
WATER RESOURCES DEPT
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

24 day of November , 19 80 , at 11:00 o'clock

A....M.

Application No..... 61013.....

Permit No..... 45450.....

103 810

Application No.....

61013

Permit No.....

45450

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.055 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream and Moore Reservoir to be constructed under Application R-61012, Permit R-8224.

The use to which this water is to be applied is irrigation and stock water, being 0.05 cubic foot per second for irrigation and 0.005 cfs for stock.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2½ acre-feet per acre for each acre irrigated during the irrigation season of each year.


and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 24, 1980

Actual construction work shall begin on or before February 10, 1982 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.82.....

Complete application of the water to the proposed use shall be made on or before October 1, 19.83.....

WITNESS my hand this 10th day of February , 19.81


Janet E. Lyon
Water Resources Director