

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

RECEIVED
DEC 12 1980
WATER RESOURCES DE
SALEM, OREGON

I, DARVIN L. OCHS
(Name of Applicant)

of Myrtle Rt. Box 262-A, Myrtle Creek
(Mailing Address) (City)

State of OR, 97457 Phone No. 863-6421
(Zip Code) do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is North Myrtle Creek
 a tributary of Myrtle Creek

2. The point of diversion is to be located 1330 ft. S and 1100 ft. E
(N. or S.) (E. or W.)
 from the NE corner of Sec. 4
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the NW $\frac{1}{4}$ of the NW $\frac{1}{4}$ of
 Sec. 4 Tp. 29S R. 4W, W.M., in the county of Douglas
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
<u>29S</u>	<u>4W</u>	<u>4</u>	<u>NW$\frac{1}{4}$ NW$\frac{1}{4}$ (1.4)</u>	<u>2.4</u>

4. The amount of water which the applicant intends to apply to beneficial use is 1.03
cubic feet per second.....
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is Irrigation

6. **DESCRIPTION OF WORKS**

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

There is no diversion dam or headgate as water is simply drawn from the creek thru a 2 1/2" plastic pipe. Water is pumped from a centrifugal pump with 1/2 hp elec. motor and supply is distributed thru 2" black plastic pipe buried. Pipeline extends from pump (at creek side) to the road at northern boundary of property with 6 main 2" stands for connection to sprinkler pipes. In addition there are several small laterals of 3/4" dia serving the garden & house areas. Pressure is adequate to run 6-8 #15 Rainbirds at the upper end.

If for domestic use state number of families to be supplied.....

- 7. Construction work will begin on or before..... Completed
- 8. Construction work will be completed on or before..... Completed
- 9. The water will be completely applied to the proposed use on or before..... Completed

Application No. 61066

Permit No. **45489**

Remarks:.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

This permit, when issued, is for the beneficial use of water. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan. It is possible that the land use you propose may not be allowed if it is not in keeping with the goals and the acknowledged plan. Your city or county planning agency can advise you about the land-use plan in your area.

x *Daryl J Ochs*
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of....., 19.....

..... Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the
12th day of *December*, 19 *80*, at *11:00* o'clock
A.M.

Application No. *61066*

Permit No. **45489**

12120

Application No. 61066

Permit No. 45489

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Myrtle Creek

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not exceed 2 1/2 acre-feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 12, 1980

Actual construction work shall begin on or before March 3, 1982 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1982

Complete application of the water to the proposed use shall be made on or before October 1, 1983

WITNESS my hand this 3rd day of March, 1981

[Signature]
Water Resources Director