

Application No. 60161

Permit No. 45507

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water **RECEIVED**

MAY 19 1980

I, Marvin May (Name of Applicant)

WATER RESOURCES DEPT.
SALEM, OREGON

of 15380 May Road, Dallas (Mailing Address) (City)

State of Oregon, 97332 Phone No. 623 2057 (Zip Code) do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is unnamed stream + may Flash-board Dam, a tributary of Salt Creek

2. The point of diversion is to be located 580 ft. S and 1500 ft. W from the NE corner of Section 7 FOR IRRIGATION (Public Land Survey Corner) DAM LOCATED 1000 ft. S AND 1730 ft. W from NE corner section 7 (If there is more than one point of diversion, each must be described)

Both being within the NW $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Sec. 7 Tp. 7S R. 5W, W. M., in the county of Polk (N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
<u>75</u>	<u>5W</u>	<u>7</u>	<u>NW NE</u>	<u>6.4</u>
<u>75</u>	<u>5W</u>	<u>7</u>	<u>NE NE</u>	<u>3.7</u>
<u>75</u>	<u>5W</u>	<u>7</u>	<u>NW NE</u>	<u>1.5 AC FT. for fish CULTURE + stock water</u>

(1.5 AC. FT) stock water +
Fish culture 0.01
Irrigation

4. The amount of water which the applicant intends to apply to beneficial use is ... 0.126 ...
cubic feet per second... for a total of 0.136 cfs.
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is ... Irrigation ... fish culture ~~stock water~~

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

3 hp electric pump

2" portable aluminum pipe

~~100 hd stk maximum will drink directly from pond when stream dries up in summer~~

Trout to be planted each year.

If for domestic use state number of families to be supplied

7. Construction work will begin on or before 5-80

8. Construction work will be completed on or before 5-81

9. The water will be completely applied to the proposed use on or before 5-82 completed

Application No. 60161

Permit No. 45507

12200

Remarks: Direct Flow water will be used for irrigation while
available

X Marin May
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of....., 19.....

..... Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the
19th day of MAY, 1980, at 1:49 o'clock
P.M.

Application No. 60161

Permit No. 45507

18206

Application No. 60161

Permit No. 45507

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.136 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream and May Flashboard Dam to be constructed under Application R-60160, Permit R- 8230.

The use to which this water is to be applied is fish culture and irrigation, being 0.01 cfs. from unnamed stream and reservoir for fish culture and 0.126 cfs. from unnamed stream for irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre-feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 19, 1980

Actual construction work shall begin on or before March 24, 1982 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1982

Complete application of the water to the proposed use shall be made on or before October 1, 1983

WITNESS my hand this 24th day of March, 1981

[Signature] Deputy Water Resources Director

104