

Application No. 61195

Permit No. 45529

STATE OF OREGON WATER RESOURCES DEPARTMENT RECEIVE

Application for Permit to Appropriate Surface Water

JAN 28 1981

WATER RESOURCES D
SALEM, OREGON

I, Gibbs Land & Livestock Co., an Oregon corporation
(Name of Applicant)

of Pt 3, Ex 116 Oregon Side Weiser
(Mailing Address) (City)

State of Idaho, 83672 Phone No. 1-503-262-3407 do hereby
(Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is Snake River

....., a tributary of Columbia River

2. The point of diversion is to be located 200 ft. North and 960 ft. West
(N. or S.) (E. or W.)

from the Northeast corner of SE 1/4 NW 1/4 (Lot 2) of Sec. 25
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

..... being within the NE 1/4 of the NW 1/4 of

Sec. 25 Tp. 15 S R. 46 E, W. M., in the county of Malheur
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
T15 S	46 E	25	Lot 1 (NE 1/4 NW 1/4)	2.7 acres
"	"	"	NW 1/4 NE 1/4	1.9 acres
"	"	"	NE 1/4 NE 1/4	7 acres
"	"	"	Lot 2 (SE 1/4 NW 1/4)	36.8 acres
"	"	"	SW 1/4 NE 1/4	37.4 acres
"	"	"	SE 1/4 NE 1/4	18.4 acres
"	"	"	Lot 3 (NE 1/4 SW 1/4)	9 acres
"	"	"	NW 1/4 SE 1/4	22 acres
				<u>135.2 - Acres total</u>
				<u>135.2</u>

REGISTERED. See Misc. Rec., Vol. 8 Page 239

4. The amount of water which the applicant intends to apply to beneficial use is 3.38

cubic feet per second OR 1/40 of a cfs/acre
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is irrigation of low crops

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

permanent steel frame base w/ 1.5 hp electric short-coupled turbine pump & motor pumping into an open ditch

POND: the pond has been in existence for APX 25 yrs ^{used ~~water~~ over night for storage}
it is 250 yds long & 30 yds wide - 2 feet deep. we pump from the Snake River and by an open ditch gravity flow this water into the pond, thence pumped out of the pond with a 25 HP Electric motor into a main line to sprinkle irrigate and gravity flow irrigate the permit area

If for domestic use state number of families to be supplied -

7. Construction work will begin on or before already completed

8. Construction work will be completed on or before " "

9. The water will be completely applied to the proposed use on or before now in use

Application No. 61195

Permit No. 45529

Remarks: final set to loan pending

Sidd's Land & Lumber Co.
Signature of Applicant
By Gary Sidd (Manager)

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for..... correction and completion

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before April 14, 19 81

WITNESS my hand this 12 day of February, 19 81

James E. Sexson Water Resources Director

By Wayne J. Overcash
Wayne J. Overcash

RECEIVED
MAY 12 1981
WATER RESOURCES DEPT.
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

28 day of January, 19 81, at 8:00 o'clock
A.M.

Application No. 61195

Permit No. 45529

12250

Application No. 61195

Permit No. 45529

Permit to Appropriate the Public Waters of the State of Oregon

12500

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.38 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Snake River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 acre-feet per acre for each acre irrigated during the irrigation season of each year

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 28, 1981

Actual construction work shall begin on or before March 24, 1982 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1982

Complete application of the water to the proposed use shall be made on or before October 1, 1983

WITNESS my hand this 24th day of March, 1981

[Signature] Deputy Water Resources Director

PHY 5