

"CERTIFICATE NO. 65658"

Application No. 61208

Permit No. 45562

STATE OF OREGON WATER RESOURCES DEPARTMENT **RECEIVED**

Application for Permit to Appropriate Surface Water

FEB 3 1981

ASSIGNED RICHARD R. & CHARLOTTE D. RODGERS WATER RESOURCES DEP
FREO SCHILDMAYER SALEM, OREGON

I, R. F. Schildmeyer,
(Name of Applicant)
of Rt 5 Box 1306 Rt 5, Box 1156-X, Klamath Falls,
(Mailing Address) (City)

State of Oregon, 97601, Phone No. 882-7988,
(Zip Code) do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is UPPER KLAMATH LAKE,

, a tributary of KLAMATH RIVER.

2. The point of diversion is to be located 400 ft. S and 850 ft. W,
(N. or S.) (E. or W.)

from the NW corner of Sec. 30,
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the NE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of
Sec. 25, Tp. 37S, R. 8E, (N. or S.) (E. or W.), W.M., in the county of KLAMATH.

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
37S	9E	30	SW NW	6.0
			NE SW	0.2
			NW SW	35.0
			SW SW	48.7
			SE SW	13.0
37S	9E	31	NW NE	4.5
			NE NW	40.2

4. The amount of water which the applicant intends to apply to beneficial use is 3.7
cubic feet per second.....
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is IRRIGATION

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

ONE 24" X 10' PIPE SET IN CEMENT BUCK HEAD WITH 24" SCREW HEAD GATE. WATER FLOWS BY GRAVITY FROM UPPER KLAMATH LAKE THROUGH THIS GATE AND INTO SUPPLY DITCH OF APPROX 3/4 MILE LENGTH BETWEEN HIGHWAY 77 & SO PACIFIC RR TRACKS TO SUPPLY RANCH PROPERTY TO BE IRRIGATED. THERE ARE 4 SUPPLY PIPES (18") THAT RUN FROM SUPPLY DITCH UNDER HWY 77 AND INTO FIELDS FOR IRRIGATION. ALL WATER IS USED ON THE FIELDS BY GRAVITY.

If for domestic use state number of families to be supplied

7. Construction work will begin on or before COMPLETED
8. Construction work will be completed on or before COMPLETED
9. The water will be completely applied to the proposed use on or before COMPLETED

Application No. 61208

Permit No. 45562

RECEIVED

Remarks:.....

This permit, when issued, is for the beneficial use of water. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan. It is possible that the land use you propose may not be allowed if it is not in keeping with the goals and the acknowledged plan. Your city or county planning agency can advise you about the land-use plan in your area.

Fred Schindmeyer

Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before , 19.....

WITNESS my hand this day of , 19.....

Water Resources Director

By

*This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the
3rd day of February , 1981 , at 8:30... o'clock
A.M.*

Application No. 61208 Permit No. 45562

702018

Application No.....

61208

Permit No.....

45562

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed3.1..... cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from ...Upper Klamath Lake.....

The use to which this water is to be applied is.....irrigation.....

If for irrigation, this appropriation shall be limited to1/40th..... of one cubic foot per second or its equivalent for each acre irrigated....and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season.....of each year,


and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is.....February 3, 1981.....

Actual construction work shall begin on or before.....March 24, 1982.....and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19..82.....

Complete application of the water to the proposed use shall be made on or before October 1, 19..83.....

WITNESS my hand this24th.... day of.....March....., 19.81.....


Water Resources Director

RWT