

Application No. 61297

Permit No. 45611

STATE OF OREGON WATER RESOURCES DEPARTMENT **RECEIVED**

Application for Permit to Appropriate Surface Water

MAR 02 1981

WATER RESOURCES DE  
SALEM, OREGON

I, Max W. Lockwood (Name of Applicant)  
of 12475 North Bank Road, Roseburg (Mailing Address) (City)  
State of Oregon, 97470 Phone No. 673-3471 (Zip Code) do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is North Umpqua River

....., a tributary of Umpqua River

2. The point of diversion is to be located 725 ft. N. and 1760 ft. W.  
(N. or S.) (E. or W.)

from the S. E. corner of Section 7, T. 26 S., R. 4 W., W. M.  
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

..... being within the .....  $\frac{1}{4}$  of the .....  $\frac{1}{4}$  of  
Sec. 7 Tp. 26 S. R. 4 W., W. M., in the county of Douglas  
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
<u>26 S.</u>	<u>4 W.</u>	<u>7</u>	<u>SE <math>\frac{1}{4}</math> SE <math>\frac{1}{4}</math></u> <u>SW <math>\frac{1}{4}</math> SE <math>\frac{1}{4}</math></u>	<u>4.6 A.</u> <u>1.8 A. <math>\neq</math> Domestic</u>

4. The amount of water which the applicant intends to apply to beneficial use is ..... 0.085  
cubic feet per second.....  
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is ..... Domestic 0.085  
Irrigation 0.08 C.F.S.

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

80 ft. of 1 1/2 in. pipe from river to 3/4 H.P. jet pump  
75 ft. of 1 in. pipe from 3/4 H.P. jet pump to 1000 gal. holding tank  
40 ft. of 3/4 in. from 1/2 H.P. jet pump at holding tank to house  
400 ft. of 3/4 in. from 1/2 H.P. jet pump at holding tank to S.E. 1/4 of S.E. 1/4 for irrigation will use flood or rainbird sprinkler

If for domestic use state number of families to be supplied.....

- 7. Construction work will begin on or before..... Feb. 1981
- 8. Construction work will be completed on or before..... Feb. 1982
- 9. The water will be completely applied to the proposed use on or before..... Feb. 1983

Application No. .... 61297

Permit No. .... 45611

Remarks:.....

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

x *Max W. Lockwood*  
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before ....., 19.....

WITNESS my hand this ..... day of....., 19.....

..... Water Resources Director

By .....

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

*2nd* day of *March*, 19 *81*, at *11:00* o'clock  
*A.M.*

Application No. *61297*

Permit No. *45611*

Application No. 61297

Permit No. 45611

### Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.085 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Umpqua River

The use to which this water is to be applied is domestic use for one family and irrigation, being 0.005 cfs for domestic and 0.08 cfs for irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre-feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 2, 1981

Actual construction work shall begin on or before April 15, 1982 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1983

Complete application of the water to the proposed use shall be made on or before October 1, 1984

WITNESS my hand this 15th day of April, 1981

  
Water Resources Director

244 A