

Application No. 59894

Permit No. 45648

STATE OF OREGON WATER RESOURCES DEPARTMENT
Application for Permit to Appropriate Surface Water

I, Alvin R. Kreyer
(Name of Applicant)

of Pt 1 Box 112
(Mailing Address), Pendleton
(City)

State of Oregon, 97801 Phone No. 276-1481
(Zip Code) do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is Spring pond
 a tributary of _____

2. The point of diversion is to be located 1250 ft. E and 300 ft. S
(N. or S.) (E. or W.)
 from the N.W. corner of Sec. 8, T. 2N, R. 33E, Will. Mer.
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the NW $\frac{1}{4}$ of the NW $\frac{1}{4}$ of
 Sec. 8 Tp. 2N R. 33E, W. M., in the county of Umatilla
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
<u>2N</u>	<u>33E</u>	<u>8</u>	<u>NW$\frac{1}{4}$, NW$\frac{1}{4}$</u>	<u>5.13 ac.</u>
Legal description of property as stated on property deed is: <u>E$\frac{1}{2}$, E$\frac{1}{2}$, E$\frac{1}{2}$, NW$\frac{1}{4}$, NW$\frac{1}{4}$, Sec. 8, T. 2N, 33E, Will. M.</u>				

4. The amount of water which the applicant intends to apply to beneficial use is

cubic feet per second..... .06

(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is SUPPL'G IRRIGATION OF 3+ ac.

AND IRRIGATION OF 12 ac.

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

x 1 1/2 hp. electric pump - 1 1/2" discharge -
1 1/2" main line with 1" lateral lines -
operate max. of 6 sprinkler heads.

The surface area of the pond is approx 60 x 20 ft
the surface is approx 10 ft below ground level - the
depth of water varies from 3 to 5 ft. Material encountered
in construction was 2 ft of top soil + the remaining depth
was gravel + rock - the bottom of the pond is on bed rock.

the reason for constructing the pond was that Spring
Creek dries-up about July 1 - the pond furnishes irrigation
water through July and a very limited amount through
Aug + Sept.

If for domestic use state number of families to be supplied.....

7. Construction work will begin on or before..... completed

8. Construction work will be completed on or before..... completed

9. The water will be completely applied to the proposed use on or before..... upon approval

Application No. 59894

Permit No. 45648

1938

Remarks: pond was developed over a spring located entirely with my property boundary. Spring was tested in late fall of 1978 and provided 20 gal per min during the driest month of the year. There is no surface drainage into the pond. Pond bottom is on solid bed-rock, much higher than the Umatilla River, therefore eliminating any possibility of obtaining water from the river source

x *Oliver R. Kizer*
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....completion.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or beforeOctober 21,....., 19..80.....

WITNESS my hand this21..... day of.....August....., 19..80.....

James E. Sexson..... Water Resources Director

By *Wayne J. Overcash*

Wayne J. Overcash

WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED
OCT 25 1980

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

.....20th..... day of.....*March*....., 19..80....., at 11:00 o'clock

.....A.....M.

Application No. 59894

Permit No. 45648

42018

Application No. 59894

Permit No. 45648

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring development.

The use to which this water is to be applied is irrigation and supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 20, 1980

Actual construction work shall begin on or before April 30, 1982 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1983

Complete application of the water to the proposed use shall be made on or before October 1, 1984

WITNESS my hand this 30th day of April, 1981

James E. Swan
Water Resources Director