

4. The amount of water which the applicant intends to apply to beneficial use is 0.02

cubic feet per second.....

(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is 0.01 stock use,

0.01 recreation use

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

RENEW LAKE (OR "POND") FROM WHICH WATER WAS DIVERTED BY NATURAL CAUSES; ALSO CONSTRUCT ADDITIONAL POND BY GOUGING OUT AREA ADJACENT TO STREAM. EACH PROJECT LESS THAN ONE ACRE. 4" conduit from stream to pond for maintaining pond.

If for domestic use state number of families to be supplied.....

7. Construction work will begin on or before IMMEDIATELY

8. Construction work will be completed on or before NDV. 1 1980

9. The water will be completely applied to the proposed use on or before NDV. 15 1980

Application No. 60567

Permit No. 45700

12500

Remarks:.....

.....
.....
.....
.....
.....
.....
.....
.....


Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

..... Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 28th day of August, 19 80, at 2:00 o'clock P.M.

Application No. 60567.....

Permit No. 45700.....

12500

Application No. 60567

Permit No. 45700

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.15 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Hornshuh Creek and reservoir to be constructed under Application R-60566, Permit R-8257.

The use to which this water is to be applied is recreation and stock, being 0.01 cfs for recreation and 0.005 cfs for stock.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated provided further that water shall not be appropriated from direct flow during the period from July 31 through September 15 of each year except for stored water, except for livestock consumption;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 28, 1980

Actual construction work shall begin on or before May 29, 1982 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1983

Complete application of the water to the proposed use shall be made on or before October 1, 1984

WITNESS my hand this 29th day of May, 1981

James E. Seaman Water Resources Director