

CERTIFICATE NO. 53158  
 Application No. 61501

Permit No. 45704 RECEIVED

STATE OF OREGON WATER RESOURCES DEPARTMENT  
 Application for Permit to Appropriate Surface Water  
 APR 6 1981  
 WATER RESOURCES DEPT  
 SALEM, OREGON

I, VINCENT FOX (Name of Applicant)  
 of 2030 CEMETERY ROAD, COTTAGE GROVE (Mailing Address) (City)  
 State of OREGON, 97124 Phone No. 9425158 (Zip Code) do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is SILK CREEK  
 a tributary of COAST FORK WILLAMETTE

2. The point of diversion is to be located 894.4 ft. EAST and 542.8 ft. SOUTH  
 from the S.W. corner of Donation Land Claim #58  
 (Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the NE ~~SW~~  $\frac{1}{4}$  of the S.W.  $\frac{1}{4}$  of  
 Sec. 29 Tp. 20 S. R. 3 W., W. M., in the county of LANE  
 (N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
20 S.	R 3 W,	29	<del>SW</del> <u>NE</u> $\frac{1}{4}$ & S.W. $\frac{1}{4}$	<del>5.25</del> <u>4.75 ACRES</u>
20 S.	R. 3 W,	29	<u>NW</u> $\frac{1}{4}$ of SE $\frac{1}{4}$	<u>.25 ACRES</u>

4. The amount of water which the applicant intends to apply to beneficial use is 1/16  
cubic feet per second..... 28 gallons per minute  
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is irrigate orchard, ALFALFA  
+ garden amounts orchard 8 gpm, ALFALFA, 10 gpm garden, 10 gpm

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

H.S.L. 1/2 Advance pump, 1/2 h.p. - system should  
be capable of operating FIVE (5) 3/4" RAIBIRD  
typ. sprinklers.

If for domestic use state number of families to be supplied.....

7. Construction work will begin on or before..... 9-1-81

8. Construction work will be completed on or before..... 9-1-82

9. The water will be completely applied to the proposed use on or before..... 9-1-82


Application No. 601501

Permit No. 45704

RECEIVED

Remarks:.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

This permit, when issued, is for the beneficial use of water. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan. It is possible that the land use you propose may not be allowed if it is not in keeping with the goals and the acknowledged plan. Your city or county planning agency can advise you about the land-use plan in your area.

  
.....  
Signature of Applicant  
.....

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for..... correction and completion.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before ..... July 13, ..... , 1981.....

WITNESS my hand this ..... 13 ..... day of ..... May ..... , 19 81.....

..... James E. Sexson ..... Water Resources Director

By .....

Stephen C. Brown

RECEIVED  
MAY 18 1981  
WATER RESOURCES DEPT  
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

..... 6 ..... day of ..... April ..... , 19 81 ..... , at 8:00 o'clock  
..... A.M.

Application No. .... 61501 .....

Permit No. .... 45704 .....

1981

Application No. 61501

Permit No. 45704

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Silk Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre-feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 6, 1981

Actual construction work shall begin on or before May 29, 1982 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1983

Complete application of the water to the proposed use shall be made on or before October 1, 1984

WITNESS my hand this 29th day of May, 1981

James E. Severson Water Resources Director