

RECEIVED

DEC 26 1980

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

WATER RESOURCES DEPT
SALEM, OREGON

I, [Signature] (Name of Applicant)

of Box 249 (Mailing Address), Gladys, Powder (City)

State of Ore. (Zip Code) 97867 Phone No. 848-2333 do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is a Spring

....., a tributary of Powder River

2. The point of diversion is to be located 300 ft. S (N. or S.) of the center of the NE 1/4 of Sec 14 (E. or W.)

SE 1/4 of the NW 1/4 of the NE 1/4 corner of Sec 14 (Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

..... being within the SW 1/4 of the NE 1/4 of
Sec. 14 Tp. 6S R. 39E, W. M., in the county of Union

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
<u>6S</u>	<u>39E</u>	<u>14</u>	<u>SW 1/4 of NE 1/4</u>	<u>Stock Water</u>
<u>"</u>	<u>"</u>	<u>"</u>	<u>SE 1/4 NE 1/4</u>	<u>+ Irrig. 10 ACRES</u>
<u>"</u>	<u>"</u>	<u>"</u>	<u>NE 1/4 NE 1/4</u>	<u>Suppl. Irr. 10 ac, DOMESTIC, & Stock</u>

Form 690-1-0-1-77
211320 / 660
4 / 5280
4
13
1280

4. The amount of water which the applicant intends to apply to beneficial use is ~~1/4~~ 1/2 cfs
cubic feet per second... 0.5 cfs IRR., 0.005 cfs DOMESTIC, 0.015 cfs STOCK
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is Stockwater, irrigation, ~~irrigation~~
+ Domestic, Suppl. Irr.

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

1,640' of 1 1/2" pipeline underground, 1/2 Horsepower
Centrifugal pump. Six points of use for Stock
ONE "Big SQUIRT" sprinkler proposed. May use larger pump
and other sprinklers. 6' x 8' Cistern made of Steel with
Pressure Tank.
1500 CATTLE & HORSES

If for domestic use state number of families to be supplied 1 family

7. Construction work will begin on or before ~~complete~~ Started

8. Construction work will be completed on or before ~~complete~~ Oct 1, 1981
Oct 1, 1982

9. The water will be completely applied to the proposed use on or before ~~complete~~ 79

Application No. 61092

Permit No. 45716

Remarks:

Signature of Applicant

Don Dyer

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....correction and completion.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before April 28, 1981

WITNESS my hand this 27 day of February, 1981

James E. Sexson Water Resources Director

By *Ralph H. Jackson*
Ralph H. Jackson

RECEIVED
MAY 26 1981
WATER RESOURCES DEPT
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 26th day of December, 1980, at 4:00 o'clock P.M.

Application No. 61092

Permit No. 45716

12310

Application No. 61092

Permit No. 45716

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.52 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring

The use to which this water is to be applied is domestic for one family, stock, irrigation and supplemental irrigation, being 0.005 cfs for domestic; 0.015 cfs for stock and 0.50 cfs for irrigation and supplemental irrigation.

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated... and shall be further limited to a diversion of not to exceed 3 1/2 acre-feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein; provided further that during the irrigation season the water for stock shall be a part of that diverted for irrigation and shall not at any time exceed 0.015 cfs;


and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 26, 1981

Actual construction work shall begin on or before May 29, 1982 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1983

Complete application of the water to the proposed use shall be made on or before October 1, 1984

WITNESS my hand this 29th day of May, 1981


Water Resources Director