

Application No. 60819

Permit No. 45777

RECEIVED

STATE OF OREGON WATER RESOURCES DEPARTMENT

APR 6 1981

Application for Permit to Appropriate Surface Water

WATER RESOURCES DEPT SALEM, OREGON

I, DONALD O. & RUBY ANN FRASER (Name of Applicant)

of RT. 1, BOX 1502 (Mailing Address), Bandon (City)

State of OREGON, 97411 (Zip Code) Phone No. 347-3727 do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is CONNER CREEK, a tributary of DAVIS CREEK

2. The point of diversion is to be located ft. and ft. (N. or S.) (E. or W.) from the corner of Connor Cr. 120'S 2360'W from NE 1/4 cor. sec 13, W/IN NW 1/4 NE 1/4 (Public Land Survey Corner)

(If there is more than one point of diversion, each must be described) Connor Cr. 1340'S 800'W from NE 1/4 cor. sec. 13, W/IN SE 1/4 NE 1/4

being within the 1/4 of the 1/4 of Sec. 13, Tp. 30S, R. 15W, W. M., in the county of WOODS

3. Location of area to be irrigated, or place of use if other than irrigation.

Table with 5 columns: Township, Range, Section, List 1/4 1/4 of Section, List use and/or number of acres to be irrigated. Rows include irrigation details for various sections of land.

Irr=0.025/AC F. H = 0.5/AC10 T.C. = 0.15/AC

4. The amount of water which the applicant intends to apply to beneficial use is ~~1.895~~ 2.503

cubic feet per second. From POD at holding pond on Connor Cr. with any deficiency
(If water is to be used from more than one source, give quantity from each)
in supply to come from the designated diversion point in the NW $\frac{1}{4}$ NE $\frac{1}{4}$ on Connor creek.

5. The use to which the water is to be applied is Irr. ~~0.072~~ temp. cont. 0.450 cfs,

Harvest 0.455 cfs, Temp. control 1.37 cfs.

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

POD #2 Connor Creek 2' concrete culvert under highway 101 is boarded part way up to provide sump from which to pump. 2200' of 3" pvc. from point of diversion to sump. 7.5 h.p. Berkley electric pump, sprinkler irrigation system.

POD #1 Connor Cr. An earthfill holding pond with flashboard controls with 3" pvc. pipe from dam to sump. 5 hp. Berkley electric pump.

[Empty lines for description of works]

If for domestic use state number of families to be supplied N/A

7. Construction work will begin on or before Complete

8. Construction work will be completed on or before Complete

9. The water will be completely applied to the proposed use on or before In use

Application No. 60819 Permit No. 45777

72544

Remarks: For the 6.1 acres covered by the earlier right described by certificate No. 39501, this application is for heat control and to bring the amount of water up to the full duty for frost control.

ITEM #3 The use of water in the SE 1/4 NE 1/4 AND the SW 1/4 ^{NE 1/4} for 6.1 ac is intended to bring the amount of water for irrigation of cranberries to the full duty allowed of 1/40 cfs

Signature of Applicant
Daniel O. Fraser
Ruby Ann Fraser

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before August 3, August 10, 1981

WITNESS my hand this 2 day of June, 1981

James E. Sexson 10 June Water Resources Director

By Wayne J. Overcash

RECEIVED
JUN 5 1981
WATER RESOURCES DEPT
SALEM, OREGON

RECEIVED
JUN 22 1981
WATER RESOURCES DEPT
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 29th day of Sept, 1980, at 8:00 o'clock A.M.

Application No. 60819

Permit No. 45777

72555

Application No. 60819

Permit No. 45777

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.365 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Conner Creek

The use to which this water is to be applied is irrigation, supplemental irrigation, temperature control and flood harvest, being 0.228 cfs for irrigation, 1.365 cfs for temperature control and 0.455 cfs for flood harvest

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year, for cranberries. If for the irrigation of any other crop, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre-feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 29, 1980 for all except for 0.153 cfs for supplemental irrigation which has a priority date of June 22, 1981. Actual construction work shall begin on or before June 29, 1982 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1983

Complete application of the water to the proposed use shall be made on or before October 1, 1984

WITNESS my hand this 29th day of June, 1981

James E. Seaman Water Resources Director

449