

Application No. 60820

Permit No. 45778

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

RECEIVED SEP 29 1980 WATER RESOURCES DEPT SALEM, OREGON

I, Donald O. & Ruby Ann Traser (Name of Applicant) of Rt. 1, Box 1502 B, Bandon, Oregon (Mailing Address) 97411 (City) Phone No. 347-3727 (Zip Code) do hereby make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is Connor Cr, a tributary of Davis Cr.

2. The point of diversion is to be located 120 ft S and 2360 ft W from the SE 1/4 corner of Sec 12 (Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the NW 1/4 1/4 of the NE 1/4 of Sec. 13, Tp. 30 S, R. 15 W, W. M., in the county of Coos

3. Location of area to be irrigated, or place of use if other than irrigation.

Table with 5 columns: Township, Range, Section, List 1/4 1/4 of Section, List use and/or number of acres to be irrigated. Rows include: 30S, 15W, 12, NW 1/4 SE 1/4 (11ac irr, temp control, Flood harvest); NE 1/4 SE 1/4 (7ac); SW 1/4 SE 1/4 (6ac).

4. The amount of water which the applicant intends to apply to beneficial use is 5.4

cubic feet per second.....

(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is irrigation = 0.6 cfs, temperature control = 3.4 cfs, flood control = 1.2 cfs

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

2' diameter concrete culvert under Highway 101 is boarded part way up in order to provide a small sump from which to pump. 2100' 3" diameter PVC to open ditch and then from open ditch to sump. 7 HP pump. Sprinkler irrigation system

If for domestic use state number of families to be supplied..... N/A

7. Construction work will begin on or before..... It has begun

8. Construction work will be completed on or before..... 09-18-82

9. The water will be completely applied to the proposed use on or before..... 09-18-83

Application No. 60820

Permit No. 45778

22228

Remarks:.....

.....
.....
.....
.....
.....
.....
.....

Arnold O. Fraser
Signature of Applicant
Ruby Ann Fraser

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for..... correction and completion

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before June 1, 1981, 19.....

WITNESS my hand this 30 day of March , 19 81.....

..... James. E. Sexson Water Resources Director

By *Donald R. Bull*
for
Wayne J. Overcash

RECEIVED

APR 6 1981

WATER RESOURCES DEPT
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

..... 29 day of Sept., 19 80, at 8.00 o'clock
..... A.M.

Application No. 60820 Permit No. 45778

72518

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.6 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Conner Creek

The use to which this water is to be applied is irrigation, temperature control and flood harvesting, being 0.6 cfs for irrigation, 3.6 cfs for temperature control and 1.2 cfs for flood harvesting.

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year, for cranberries. If for the irrigation of any other crop, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre-feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 29, 1980

Actual construction work shall begin on or before June 29, 1982 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1983

Complete application of the water to the proposed use shall be made on or before October 1, 1984

WITNESS my hand this 29th day of June, 1981

James E. Larson Water Resources Director

Handwritten initials and number B