

Application No. 61709

Permit No. 45791

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

RECEIVED

MAY 20 1991

WATER RESOURCES DEPT.
SALEM, OREGON

GERALD VAN DYKE

(Name of Applicant)

of 1000 S.W. 331 AVE

(Mailing Address)

HILLSBORO

(City)

State of OREGON

(Zip Code)

Phone No. 648-5262

do hereby

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is DAIKK CREEK

, a tributary of TUALATIN

2. The point of diversion is to be located 3320 ft. N and 730 ft. E

(N. or S.)

(E. or W.)

from the SE

corner of SEC. 2

T15 R3W W1M

(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the JW $\frac{1}{4}$ of the NW $\frac{1}{4}$ of

Sec. 1 Tp. 15 R. 3W, W. M., in the county of WASH.

(N. or S.)

(E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
15	3W	1	SW $\frac{1}{4}$ NW $\frac{1}{4}$	0.2 A
15	3W	2	SW $\frac{1}{4}$ NE $\frac{1}{4}$	1.5 A 2 A
15	3W	2	SE $\frac{1}{4}$ NE $\frac{1}{4}$	10.5 A 10 A
				1.8 A 12 A

4. The amount of water which the applicant intends to apply to beneficial use is 8.15
cubic feet per second.....
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is Irrigation (supp)

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

30 H.P. Centrifical Pump
6" MAIN Line
40 - 7 gal Sprinklers 1600 ft pipe

If for domestic use state number of families to be supplied.....

7. Construction work will begin on or before..... Completed

8. Construction work will be completed on or before..... Completed

9. The water will be completely applied to the proposed use on or before... 8/1/81

Application No. 61709

Permit No. 45791

72004

Remarks:.....
.....
.....
.....
.....
.....
.....

This permit, when issued, is for the beneficial use of water. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan. It is possible that the land use you propose may not be allowed if it is not in keeping with the goals and the acknowledged plan. Your city or county planning agency can advise you about the land-use plan in your area.

Gerald Van Dyke
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of....., 19.....
..... Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 26th day of May, 1981, at 9:40 o'clock A.M.

Application No. 61709

Permit No. 45791

12301

Application No. 61709

Permit No. 45791

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.15 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Dairy Creek

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre-feet per acre for each acre irrigated during the irrigation season of each year, provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein, provided further water shall not be appropriated during the period from July 31 through September 15 of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 26, 1981

Actual construction work shall begin on or before July 7, 1982 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1983

Complete application of the water to the proposed use shall be made on or before October 1, 1984

WITNESS my hand this 7th day of July, 1981

Signature of James E. Seaman, Water Resources Director

Handwritten initials and number 7