

"CERTIFICATE NO. 55885"

Application No. 60266

Permit No. 45924

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

RECEIVED JUN 13 1980 WATER RESOURCES DEPT SALEM, OREGON

RECEIVED JUN 13 1980 WATER RESOURCES DEPT SALEM, OREGON

James A. Robinson (Name of Applicant)

of 11955 Ramsey Road Gold Hill (Mailing Address) (City)

State of Oregon 97525 Phone No. 855-1145 do hereby (Zip Code)

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is Unnamed Creek, a tributary of Sans Creek

2. The point of diversion is to be located 2200 ft. N. and 1500 ft. E. from the Southwest corner of Section 12 (Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the N.E. 1/4 of the S.W. 1/4 of Sec. 12 Tp. 35 S. R. 3 W., W. M., in the county of Jackson

3. Location of area to be irrigated, or place of use if other than irrigation.

Table with 5 columns: Township, Range, Section, List 1/4 of Section, List use and/or number of acres to be irrigated. Includes handwritten entries for 35 S., 3 W., 12 section with irrigation details.

4. The amount of water which the applicant intends to apply to beneficial use is .....01 stock water

~~20 gallons per minute~~ IRRIGATION = 0.15 OF CUBIC FT  
cubic feet per second (If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is ~~Irrigation and stock water~~

STOCK WATER 01 IRRIGATION 0.15 OF CUBIC FT

6.

DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

Native rock and dirt dam approximately 9 inches high

by 36 inches across.

Pipe shall be 2 inch PVC plastic approximately 3000 feet long.

Gravity-feed system. No pump involved.

Flood irrigation.

Cattle drinking water in trough.

20 GALLONS PER MINUTE IS MORE OR LESS  
THE AVERAGE WATER IN THIS CREEK.

If for domestic use state number of families to be supplied .....

7. Construction work will begin on or before June 15, 1980

8. Construction work will be completed on or before June 30, 1980

9. The water will be completely applied to the proposed use on or before June 30, 1980

Application No. 60266

Permit No. 45924

Remarks: .....

*James A. Robison*  
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for..... completion

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before ..... ~~May 11, 1981~~ .....  
September 15, 1981

WITNESS my hand this ~~10~~ ..... day of ~~March~~ ..... , 1981.....  
15th day of July, 1981

James E. Sexson ..... Water Resources Director

By: *Wayne J. Overcash*  
Wayne J. Overcash

RECEIVED

MAR 24 1981

WATER RESOURCES DEPT.  
SALEM, OREGON  
RECEIVED

AUG 7 1981

WATER RESOURCES DEPT.  
SALEM, OREGON

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

..... 16 ..... day of *June* ..... , 19 *80* ..... , at *8:00* ..... o'clock  
..... A ..... M.

Application No. *60266* ..... Permit No. *45924* .....

1981

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.16 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed creek

The use to which this water is to be applied is stock and irrigation, being 0.01 cfs for stock and 0.15 cfs for irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 1/2 acre-feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 16, 1980 for 0.01 cfs for stock and 0.05 cfs for irrigation and March 24, 1981 for 0.10 cfs for irrigation.

Actual construction work shall begin on or before September 10, 1982 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1983

Complete application of the water to the proposed use shall be made on or before October 1, 1984

WITNESS my hand this 10th day of September, 1981

James E. Simon Water Resources Director

EX 5