

ABSTRACT MADE

APPLICATION FOR A PERMIT
Superce ding Cent. No. 2650 9

To Appropriate the Public Waters of the State of Oregon

	Enterprise			
of	Enterprise		Name of Applicant)	Wallowa
•	Oregon		, County of	
State (of	, do he	ereby make application	n for a permit to appropriate the
follow	ing described public water	s of the State of	Oregon subject to es	xisting rights:
If	the applicant is a corpor	ration, give date	and place of incorpo	ration
	Enterprise Ore. Jun	e 15th, 1911		
1.				(Name of stream)
	Wallowa River and	tributaries	••	
ributo	ary of Grand	e Ronde	·	
2.	The amount of water wh	ich the applicant	intends to apply to be	eneficial use is
4:	2		(being 12 sec. ft	from E Fork, and Vest Fork Wallowa River)
	cubic fee	et per secona.	(20 BGC. It IIOM	est fork dailowa hiver,
3.	The use to which the w	ater is to be ap	plied is	(Irrigation, power, mining, manufacturing,
	***************************************	·	Power	(irrigation, power, mining, manufacturing,
iomestic	supplies, etc.)		Dames Hauss C 803	90 • W 7403 • G +h Wh
4.	The point of diversion is	located		22' W 3491' from the NE cor
800	c. 29 and thence to p	oint of diver	Give distance and be sion as shown by	earing to section corner)
			•••••••••••••••••••••••••••••••••••••••	·
	(•••••	
	West Fork		Sec. 3 2	3
	East Fork	the state of the s		
٠	WIN SE		t (r. 90	
being wes	within the NW SE Give small	lest legal subdivision)	· ·	, Tp. 3 S (No. N. or S.)
East	Fork 45 E (Give small	lest legal subdivision)	of Sec. 29 Wallowa	
West East R.Pow	t Fork 45 E (Give small to be considered to the constant of	he county of	Wallowa	(No. N. or.S.)
West East R.Pow	t Fork 45 E (Give small to be considered to the constant of	he county of	Wallowa	(No. N. or.S.)
West East Pow	t Fork 45 E (Give small to be considered to the constant of	he county of	Wallowa	(No. N. or.S.)
East Powers of the second seco	t Fork 45 E (Give small to Fork 45 E (Give small to Fork W. M., in the state of the small to Fork W. M., in the state of the st	he county of ditch, canal or pipe he SW NE (Smallest legal	Wallowa to d	(No. N. or. S.)
R. Pow 5. miles i	The Pipe line (Main to length, terminating in to length, W. M., the property of the corw.)	ditch, canal or pipe the SW NE (Smallest legal	Wallowa to line) of Secsubdivision) ing shown throughout	(No. N. or S.) 26 3600° for East Fork and 5800 for West Fork 29 , Tp. 3 S
East East S. Powy 5. miles in R	The Pipe line (Main to length, terminating in to length, W. M., the property of the name of the ditch, to the form of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the property of the name of the ditch, to the property of the name of the ditch, to the property of the property of the name of the ditch, to the property of the pro	ditch, canal or pipe ME SW NE (Smallest legal posed location be canal or other w	Wallowa to long subdivision) ing shown throughout to the corks is	(No. N. or S.) De 3600° for East Fork an 5800 for West Fork 29 , Tp. 3 S (No. N. or S.) on the accompanying map.
R. Pow 5. miles i	The Pipe line (Main to length, terminating in to length, W. M., the property of the name of the ditch, to the form of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the property of the name of the ditch, to the property of the name of the ditch, to the property of the property of the name of the ditch, to the property of the pro	ditch, canal or pipe ME SW NE (Smallest legal posed location be canal or other w	Wallowa to long subdivision) ing shown throughout to the corks is	(No. N. or S.) De 3600° for East Fork and 5800 for West Fork 29 , Tp. 3 S (No. N. or S.) on the accompanying map.
R . East R . Pow $_{1}$	The Pipe line (Main to length, terminating in to length, W. M., the property of the name of the ditch, to the form of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the property of the name of the ditch, to the property of the name of the ditch, to the property of the property of the name of the ditch, to the property of the pro	ditch, canal or pipe the SW NE (Smallest legal posed location be canal or other waric Co. Water	Wallowa to be line) of Sec subdivision) ing shown throughout corks is	(No. N. or S.) De 3600° for East Fork an 5800 for West Fork 29 , Tp. 3 S (No. N. or S.) on the accompanying map.
R. Pow 5. miles i	The Pipe line (Main to length, terminating in to length, W. M., the property of the name of the ditch, to the form of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the name of the ditch, to the property of the property of the name of the ditch, to the property of the name of the ditch, to the property of the property of the name of the ditch, to the property of the pro	ditch, canal or pipe the SW NE (Smallest legal posed location be canal or other waric Co. Water	Wallowa to long subdivision) ing shown throughout to the corks is	(No. N. or S.) De 3600° for East Fork and 5800 for West Fork 29 , Tp. 3 S (No. N. or S.) on the accompanying map.
East East Fow 15. miles i R. (No. 6.	The Pipe line (Main to Re or W.) The W. M., in to the Main to th	ditch, canal or pipe the SW NE (Smallest legal posed location be canal or other waric Co. Water	Wallowa to be line) of Sec subdivision) ing shown throughout corks is	(No. N. or S.) De 3600° for East Fork and 5800 for West Fork 29 , Tp. 3 S (No. N. or S.) on the accompanying map.
East East Fow 1 St. Consider the street of t	The Pipe line (Main in length, terminating in the in w.) E. or w.) The name of the ditch, we have reprise Elections SION WORKS—	ditch, canal or pipe the SW NE (Smallest legal posed location be canal or other w ric Co. Water	Wallowa to define to define to define to define to define to define the subdivision throughout the sorks is the corks is the corks of the corks to define the corks of the cor	(No. N. or S.) De 3600° for East Fork and 5800 for West Fork 29 , Tp. 3 S (No. N. or S.) To on the accompanying map.
East East Fow 1 St. Consider the street of t	The Pipe line (Main in length, terminating in the in w.) E. or w.) The name of the ditch, we have reprise Elections SION WORKS—	ditch, canal or pipe the SW NE (Smallest legal posed location be canal or other w ric Co. Water	Wallowa to define to define to define to define to define to define the subdivision throughout the sorks is the corks is the corks of the corks to define the corks of the cor	(No. N. or S.) De 3600° for East Fork and 5800 for West Fork 29 , Tp. 3 S (No. N. or S.) To on the accompanying map.
East East Fow 1 5. miles i R. (No. 6.	The Pipe line (Main in length, terminating in the corw.) The name of the ditch, terminate Election Enterprise Election SION WORKS— (a) Height of dam	ditch, canal or pipe the SW NE (Smallest legal cosed location be canal or other w ric Co. Water DESCRIPT	Wallowa to describe the subdivision of Sec. subdivision throughout througho	(No. N. or S.) De 3600° for East Fork and 5800 for West Fork 29 , Tp. 3 S (No. N. or S.) on the accompanying map.
East Pow() 5. miles i R. (No. 6.	The Pipe line (Main in length, terminating in the corw.) The name of the ditch, terminate Election Enterprise Election SION WORKS— (a) Height of dam	ditch, canal or pipe the SW NE (Smallest legal cosed location be canal or other w ric Co. Water DESCRIPT 15 fee be used and charces)	Wallowa to be line of Sec. subdivision of Sec. subdivision or sec. subdivision or sec. subdivision or sec. sec. subdivision or sec. sec. sec. sec. sec. sec. sec. sec.	(No. N. or S.) De 3600° for East Fork and 5800 for West Fork 29 , Tp. 3 S (No. N. or S.) on the accompanying map. 30 feet, length at bottom (Loose rock, concrete,
East East East East East East East East	The Pipe line (Main in length, terminating in the corw.) The name of the ditch, terminate Election Enterprise Election SION WORKS— (a) Height of dam	ditch, canal or pipe the SW NE (Smallest legal cosed location be canal or other w ric Co. Water DESCRIPT 15 fee be used and chare 2)	Wallowa to be line) of Sec subdivision) ing shown throughout orks is Power Pipe Line TION OF WORKS t, length on top acter of construction	(No. N. or S.) De 3600° for East Fork and 5800 for West Fork 29 , Tp. 3 S (No. N. or S.) on the accompanying map.
East R. Pow() 5. miles i R	The Pipe line (Main In length, terminating in the Main In length, W. M., the property of the Main In length, W. M., the property of the Main In length, W. M., the property of the Main In length, W. M., the property of the Main In length, W. M., the property of the Main In length, terminating in	ditch, canal or pipe the SW NE (Smallest legal cosed location be canal or other w ric Co. Water DESCRIPT 15 fee be used and chare c) wasteway over or a	Wallowa to define to define to define to define to define the subdivision throughout the sorks is the subdivision of Sec. Power Pipe Line to the subdivision throughout throughout throughout the subdivision throughout throughout throughout throughout the subdivision throughout throughout throughout throughout throughout the subdivision throughout throughout throughout throughout throughout throughout throughout the subdivision throughout througho	(No. N. or S.) De 3600° for East Fork and 5800 for West Fork 29 , Tp. 3 S (No. N. or S.) on the accompanying map. 30 feet, length at bottom (Loose rock, concrete,
East East East East East East East East	The Pipe line (Main in length, terminating in the interpretation of the ditch, in the mane of t	ditch, canal or pipe the SW NE (Smallest legal cosed location be canal or other w ric Co. Water DESCRIPT 15 fee be used and chare c) wasteway over or a	Wallowa to describe the subdivision of Sec. subdi	(No. N. or S.) De 3600° for East Fork and 5800 for West Fork 29 , Tp. 3 S (No. N. or S.) on the accompanying map. 30 feet, length at bottom (Loose rock, concrete,

CANAL SYSTEM—		
8. (a) Give din	nensions at each point of canal where materially changed in size, stating	miles
from headgate. At h	neadgate: Width on top (at water line) feet; width on bo	ottom
fee	t; depth of water feet; grade feet fall per	r one
thousand feet.	18" pipe line for East Fork	
	30" pipe line for West Fork miles from headgate. Width on top (at water line)	
fee	t; width on bottom feet; depth of water	feet;
	feet fall per one thousand feet.	
	FOLLOWING INFORMATION WHERE THE WATER IS USED FOR:	
Irrigation—		
9. The land to b	pe irrigated has a total area of acres, located in	each
smallest legal subdiv	ision, as follows:	te.)
gradus vienas ser su productivas		
	•	
t i la sues e		
		
Devemo Marraya Ma	(If more space required, attach separate sheet)	
	NUFACTURING, OR TRANSPORTATION PURPOSES— from East Fork (1363) amount of power to be developed 4545 (3182) theoretical horsep	ower
	fall to be utilized feet.	
(c) The no	ture of the works by means of which the power is to be developed	
	Pipe Line to Pelton Wheel	
(d) Such v	works to be located in of Sec 29	
	, R. 45 E , W. M.	110
	er to be returned to any stream? Yes, Wallowa River (Yes or No)	
(f) If so,	name stream and locate point of returnWallowa River	
	, Sec. 29 , Tp. 3 , R. 45 (No. E. or W.)	

Sale for domestic and municipal use for Joseph, Enterprise, Lostine, Wallowa and other points.

(h) The nature of the mines to be served

Municipal Supply—					
	11. To supply the city of				
	County, having a present population	n of	, and an		
estin	(Name of) nated population ofin 1	<i>9</i>			
		· · · · · · · · · · · · · · · · · · ·			
	(Answer questions 12, 13, 14 and		ork		
	12. Estimated cost of proposed works, \$. 300,000	(100,000. East E	ork		
	13. Construction work will begin on or before	Jan. 1st, 1921	· · · · · · · · · · · · · · · · · · ·		
	14. Construction work will be completed on or before	Jan. 1st, 1926			
	15. The water will be completely applied to the prop				
	10. The water was to completely applied to the prop	Jan. 1st, 1926			
••••	The state of the second st				
	Duplicate maps of the proposed ditch or other works, a	oreparea in accoraance with	tne ruies of the		
Stat	e Water Board, accompany this application.	Entormulas Floatula Os			
		Enterprise Electric Co) • 		
		(Name of applicant) by D M Simpson, V Pr	'es.		
	· · · · · · · · · · · · · · · · · · ·				
	Signed in the presence of us as witnesses:				
(1)			·		
• •	(Name)	(Address of Witness)			
	(Name)	(Address of Withess)			
	Remarks: This is a corrected applic in the office of the State Engine		076, 111ea		
STA	County of Marion,	And the second of the second o			
	This is to certify that I have examined the foregoing	application, together with th	e accompanyin		
*** ***	es and data, and return the same for correction or comp				
	For answer to Question No. 10				
	€		u a e		
tion:	In order to retain its priority, this application must be s, on or before		eer, with correc		
	WITNESS my hand this 21st day of		20		
			t w		
		ercy A Cupper	State Engineer		
		RJS	Divis Dayinger		

J. 198 8

Permit No. 4595

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	his instrument was first receive
	he office of the State Engineer of the Oregon, on the
of .	February , 19
•	8:30 A M.
\overline{Ret}	urned to applicant for correction
	April 21, 1920

Approved:

May 18. 1920

Recorded in Book No. 16 of Permits, on Page 4595

Percy A Cupper

1 map RS

\$136.15

NOTE: Reference is made to applicati No. 7076a, covering the water of the Fork of the Wallowa River which was o inally part of this application, the ther consideration of which has been pended until proper adjustments can b made.

STATE OF OREGON,) County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to

one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right to the use of water herein granted is limited to the appropriation of water from the East Fork of the Wallowa River for the development of 1363 theoretical horsepower.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed _____ cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is February 16, 1920 May 18, 1921 Actual construction work shall begin on or before thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1922 Complete application of the water to the proposed use shall be made on or before October 1, 1923

May, 1920 18thWITNESS my hand this day of

State Engineer. Permits for power development are subject to the limitation of franchise as provided in Section 6633, Lord's Oregon Laws, and the payment of annual fees as provided in Chapter 213, Session Laws of 1915.

This form approved by the State Water Board, March 11, 1909.