

"CERTIFICATE NO. 60516"

Application No. 61769

Permit No. 45977

STATE OF OREGON WATER RESOURCES DEPARTMENT

Application for Permit to Appropriate Surface Water

RECEIVED

MAY 14 1981

WATER RESOURCES DEPT

RECEIVED

JUN 9 1981

WATER RESOURCES DEPT

SALEM, OREGON

I, Daniel L. & Carol J. GRIFFITH
(Name of Applicant)

of PO Box 15
(Mailing Address)

Pacific City
(City)

State of Oregon, 97135
(Zip Code)

Phone No. 965-6697

make application for a permit to appropriate the following described waters of the State of Oregon:

1. The source of the proposed appropriation is unnamed creek

, a tributary of Sand Lake Basin Pacific Ocean

2. The point of diversion is to be located 1380.5 ft. N and 1900 ft. W
(N. or S.) (E. or W.)

from the SE corner of Section 29 NE 4 SW 4 Section
(Public Land Survey Corner)

(If there is more than one point of diversion, each must be described)

being within the NE $\frac{1}{4}$ of the SW $\frac{1}{4}$ of
Sec. 29 Tp. 3S R. 10W, W. M., in the county of Tillamook
(N. or S.) (E. or W.)

3. Location of area to be irrigated, or place of use if other than irrigation.

Township	Range	Section	List $\frac{1}{4}$ $\frac{1}{4}$ of Section	List use and/or number of acres to be irrigated
3S	10W	29	NE ⁴ SW ⁴	Domestic (2)

27613
54853

4. The amount of water which the applicant intends to apply to beneficial use is ~~1000~~ 20 gallons per minute ~~twenty gallons per minute~~
(If water is to be used from more than one source, give quantity from each)

5. The use to which the water is to be applied is Domestic (2 households)

6. DESCRIPTION OF WORKS

Include dimensions and type of construction of diversion dam and headgate, length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

I plan on diverting a small amount of creek into shallow 4'x6' pool then another shallow 4'x6' pool then into 36"x 8' concrete tile installed on end with flow of stream then diverted back into creek. Either submergible or jet-type pump thru 1/4" plastic pipe to pressure tank near house.

All dams and spills will be dirt and stone. All excavation will be by hand or hand-operated trench machine.

If for domestic use state number of families to be supplied 2 households

7. Construction work will begin on or before 5-13-81

8. Construction work will be completed on or before 10-30-81

9. The water will be completely applied to the proposed use on or before 10-30-82

Application No. 61769

Permit No. 45977

Remarks: This proposed system is very simple and not unlike many others in use, the consensus being "the best way to go"

If possible, I would like to know status of priority of right to water on said creek. How many and who are before me?

This permit, when issued, is for the beneficial use of water. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan. It is possible that the land use you propose may not be allowed if it is not in keeping with the goals and the acknowledged plan. Your city or county planning agency can advise you about the land-use plan in your area.

Don Guffert
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before, 19.....

WITNESS my hand this day of....., 19.....

Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 9 day of June, 1981, at 11:00 o'clock A.M.

Application No. 61769

Permit No. 45977

12333

Application No. 61769

Permit No. 45977

Permit to appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is domestic use for two families

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 9, 1981

Actual construction work shall begin on or before October 7, 1982 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1983

Extended to Oct. 1, 1986 Complete application of the water to the proposed use shall be made on or before October 1, 1984

Extended to Oct. 1, 1985 WITNESS my hand this 7th day of October, 1981

James E. Severin Water Resources Director

RAY A