

* Permit No. 4601

ABSTRACT MADE

APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

5382

I, N L Casaday, Hillsdale, R.E.D. No. 2, Multnomah County of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Quartz Creek (Name of stream)

tributary of Jump-off-Joe Creek (Rogue River)

2. The amount of water which the applicant intends to apply to beneficial use is 0.2 cubic feet per second.

3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located Commencing at the northeast corner of Section 8; thence West 160 rods; thence south 170 rods; thence east 7 rods.

being within the NW 1/4 of SE 1/4 of Sec. 8, Tp. 35 S (No. N. or S.)

R. 6 W, W. M., in the county of Josephine

5. The pipe line to be 495 feet (Main ditch, canal or pipe line)

miles in length, terminating in the NW 1/4 of SE 1/4 of Sec. 8, Tp. 35 S (No. N. or S.)

R. 6 W, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the ditch, canal or other works is Casaday Hydraulic Plant

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam 3.5 feet, length on top 30 feet, length at bottom 30 feet; material to be used and character of construction

Logs and planking (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate. Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR:

IRRIGATION—

9. The land to be irrigated has a total area of 10 acres, located in each smallest legal subdivision, as follows:

(Give area of land in each smallest legal subdivision which you intend to irrigate.)

10 acres in NW 1/4 of SE 1/4 of Section 8, Township 35 S Range 6 W.W.M.

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Total fall to be utilized feet. (Head)

(c) The nature of the works by means of which the power is to be developed

(d) Such works to be located in of Sec. (Legal subdivision)

Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(e) Is water to be returned to any stream? (Yes or No)

(f) If so, name stream and locate point of return

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is

(h) The nature of the mines to be served

Application No. 7278

Permit No. 4601

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13 day of May, 1920, at 8:30 o'clock A.M.

Returned to applicant for correction

Corrected application received

Approved: May 28, 1920

Recorded in Book No. 16 of Permits, on Page 4601

Percy A Cupper State Engineer. 1 map RS

\$4.50

NOTE: Attention is called to Application No. 1868, Permit No. 906, in the name of Rogue River Public Service Corporation which covers the irrigation of land under this permit.

STATE OF OREGON, } ss. County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to appropriation of water from Quartz Creek for irrigation purposes.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.13 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is May 13, 1920

Actual construction work shall begin on or before May 28, 1921 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1922

Complete application of the water to the proposed use shall be made on or before

October 1, 1923

WITNESS my hand this 28th day of May, 1920

Percy A Cupper State Engineer.

Permits for power development are subject to the limitation of franchise as provided in Section 6633, Lord's Oregon Laws, and the payment of annual fees as provided in Chapter 213, Session Laws of 1915.