



STATE OF OREGON

COOS COUNTY

PERMIT TO APPROPRIATE THE PUBLIC WATERS

This is to certify that I have examined APPLICATION 63723 and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE APPROPRIATE MINIMUM FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

This permit is issued to Robert E. Christiansen of Route 1, Box 905, Bandon, Oregon 97411, phone 347-2997, for the use of the waters of Crooked Creek and two reservoirs to be constructed under Application R-63722, Permit R-8483, for the PURPOSE of irrigation, temperature control, flood harvesting; being 0.07 cubic foot per second of water for irrigation, 0.39 cfs for temperature control from Crooked Creek and Reservoir, and 0.13 cfs from Crooked Creek for flood harvesting, provided the total quantity diverted shall not exceed 0.39 cfs; that the PRIORITY OF THE RIGHT dates from July 1, 1982, and is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.39 cfs measured at the points of diversion from the stream, or its equivalent in case of rotation with other water users.

The POINTS OF DIVERSION are to be LOCATED: Diversion 1 (Crooked Creek) - 480 feet North and 1,250 feet West from the Northeast Corner of Section 18, being within the SE 1/4 SE 1/4 of Section 7; Diversion 2 (Dug out Pond 1) - 1,120 feet South and 3,440 feet West from the Northeast Corner of Section 18, being within the NW 1/4 NE 1/4 of Section 18; Diversion 3 (Sump/Reservoir 2) - 600 feet South and 2,300 feet West from the Northeast Corner of Section 18, being within the NE 1/4 NW 1/4 of Section 18, all being within Township 29 South, Range 14 West, WM, in the County of Coos.

A description of the PLACE OF USE under the permit, and to which such right is appurtenant, is as follows:

Township 29 South	Range 14 West, WM	Section 18	NW 1/4	NE 1/4	1.4 acres irrigation, temperature control, and flood harvesting
			NE 1/4	NW 1/4	1.2 acres irrigation, temperature control, and flood harvesting

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second of its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year, for cranberries. If for the irrigation of any other crop, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2.5 acre-feet per acre for each acre irrigated during the irrigation season of each year, from direct flow and storage from reservoir to be constructed under Permit R-8483, and shall conform to such reasonable rotation system as may be ordered by the proper state officer.

The permittee shall record and submit annually to the Water Resources Department all pertinent data pertaining to use of water for temperature control (frost protection) on forms furnished.

Actual construction work shall begin on or before September 29, 1983 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1984.

Complete application of the water to the proposed use shall be made on or before October 1, 1985.

WITNESS my hand this 29th day of September, 1982.

/s/ JAMES E. SEXSON

WATER RESOURCES DIRECTOR

APPLICATION 63723

PERMIT 46952