

\* Permit No. 4696

CERTIFICATE NO. 4980

## APPLICATION FOR A PERMIT

ABSTRACT MADE

## To appropriate the Public Waters of the State of Oregon

I, Oscar Burnside,

(Name of Applicant)

of Keating, County of Baker

(Postoffice)

State of Ore, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is waste or flood water from A.N. Ingle farm  
(Name of stream)  
and two springs  
tributary of Powder River.

2. The amount of water which the applicant intends to apply to beneficial use is  
1.0 cubic feet per second.

3. The use to which the water is to be applied is Irrigation,  
(Irrigation, power, mining, manufacturing,  
domestic supplies, etc.)

4. The point of diversion is located 1/4 mile S E corner of Sec. 32,  
(Give distance and bearing to section corner)

being within the SW 1/4 SE 1/4 of Sec. 32, Tp. 8 S,  
(Give smallest legal subdivision) (No. N. or S.)

R. 43 E., W. M., in the county of Baker,

5. The Main ditch and pipe line to be about one and 3/4  
(Main ditch, canal or pipe line)

miles in length, terminating in the SW 1/4 NW 1/4 of Sec. 34, Tp. 8 S,  
(Smallest legal subdivision) (No. N. or S.)

R. 43 E., W. M., the proposed location being shown throughout on the accompanying map.  
(No. E. or W.)

6. The name of the ditch, canal or other works is Oscar Burnside Ditch.

## DESCRIPTION OF WORKS

## DIVERSION WORKS—

7. (a) Height of dam four feet, length on top 18 feet, length at bottom  
14 feet; material to be used and character of construction concrete  
(Loose rock, concrete,  
Waste water over dam,  
masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate main creek opening 6-6  
(Timber, concrete, etc., number and size of openings)  
Six ft. six in. Ditch opening 24 in. twenty four inches.

\* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) 2 - 6 in. feet; width on bottom 2 - 6 in. feet; depth of water 16 in. feet; grade 10 in. pr. 100 feet fall per one thousand feet.

(b) At 1 3/4 miles from headgate. Width on top (at water line) 3-6in feet; width on bottom 2 - 6in feet; depth of water 16 in. feet; grade 10 in. feet fall per one thousand feet.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR:

IRRIGATION—

9. The land to be irrigated has a total area of Fifty acres, located in each smallest legal subdivision, as follows: 20 acres in SW 1/4 NE 1/4, 10 acres SE 1/4 NE 1/4, Sec. 33, 10 acres NE 1/4 NE 1/4 of Sec. 33, 10 acres SW 1/4 NW 1/4 Sec. 34, Tp 8 S, R 43 E.W.M.

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Total fall to be utilized feet.

(Head)

(c) The nature of the works by means of which the power is to be developed

(d) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(e) Is water to be returned to any stream? (Yes or No)

(f) If so, name stream and locate point of return

Sec., Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is

(h) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_, and an  
(Name of)  
estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(Answer questions 12, 13, 14 and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 500.00 \_\_\_\_\_
- 13. Construction work will begin on or before About July 12, 1920. \_\_\_\_\_
- 14. Construction work will be completed on or before About July 1, 1921. \_\_\_\_\_
- 15. The water will be completely applied to the proposed use on or before July 1, 1921. \_\_\_\_\_

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Water Board, accompany this application.

\_\_\_\_\_ Oscar Burnside, \_\_\_\_\_  
(Name of applicant)

Signed in the presence of us as witnesses:

- (1) Jos. A. Wright, \_\_\_\_\_ Sparta, \_\_\_\_\_  
(Name) (Address of Witness)
- (2) Earnest Dill \_\_\_\_\_ Sparta, Ore. \_\_\_\_\_  
(Name) (Address of Witness)

Remarks: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows:

Completion, Signature of applicant and Witnesses, \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before August 8, 1920...

WITNESS my hand this 7 day of July, 19 20.

\_\_\_\_\_ Percy A Cupper, \_\_\_\_\_  
L.A. State Engineer.

9 Application No. 7392

Permit No. 4696

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6 day of July, 1920, at 8:30 o'clock A.M.

Returned to applicant for correction July 7, 1920.

Corrected application received July 12, 1920.

Approved: July 30, 1920.

Recorded in Book No. 17 of Permits, on Page 4696.

Percy A. Cupper, State Engineer. 1 map RS. \$10.50

NOTE: Attention is called to application No. 221 permit No. 1095, in the name of the Powder Land & Irrigation Company, which covers the land under this permit.

STATE OF OREGON, ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of waste and flood water from A.N. Ingle farm and from 2 springs for irrigation purposes, and is also limited to the water available at the proposed point of diversion, and does not carry with it the right to divert water from the source from which the waste water is diverted nor the right to require the wasteful use of water by others.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.63 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is July 6, 1920.

Actual construction work shall begin on or before July 30, 1921, and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1922.

Complete application of the water to the proposed use shall be made on or before October 1, 1923.

WITNESS my hand this 30th day of July, 1920.

Percy A. Cupper, State Engineer.

Permits for power development are subject to the limitation of franchise as provided in Section 6633, Lord's Oregon Laws, and the payment of annual fees as provided in Chapter 213, Session Laws of 1915.