ABSTRACT MADE

## APPLICATION FOR A PERMIT

## To Appropriate the Public Waters of the State of Oregon

of Williams , County of Josephine  State of Oregon , do hereby make application for a permit to appropriate the following described public waters of the State of Oregon subject to existing rights:  If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is Wastewater from David Vineyard's Ditch from West Fork of Williams Creek (Name of stream)  1. The amount of water which the applicant intends to apply to beneficial use is Co.18 cubic feet per second.  3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)  4. The point of diversion is located Commencing at the Northwest corner Section 8; (Give distance and bearing to section corner) thence South 100 rods.  being within the Svid of Nvid Of Nvid Of Sec. 8 , Tp. 39 8 (Give smallest legal subdivision) (No. E. or W.) , W. M., in the county of Josephine (No. E. or W.) , W. M., in the county of Josephine to be 40 rods	i	, Frances Neil
State of Oregon do hereby make application for a permit to appropriate the following described public waters of the State of Oregon subject to existing rights:  If the applicant is a corporation, give date and place of incorporation.  1. The source of the proposed appropriation is  Ditch from West Fork of Williams Creek  Applegate River  2. The amount of water which the applicant intends to apply to beneficial use is  O.18 cubic feet per second.  3. The use to which the water is to be applied is  Irrigation (Irrigation, power, mining, manufacturing, dimensic supplies, etc.)  4. The point of diversion is located (Irrigation) (Irrigation, power, mining, manufacturing, thence South 100 rods.)  being within the Sift of Not (One amount of plus line) (One distance and bearing to section corner) thence South 100 rods.  being within the Sift of Not (Irrigation, power, mining, manufacturing, thence South 100 rods.)  When the country of Irrigation (Irrigation, power, mining, manufacturing, thence South 100 rods.)  Commencing at the Northwest corner Section 8; (One R. or R.)  (One distance and bearing to section corner) thence South 100 rods.  (No. R. or R.)  (No. R. or R.)  Wh. M., in the country of Josephine (No. R. or R.)  (Kan distance, and repus line) to be 40 rods  Where in length, terminating in the Sift of No. (Samalist legal subdivision) of Sec. 8 Tp. 39 S. (No. N. or R.)  (Ko. E. or W.) (Ko. E. or W.)  (Ko. E. or W.)  (Ko. E. or W.)  Wh., the proposed location being shown throughout on the accompanying map.  6. The name of the ditch, canal or other works is  Neil Ditch  DESCRIPTION OF WORKS  DIVERSION WORKS—  7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction  (Loose rock, concrete concerns)		(Name or Applicant)
following described public waters of the State of Oregon subject to existing rights:  If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is  Ditch from West Fork of Williams Creek  Applegate River  2. The amount of water which the applicant intends to apply to beneficial use is  O.18		(Postoffice)
If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is  Ditch from West Fork of Williams Creek  Applegate River  2. The amount of water which the applicant intends to apply to beneficial use is  O.18 cubic feet per second.  3. The use to which the water is to be applied is  Irrigation  dumentic supplies, etc.)  4. The point of diversion is located  (Give distances and bearing to section corner)  thence South 100 rods.  (Rive and the water is publicated)  (Rive and the water of contending at the Northwest corner Section 6;  (Give distances and bearing to section corner)  thence South 100 rods.  (Rive and the section corner)  Thence South 100 rods.  (Rive and the section corner)  Thence South 100 rods.  (Rive and the section corner)  (Rive and the section corner)  The section of Sec. 8 Tp. 39 S  (Rive and the section corner)  The section of Sec. 8 Tp. 39 S  (Rive and the section corner)  (Rive and bearing to section corner)  (Rive and bearing to section corner)  (Rive and bearing to section corner)  The section corner is section corner)  (Rive and bearing to section corner)  (Rive and and bearing to section corner)  (Rive and and bearing to section corner)  (Rive and and	State	of, do hereby make application for a permit to appropriate the
1. The source of the proposed appropriation is  Ditch from West Pork of Williams Creek  Applegate River  2. The amount of water which the applicant intends to apply to beneficial use is  O.18 cubic feet per second.  3. The use to which the water is to be applied is  Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)  4. The point of diversion is located (Give distance and hearing to section corner) thence South 100 rods.  being within the Sill of Nick (Give smallest legal subdivision) (Re. N. er E)  (No. E or W.)  5. The (Main ditch, canal or pipe line)  Willes in length, terminating in the Sill of Nick (Re. and or pipe line)  (No. E or W.)  6. The name of the ditch, canal or other works is  Neil Ditch  DESCRIPTION OF WORKS  DIVERSION WORKS—  7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete massoner, rock and brush, timber crib, etc., wasteway over or around dam)	follo	wing described public waters of the State of Oregon subject to existing rights:
Ditch from West Fork of Williams Oreck  Tributary of Applegate River  2. The amount of water which the applicant intends to apply to beneficial use is  O.18 cubic feet per second.  3. The use to which the water is to be applied is  Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)  4. The point of diversion is located (Give distance and bearing to section corner) theme South 100 rous.  being within the Sit of Wit (Give distance and bearing to section corner) theme South 100 rous.  being within the Older mallest legal subdivision) of Sec. 8, Tp. 39 S  (No. N. or W.)  (No. E. or W.)  W. M., in the county of Josephine (No. N. or E.)  The ditch (Main ditch, canal or pipe line) to be 40 rods  (Main ditch, canal or pipe line) for Sec. 8, Tp. 39 S  (No. N. or S.)  R. 5 W. W. M., the proposed location being shown throughout on the accompanying map.  6. The name of the ditch, canal or other works is  Neil Ditch  DESCRIPTION OF WORKS  DIVERSION WORKS—  7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose reck, concress)	i	If the applicant is a corporation, give date and place of incorporation
Ditch from West Fork of Williams Oreck  Tributary of Applegate River  2. The amount of water which the applicant intends to apply to beneficial use is  O.18 cubic feet per second.  3. The use to which the water is to be applied is  Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)  4. The point of diversion is located (Give distance and bearing to section corner) theme South 100 rous.  being within the Sit of Wit (Give distance and bearing to section corner) theme South 100 rous.  being within the Older mallest legal subdivision) of Sec. 8, Tp. 39 S  (No. N. or W.)  (No. E. or W.)  W. M., in the county of Josephine (No. N. or E.)  The ditch (Main ditch, canal or pipe line) to be 40 rods  (Main ditch, canal or pipe line) for Sec. 8, Tp. 39 S  (No. N. or S.)  R. 5 W. W. M., the proposed location being shown throughout on the accompanying map.  6. The name of the ditch, canal or other works is  Neil Ditch  DESCRIPTION OF WORKS  DIVERSION WORKS—  7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose reck, concress)		
Ditch from West Fork of Williams Greek  **pplegate River**  2. The amount of water which the applicant intends to apply to beneficial use is  O.16 cubic feet per second.  3. The use to which the water is to be applied is  Prigation (Prigation, power, mining, manufacturing, domestic supplies, etc.)  4. The point of diversion is located (Give distance and bearing to section corner) thence South 100 rods.  **Deing within the State of Note and bearing to section corner) thence South 100 rods.  **Deing within the State of Note and the subdivision of Sec. 8 , Tp. 39 S (No. N. or S.)  **End of the county of Josephine (No. N. or S.)  **The ditch the county of Josephine (No. N. or S.)  **The ditch to be 40 rods  **The sin length, terminating in the State of Note to Sec. 8 , Tp. 39 S (No. N. or S.)  **The sin length, terminating in the State of Note to Sec. 8 , Tp. 39 S (No. N. or S.)  **The source of the ditch, canal or other works is No. E or W.)  **ODESCRIPTION OF WORKS**  **DIVERSION WORKS**  **DIVERSION WORKS**  **DIVERSION WORKS**  **ON Description of headgate**  **One of the ditch, canal or other around dam)  **One of the ditch, canal or other works is the same of the ditch, canal or other works is the same of the ditch, canal or other works is the same of the ditch, canal or other works is the same of the ditch, canal or other works is the same of the ditch, canal or other works is the same of the ditch, canal or other works is the same of the ditch, canal or other works is the same of the ditch, canal or other works is the same of the ditch, canal or other works is the same of the ditch, canal or other works is the same of the ditch, canal or other works is the same of the ditch, canal or other works is the same of the ditch, canal or other works is the same of the ditch, canal or other works is the same of the ditch, canal or other works is the same of the ditch, canal or other works is the same of the ditch, canal or other works is the same of the ditch, canal or other works is the same of the ditch, canal or	2	1. The source of the proposed appropriation is Wastewater from David Vineyard's
2. The amount of water which the applicant intends to apply to beneficial use is  O.18 cubic feet per second.  3. The use to which the water is to be applied is  Irrigation  Omnencing at the Northwest corner Section 6;  (Give distance and bearing to section corner)  thence South 100 rods.  being within the Swit of Nrit of South 100 rods.  Swit of Nrit of South 100 rods.  being within the Swit of Nrit of South 100 rods.  Connencing at the Northwest corner Section 6;  (Give analiest legal subdivision)  R. 5 % (No. E. or W.)  ditch to be 40 rods  (Main ditch, canal or pipe line)  These in length, terminating in the Swit of Nwit of Nwit of Nwit of Nwit of Nwit (No. E. or W.)  6. The name of the ditch, canal or other works is  Neil Ditch  DESCRIPTION OF WORKS  DIVERSION WORKS  DIVERSION WORKS  O.18  Occupants tead and character of construction  (Loose rock, concrete, c	D:	itch from West Fork of Williams Creek (Name of stream)
O.18 cubic feet per second.  3. The use to which the water is to be applied is    Irrigation   Commencing at the Northwest corner Section 8;   A. The point of diversion is located   Commencing at the Northwest corner Section 8;   Give distance and bearing to section corner)	tribu	tary of
### State of the which the water is to be applied is a commencing at the Northwest corner Section 8; The point of diversion is located at the Northwest corner Section 8; (Give distance and bearing to section corner) thence South 100 rods.  ### Description of Sec. 8	é	2. The amount of water which the applicant intends to apply to beneficial use is
domestic supplies, etc.)  4. The point of diversion is located thence South 100 rods.  4. The point of diversion is located thence South 100 rods.  being within the Swit of Rwit (Give smallest legal subdivision) of Sec. 8 , Tp. 39 S (No. N. or S.)  R. 5 % , W. M., in the county of Josephine (No. E. or W.)  6. The (Main ditch, canal or pipe line) (Main ditch, canal legal subdivision)  R. 5 % , W. M., the proposed location being shown throughout on the accompanying map.  6. The name of the ditch, canal or other works is Neil Ditch  DESCRIPTION OF WORKS  DIVERSION WORKS—  7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete masonry, rock and brush, timber crib, etc., wasteway over or around dam)	•	0.18 cubic feet per second.
domestic supplies, etc.)  4. The point of diversion is located thence South 100 rods.  4. The point of diversion is located thence South 100 rods.  being within the Swit of Rwit (Give smallest legal subdivision) of Sec. 8 , Tp. 39 S (No. N. or S.)  R. 5 % , W. M., in the county of Josephine (No. E. or W.)  6. The (Main ditch, canal or pipe line) (Main ditch, canal legal subdivision)  R. 5 % , W. M., the proposed location being shown throughout on the accompanying map.  6. The name of the ditch, canal or other works is Neil Ditch  DESCRIPTION OF WORKS  DIVERSION WORKS—  7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete masonry, rock and brush, timber crib, etc., wasteway over or around dam)	ć	3. The use to which the water is to be applied is
demestic supplies, etc.)  4. The point of diversion is located (Give distance and bearing to section corner) thence South 100 rods,  being within the Swit of Wit of Wit of Swit of Sec. 8 Tp. 39 S (Give smallest legal subdivision)  R. 5 W. , W. M., in the county of Josephine (No. E. or W.)  5. The ditch to be 40 rods (Main ditch, canal or pipe line)  wittes in length, terminating in the Swit of Nwit (Swit legal subdivision) of Sec. 8 Tp. 39 S (No. N. or S.)  R. 5 W. , W. M., the proposed location being shown throughout on the accompanying map.  6. The name of the ditch, canal or other works is Neil Ditch  DESCRIPTION OF WORKS  DIVERSION WORKS—  7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete massenry, rock and brush, timber crib, etc., wasteway over or around dam)		Irrigation (Irrigation, power, mining, manufacturing,
### A The point of diversion is located	domest	tic supplies, etc.)
being within the Swing of Ning Of Ning Of Sec. 8 Tp. 39 S (Give smallest legal subdivision) (No. N. or 8.)  R. 5 W. W. M., in the county of Josephine (No. E. or W.)  5. The ditch to be 40 rods  (Main ditch, canal or pipe line)  (Main ditch, canal or pipe line) of Sec. 8 Tp. 39 S (Smallest legal subdivision) (No. N. or S.)  R. 5 W. (Smallest legal subdivision) (No. N. or S.)  R. 5 W. W. M., the proposed location being shown throughout on the accompanying map.  6. The name of the ditch, canal or other works is Neil Ditch  DESCRIPTION OF WORKS  DIVERSION WORKS—  7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete financiary, rock and brush, timber crib, etc., wasteway over or around dam)	,	(Give distance and bearing to section corner) thence South 100 rods.
7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate	mtles	(Give smallest legal subdivision)  (No. N. or S.)  (No. E. or W.)  (No. E. or W.)  (Main ditch, canal or pipe line)  (Main ditch, canal or pipe line)  (Smallest legal subdivision)  (Smallest legal subdivision)  (No. N. or S.)  (Main ditch, canal or pipe line)  (No. N. or S.)  (Main ditch, canal or pipe line)  (No. N. or S.)  (No. N. or S.)
7. (a) Height of dam feet, length on top feet, length at bottom  feet; material to be used and character of construction  (Loose rock, concrete masonry, rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate		DESCRIPTION OF WORKS
masonry, rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate	DIVE	RSION WORKS—
masonry, rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate		7. (a) Height of dam feet, length on top feet, length at bottom
(b) Description of headgate		(Loose rock, concrete
(b) Description of headgate	mason	ry, rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate (Timber, concrete, etc., number and size of openings)		
		(b) Description of headgate (Timber, concrete, etc., number and size of openings)

C	ΑN	IAT.	SYSTEM-
U.	ΑŊ	AL	OISTEM-

8. (a) Give dimensions at each point of canal wh		
from headgate. At headgate: Width on top (at water lin		
feet; depth of water	feet; grade	feet fall per one
thousand feet.		
(b) At miles from headgate. W	Vidth on top (at w	ater line)
feet; width on bottom	feet; depth of	water feet;
grade feet fall per one thousand fee	et.	
FILL IN THE FOLLOWING INFORMATION W	HERE THE WA	ATER IS USED FOR:
IRRIGATION—	~	
9. The land to be irrigated has a total area of	14.5	acres, located in each
smallest legal subdivision, as follows:	ach smallest legal subdi	vision which you intend to irrigate.)
14.5 acres in the SW2 of NW2 of Sec. 8	Pownship 39 S	Range 5 W. W.M.
		4
*	•	
(If more space required, attac	ch separate sheet)	<u></u>
POWER, MINING, MANUFACTURING, OR TRANSPORTATION		
10. (a) Total amount of power to be developed		theoretical horsepower
(b) Total fall to be utilized(Head)	feet.	
(c) The nature of the works by means of which	the power is to b	e developed
		of Saa
(d) Such works to be located in(Leg	al subdivision)	0/ Bec
Tp, R, W. M.		
(e) Is water to be returned to any stream?	(Yes or No)	
(f) If so, name stream and locate point of ret		
, Sec, Tp	(No. N. or S.)	R, W. M
(g) The use to which power is to be applied is	•	
(h) The nature of the mines to be served		

11. To supply the city of	
(Name of)	f and an
stimated population of in 19	
- · · · · · · · · · · · · · · · · · · ·	
(Answer questions 12, 13, 14 and 15 in	a all cases)
12. Estimated cost of proposed works, \$ 100.00	
13. Construction work will begin on or before	April 1, 1920
14. Construction work will be completed on or before	Antil 1922
15. The water will be completely applied to the proposed	
	April 1, 1923
Duplicate maps of the proposed ditch or other works, prep	
. ,	wrea in accordance with the rules of the
State Water Board, accompany this application.	Frances Neil
	(Name of applicant) by Harry A Neil,
	Williams, Oregon
Signed in the presence of us as witnesses:	
(1) Eclus Pollock	Grants Pass, Oregon
(Name)	(Address of Witness)
(2) D O Hayes ,	(Address of Witness)
Remarks: The water applied for in this appli	cation is the waste water from
take care of this waste water and the granting o way injure anyone else.	
STATE OF OREGON, \\ ss.\\ County of Marion, \\ This is to certify that I have examined the foregoing appliance and data, and return the same for correction or completic	lication, together with the accompanying
•	
In order to retain its priority, this application must be reta	
WITNESS my hand this day of	, 19
	State Engineer

Application No	1 700
----------------	-------

Permit No. 4745

## PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.	3
This instrument was first r in the office of the State Engi	
Salem, Oregon, on the 20	day
of August ,	1920
at .8:30 o'clockM.	
Returned to applicant for cor	rection
Corrected application received	
Approved: Aug. 27 1920	
Recorded in Book No. 17	of
Permits, on Page 4745 Percy & Cupper	
l map RS \$5.18 State	Engineer.

STATE OF OREGON, \\strace{state}{ss.}

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to

one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of waste water from David

Vineyard's land for irrigation purposes, and is also limited to the water now available at the proposed point of diversion and does not carry with it the right to divert water from the stream from which the waste water is diverted nor the right to

require the wasteful use of water by others.

Actual construction work shall begin on or before August 27, 1921 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1922

WITNESS my hand this \_\_\_\_\_\_ day of \_\_\_\_\_\_

Percy A Cupper

Permits for power development are subject to the limitation of franchise as provided in Section 6633, Lord's Oregon Laws, and the payment of annual fees as provided in Chapter 213, Session Laws of 1915.