



STATE OF OREGON

County of CLATSOP

"CERTIFICATE NO. 64619"

PERMIT TO APPROPRIATE THE PUBLIC WATERS

This is to certify that I have examined APPLICATION 49994 and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE APPROPRIATE MINIMUM FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

This permit is issued to Ronald E. Kaino of PO Box 301, Seaside, Oregon 97138, phone 738-5050, for the use of the waters of an unnamed stream when available, with any deficiency in the available supply from the unnamed stream to be made up by diversion of water from Cullaby Creek, * for the PURPOSE of supplemental irrigation, chemical application, temperature control and flood harvesting of cranberries, being 0.21 cubic foot per second for irrigation, 0.21 cfs for chemical application, 1.26 cfs for temperature control and 2.20 cfs for 12 hours per day not to exceed ** that the PRIORITY OF THE RIGHT dates from January 23, 1973 for 0.105 cfs from unnamed stream for irrigation, May 14, 1981 for 0.105 cfs from unnamed stream for chemical application or temperature control and 8.4 acre-feet stored water and 2.2 cfs from unnamed stream for flood harvesting, March 24, 1983 and March 24, 1983 for 0.105 cfs from unnamed stream for *** and is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.20 cfs

The POINT OF DIVERSION is to be LOCATED: Unnamed stream - 1600 feet South and 2230 feet West; from the NE Corner of Section 27, Cullaby Creek, 1620 feet South and 140 feet West from the NE Corner of Section 27, Township 7 North, Range 10 West, both being within the SE 1/4 NE 1/4 of Section 27, Township 7 North, Range 10 West, WM, in the County of Clatsop.

A description of the PLACE OF USE under the permit, and to which such right is appurtenant, is as follows:

- * tributary of Cullaby Lake
- ** 8.4 acre-feet per season for flood harvesting, provided the total diverted shall not exceed 2.20 cfs
- *** irrigation or chemical application and 1.55 cfs for temperature control and use of water from Cullaby Creek

Township 7 North, Range 10 West, WM Section 27

NW 1/4	NE 1/4	0.8 acres
SW 1/4	NE 1/4	7.1 acres
SE 1/4	NE 1/4	0.5 acres

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second of its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year, for cranberries. If for the irrigation of any other crop, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2.5 acre-feet per acre for each acre irrigated during the irrigation season of each year, provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein, and shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Actual construction work shall begin on or before June 13, 1984, and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 85.

Complete application of the water to the proposed use shall be made on or before October 1, 19 86.

Witness my hand this 13th day of June, 19 83.

WATER RESOURCES DIRECTOR

This permit, when issued, is for the beneficial use of water. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan. It is possible that the land use you propose may not be allowed if it is not in keeping with the goals and the acknowledged plan. Your city or county planning agency can advise you about the land-use plan in your area.

APPLICATION 49994

PERMIT

47470