CERTIFICATE NO. 5433

APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

of 3d Floor Ins. Exch. Eldg., Chicago, Identity of Sock (Toutoffice) State of Illivals, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon subject to existing rights: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is	₩0,	Frank M Cox and Martha	, N. Cox
State of 1111 1901s , do hereby make application for a permit to appropriate the following described public waters of the State of Oregon subject to existing rights: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is	of		(Name of Applicant)
following described public waters of the State of Oregon subject to existing rights: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Odell Creek 2. The amount of water which the applicant intends to apply to beneficial use is Oo.31 cubic feet per second. 3. The use to which the water is to be applied is Supplemental supply for the irrigation power, mining, manufacturing gation of land already having a partial water right comments supplie, etc.) 4. The point of diversion is located (Give smallest legal subdivision) Firms (Give smallest legal subdivision) Time (No. E. or W.) Time (Main ditch cannot or pipe line) (Min the county of Hood River (No. E. or W.) Time (No. E. or W.) (No. N. or S.) R. 10 E., W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.) DESCRIPTION OF WORKS DIVERSION WORKS Time the feet, length of ton per length on top DESCRIPTION OF WORKS DIVERSION WORKS (Loose rock, concrete massour, rock and broad, timber crib, etc., watevery over or around dam)	•	(Postoffice)	, , , , , , , , , , , , , , , , , , ,
1. The source of the proposed appropriation is 2. The amount of water which the applicant intends to apply to beneficial use is 1. The use to which the water is to be applied is 1. The use to which the water is to be applied is 1. The use to which the water is to be applied is 1. The point of land already having a partial water right 2. The use to which the water is to be applied is 3. The use to which the water is to be applied is 4. The point of diversion is located (Give distance and bearing to section corner) (Inc. (No. E. or W.) 5. The 10 E (Main dich, canal or pipe line) (Main dich, canal or pipe	State of	11111018	, do hereby make application for a permit to appropriate the
1. The source of the proposed appropriation is	following	described public waters of th	e State of Oregon subject to existing rights:
1. The source of the proposed appropriation is (Name of stream) (Odell Creek 2. The amount of water which the applicant intends to apply to beneficial use is (0.31) cubic feet per second. 3. The use to which the water is to be applied is gation of land already having a partial water right (Irrigation, power, mining, manufacturing to section corner) 4. The point of diversion is located (Give distance and bearing to section corner) being within the SW NE (Give mallest legal subdivision) R. (No. E. or W.) flume 5. The (Stain dich, canal or pipe line) miles in length, terminating in the SE NE (Smallest legal subdivision) R. (No. E. or W.) 6. The name of the ditch, canal or other works is DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 4 feet, length on top 100 feet, length at bottom feet; material to be used and character of construction Event and brush, timber cith, etc., wastewey over or around dam)	If th	e applicant is a corporation,	give date and place of incorporation
tributary of Odell Creek 2. The amount of water which the applicant intends to apply to beneficial use is			Unnomed Streem
tributary of	1. T		(Name of stream)
Cubic feet per second. 3. The use to which the water is to be applied is	tributary		Odell Creek
Supplemental supply for the irri gation of land already having a partial water right domestic supplies, etc.) 4. The point of diversion is located (Give distance and bearing to section corner) being within the SW NE (Give smallest legal subdivision) R. 10 E (No. m or W) 5. The (Main ditch, canal or pipe line) wiles in length, terminating in the (Smallest legal subdivision) R. 10 E (Main ditch, canal or pipe line) wiles in length, terminating in the (Smallest legal subdivision) R. 10 E (Main ditch, canal or pipe line) wiles in length, terminating in the (Smallest legal subdivision) R. 10 E (Main ditch, canal or pipe line) wiles or W) 6. The name of the ditch, canal or other works is DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 4 feet, length on top feet, length at bottom feet; material to be used and character of construction Boards and dirt fill or concrete masonry, rock and brush, timber crib, etc., wastewey over or around dam)	2. T	·	applicant intends to apply to beneficial use is
gation of land already having a partial water right domestic supplies, etc.) 4. The point of diversion is located	**	0.31 cubic feet per s	second.
gation of land already having a partial water right demestic supplies, etc.) 4. The point of diversion is located	3. T	The use to which the water is	to be applied is Supplemental supply for the irri-
demostic supplies, etc.) 4. The point of diversion is located (Give distances and bearing to section corner) being within the SW NE of Sec. 22 , Tp. 2 N (No. N. or S.) Corner (Give smallest legal subdivision) R. 10 E , W. M., in the county of Hood River (No. N. or S.) 5. The flume to be 1/4 (No. N. or S.) Main ditch, canal or pipe line) miles in length, terminating in the SNE of Sec. 22 , Tp. 2 N (No. N. or S.) Consulest legal subdivision) (No. N. or S.) R. 10 E , W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 4 feet, length on top feet, length at bottom feet; material to be used and character of construction Boards and dirt fill or concrete (Loose rock, concrete masonry, rock and brush, timber crib, etc., wasteway over or around dam)			(1111gation, power, mining, manutacturing,
being within the SW NE of Sec. 22 , Tp. 2 N (Give smallest legal subdivision) R. 10 E , W. M., in the county of Hood River (No. E. or W.) 5. The (Main ditch, canal or pipe line) miles in length, terminating in the SE NE (Smallest legal subdivision) R. 10 E , W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.) 6. The name of the ditch, canal or other works is DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 4 feet, length on top feet, length at bottom feet; material to be used and character of construction Boards and dirt fill or concrete (Loose rock, concrete masoury, rock and brush, timber crib, etc., wasteway over or around dam)	domestic sur		mar and as box sameda.a.
being within the SW NE of Sec. 22 , Tp. 2 N (Give smallest legal subdivision) R. 10 E , W. M., in the county of Hood River (No. E or W.) 5. The Main ditch, canal or pipe line) miles in length, terminating in the SE NE (Smallest legal subdivision) R. 10 E , W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.) 6. The name of the ditch, canal or other works is DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 4 feet, length on top feet, length at bottom feet; material to be used and character of construction Boards and dirt fill or concrete (Loose rock, concrete massonry, rock and brush, timber crib, etc., wasteway over or around dam)	4. T	he point of diversion is locate	d
R. 10 E , W. M., in the county of Hood River (No. E. or W.) 5. The flume to be flume (Main ditch, canal or pipe line) miles in length, terminating in the SE NE (Smallest legal subdivision) of Sec. 22 , Tp. 2 N (No. N. or S.) R. 10 E , W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.) 6. The name of the ditch, canal or other works is DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 4 feet, length on top 100 feet, length at bottom feet; material to be used and character of construction Boards and dift fill or concrete masonry, rock and brush, timber crib, etc., wasteway over or around dam)			
(Give smallest legal subdivision) R. 10 E , W. M., in the county of Hood River (No. E. or W.) 5. The flume to be flume (Main ditch, canal or pipe line) miles in length, terminating in the SE NE (Smallest legal subdivision) of Sec. 22 , Tp. 2 N (No. N. or S.) R. 10 E , W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 4 feet, length on top 100 feet, length at bottom feet; material to be used and character of construction Boards and dirt fill or concrete masonry, rock and brush, timber crib, etc., wasteway over or around dam)			90 - 9 W
5. The flume to be flume (Main ditch, canal or pipe line) miles in length, terminating in the SE NE of Sec. 22 , Tp. 2 N (Smallest legal subdivision) (No. N. or S.) R. 10 E , W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction Boards and dirt fill or concrete masonry, rock and brush, timber crib, etc., wasteway over or around dam)		(Give smallest legal	subdivision) (No N or S)
5. The flume to be (Main ditch, canal or pipe line) miles in length, terminating in the SE NE (Smallest legal subdivision) R. 10 E , W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.) 6. The name of the ditch, canal or other works is (No. The name of the ditch, canal or other works is (No. E. or W.) 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete masonry, rock and brush, timber crib, etc., wasteway over or around dam)	R	10 E , W. M., in the cou	nty of Hood River
(Main ditch, canal or pipe line) miles in length, terminating in the SE NE (Smallest legal subdivision) (No. N. or S.) R. 10 E , W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is	•	07	to be
(Smallest legal subdivision) R. 10 E, W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is DESCRIPTION OF WORKS 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction Boards and dirt fill or concrete masonry, rock and brush, timber crib, etc., wasteway over or around dam)	milas in L		anal or pipe line)
OESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 4 feet, length on top 100 feet, length at bottom feet; material to be used and character of construction Boards and dirt fill or concrete masonry, rock and brush, timber crib, etc., wasteway over or around dam)	_	(Si	mallest legal subdivision) (No. N. or S.)
DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction Boards and dirt fill or concrete (Loose rock, concrete masonry, rock and brush, timber crib, etc., wasteway over or around dam)	(No. E.	or W.)	
DESCRIPTION OF WORKS 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction Boards and dirt fill or concrete masonry, rock and brush, timber crib, etc., wasteway over or around dam)	6. T	he name of the ditch, canal of	r other works is
7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction Boards and dirt fill or concrete masonry, rock and brush, timber crib, etc., wasteway over or around dam)	•••••	······································	······································
7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction Boards and dirt fill or concrete masonry, rock and brush, timber crib, etc., wasteway over or around dam)		, D	ESCRIPTION OF WORKS
Boards and dirt fill or concrete Masonry, rock and brush, timber crib, etc., wasteway over or around dam) (Loose rock, concrete	Diversion	N WORKS-	
Boards and dirt fill or concrete masonry, rock and brush, timber crib, etc., wasteway over or around dam)	7. ((a) Height of dam4	feet, length on top feet, length at bottom
masonry, rock and brush, timber crib, etc., wasteway over or around dam)		Boards and dirt fill	or concrete (Loose rock, concrete,
	masonry, ro	ck and brush, timber crib, etc., wastew	yay over or around dam)
(b) Description of headgate Timber headgate			
(Timber, concrete, etc., number and size of openings)	·	· · ·	(Timber, concrete, etc., number and size of openings)

CA	NAT.	SYSTEM-

	ite: wiain on top	(at water line)	15	feet; width on bottom
1½ feet; dep				feet fall per one
thousand feet.				
(b) At	miles from	headgate. Width	on top (at wo	țer line)
feet; wid	lth on bottom	f	eet; depth of u	vater feet;
grade 1				
	LOWING INFOR	RMATION WHE	RE THE WA	TER IS USED FOR:
IRRIGATION—			25	la mial in anah
	,			acres, located in each
smallest legal subdivision, o				
				··································
			•	

	(If more spa	ce required, attach ser	parate sheet)	
Power, Mining, Manufac	CTURING, OR TRAN	SPORTATION PUR	POSES—	
10. (a) Total amoun	t of power to be d	leveloped		theoretical horsepower
(b) Total fall to	be utilized		eet.	
(c) The nature o	f the works by me	eans of which the	power is to be	developed
				of Sec
<i>Tp.</i> , <i>R</i>	·	• =	purvision)	
(No. N. or S.) (e) Is water to b	(No. E. or W.) oe returned to any	stream?		·
			(les or No)	<u></u>
				R, W. M
				(No. E. or W.)
(g) The use to u	one power to to			

Muni	CIPAL SUPPLY—	
1	1. To supply the city of	
	County, having a present population	of, and an
	ated population ofin 19.	
	(Answer questions 12, 13, 14 and 15	in all cases)
1	2. Estimated cost of proposed works, \$300	
1	3. Construction work will begin on or before	One year from approval
1	4. Construction work will be completed on or before	Two years from approval
	5. The water will be completely applied to the propose	:
	o. The water term of completely appared to the property	Three years from approval
1	Duplicate maps of the proposed ditch or other works, pro	epared in accordance with the rules of the
State	Water Board, accompany this application.	
		Frank M Cox (Name of applicant)
		Martha N Cox
	<u> </u>	by Frank M Cox
9	Signed in the presence of us as witnesses:	
	Robt Simpson	Salem, Ore.
		(Address of Witness)
(2)	(Name)	(Address of Witness)
1	Remarks:	
	x:,	
		<u> </u>
STA	TE OF OREGON,	The state of the s
	loo	
	This is to certify that I have examined the foregoing a	pplication, together with the accompanying
	and data, and return the same for correction or comple	
maps	t and data, and recurn the same for correction or compa	sittore, as forecas.
******	•	
	£	
	In order to retain its priority, this application must be r	eturned to the State Engineer, with correc
	, on or before, 19	
	WITNESS my hand this day of	
	77 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	,

4.

Application	No	7483

Permit No. 4748

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No
This instrument was first received in the office of the State Engineer at
Salem, Oregon, on the 20 day
of August , 19 20,
at 11:00 o'clock A.M.
Returned to applicant for correction
Corrected application received
Approved: Aug. 27, 1920
Recorded in Book No. 17 of
Permits, on Page 4748
Percy A Cupper 1 map RS State Engineer.
\$8.°°

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to

one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein gran	•	he appropriation of water from an
unnamed stream for a	supplemental supply	for the irrigation of land already
having a partial wate	er right.	
The amount of water approp	oriated shall be limited to	o the amount which can be applied to beneficial
use and not to exceed	0.31 cu	bic feet per second, or its equivalent in case of
rotation. The priority date of th	is permit is	August 20, 1920
Actual construction work sh	all begin on or before	August 27, 1921 and shall
thereafter be prosecuted with rec	asonable diligence and be	e completed on or before
		June 1, 1922 EXTENDED TO 1/23
Complete application of the	water to the proposed us	e shall be made on or before
		October 1, 1923
WITNESS my hand this	27th day of	August, 1920
		Percy A Cupper
	,	State Engineer.

Permits for power development are subject to the limitation of franchise as provided in Section 6633, Lord's Oregon Laws, and the payment of annual fees as provided in Chapter 213, Session Laws of 1915.