



STATE OF OREGON

County of COOS

PERMIT TO APPROPRIATE THE PUBLIC WATERS

This is to certify that I have examined APPLICATION **63195** and do hereby grant the same SUBJECT TO EXISTING RIGHTS INCLUDING THE APPROPRIATE MINIMUM FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

This permit is issued to **Friday Farms, Inc., of PO Box 1384, Bandon, Oregon 97411, phone 347-9594,** for the use of the waters of Simpson Creek, two unnamed streams, Ferry Creek, a tributary of Coquille River, and reservoir to be constructed under Application R-58295, Permit R-3671, for the PURPOSE of **cranberry irrigation, heat control, temperature control and flood harvesting, being: Bogs 14 and 15 - 0.24 cubic foot per second from Unnamed Stream 1 supplemented by Simpson Creek and Ferry Creek, 0.04 cfs irrigation, 0.24 cfs temperature control and 0.08 cfs*** that the PRIORITY OF THE RIGHT dates from **March 14, 1983 for primary use from Ferry Creek on Bog 38D; November 10, 1982 for supplemental use from Ferry Creek on Bogs 14 and 15; December 30, 1981 for the balance**

and is limited to the amount of water which can be applied to beneficial use and shall not exceed **10.095 cfs.**

The POINT OF DIVERSION is to be LOCATED: **Reservoir - 2600 feet North and 660 feet West from the SW Corner of Section 20, being within the NE 1/4 SE 1/4 of Section 19; Point of Diversion 1 (Simpson Creek) - 2620 feet North and 980 feet East from the SW Corner of Section 20, being within the NW 1/4 SW 1/4 of Section 20; Point of Diversion 2 (Unnamed Stream 1) - 2225 feet North and 1160 feet East from the SW Corner of Section 20, being within the NW 1/4 SW 1/4 ****

A description of the PLACE OF USE under the permit, and to which such right is appurtenant, is as follows:

- * **flood harvesting; Bogs 19A and 19B - 0.405 cfs from Simpson Creek supplemented by the use of water from Ferry Creek and Unnamed Stream 1, 0.068 cfs irrigation, 0.405 cfs temperature control and 0.135 cfs flood harvesting; Bogs 19C and 22 - 1.095 cfs from Simpson Creek supplemented by the use of water from Ferry Creek and Unnamed Stream 2, 0.183 cfs irrigation, 1.095 cfs temperature control, 0.365 cfs flood harvesting; Bogs 27A, 27B and 38D - 1.800 cfs from Ferry Creek supplemented by the use of water from Unnamed Stream 2 and Simpson Creek, 0.301 cfs irrigation, 1.800 cfs temperature control and 0.600 cfs flood harvesting; Bogs 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38A, 39 and 40 - 3.840 cfs from Unnamed Stream 2 and Simpson Creek, 0.592 cfs supplemental irrigation, 3.840 cfs temperature control, 1.280 cfs flood harvesting; Bogs 18 and 25 - 0.405 cfs from Simpson Creek for heat control, 0.405 cfs from Ferry Creek 0.68 cfs supplemental irrigation, 0.405 cfs temperature control, 0.135 cfs flood harvesting; Bogs 16, 17, 20, 21, 23 and 24 - 1.5 cfs from Simpson Creek for heat control, 1.5 cfs from Ferry Creek and reservoir 0.25 cfs supplemental irrigation, 1.5 cfs temperature control, 0.5 cfs flood harvesting; Bog 26 - 0.81 cfs from Simpson Creek for heat control, 0.81 cfs from Unnamed Stream 2 and Ferry Creek, 0.135 cfs supplemental irrigation, 0.81 cfs temperature control and 0.27 cfs flood harvesting**

SEE NEXT PAGE

Actual construction work shall begin on or before **June 13, 1984** and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 **85**.

Complete application of the water to the proposed use shall be made on or before October 1, 19 **86**.

Witness my hand this **13th** day of **June**, 19 **83**.

/s/ JAMES E. SEXSON

WATER RESOURCES DIRECTOR

This permit, when issued, is for the beneficial use of water. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan. It is possible that the land use you propose may not be allowed if it is not in keeping with the goals and the acknowledged plan. Your city or county planning agency can advise you about the land-use plan in your area.

APPLICATION **63195**

PERMIT

47493

** of Section 20; Point of Diversion 3 (Unnamed Stream 2) - 1470 feet North and 820 feet East from the SW Corner of Section 20, being within the NW 1/4 SW 1/4 of Section 20; Point of Diversion 4 (Ferry Creek) - 3180 feet South and 290 feet East from the SW Corner of Section 20, being within the NW 1/4 SW 1/4 of Section 29; all within Township 28 South, Range 14 West, WM, in the County of Coos.

Township 28 South, Range 14 West, WM	Section 20	NE 1/4 SW 1/4	4.9 acres
		NW 1/4 SW 1/4	4.0 acres
		SW 1/4 SW 1/4	23.0 acres
		SE 1/4 SW 1/4	7.3 acres
	Section 29	NW 1/4 NW 1/4	20.1 acres
		SW 1/4 NW 1/4	8.0 acres

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second of its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year, for cranberries. If for the irrigation of any other crop, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2.5 af per acre for each acre irrigated during the irrigation season of each year, provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein, and shall conform to such reasonable rotation system as may be ordered by the proper state officer.

The permittee shall record and submit annually to the Water Resources Department all pertinent data pertaining to use of water for temperature control on forms furnished.

APPLICATION 63195

PERMIT

47493