

\* Permit No. 4772

APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

We Louis Stark, F. L. Steffen and J. Q. Church (Name of Applicant)

of Portland (R. F. D. Route # 2) (Postoffice), County of Multnomah

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is 2 springs (unnamed) (Name of stream)

tributary of Willamette Watershed

2. The amount of water which the applicant intends to apply to beneficial use is

2/1000 cubic feet per second. 1/1000 from each spring

3. The use to which the water is to be applied is domestic (Irrigation, power, mining, manufacturing,

domestic supplies, etc.)

4. The points of diversion are located N 53° 54' E 2458.4 ft. and N 52° 48' E 2456.7 ft. (Give distance and bearing to section corner)

from the 1/4 corner between sections 35 & 36 T 1 N R 1 W W M

being within the NE 1/4 of NW 1/4 of Sec. 36, Tp. 1 N (No. N. or S.)

R. 1 W, W. M., in the county of Multnomah (No. E. or W.)

5. The pipe line to be 1/2 (Main ditch, canal or pipe line)

miles in length, terminating in the SE 1/4 of NE 1/4 of Sec. 35, Tp. 1 N (No. N. or S.)

R. 1 W, W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.)

6. The name of the ditch, canal or other works is

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of box dam 3x3 feet, length on top 8 feet, length at bottom

6 feet; material to be used and character of construction concrete (Loose rock, concrete,

masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

\* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate. Width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR:

IRRIGATION—

9. The land to be irrigated has a total area of ..... acres, located in each smallest legal subdivision, as follows: ..... (Give area of land in each smallest legal subdivision which you intend to irrigate.)

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Total fall to be utilized ..... feet. (Head)

(c) The nature of the works by means of which the power is to be developed .....

(d) Such works to be located in ..... of Sec. .... (Legal subdivision)

Tp. ...., R. ...., W. M. (No. N. or S.) (No. E. or W.)

(e) Is water to be returned to any stream? ..... (Yes or No)

(f) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. (No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is .....

(h) The nature of the mines to be served .....

MUNICIPAL SUPPLY—

11. To supply the city of .....  
..... County, having a present population of ....., and an  
(Name of)  
estimated population of ..... in 19.....

(Answer questions 12, 13, 14 and 15 in all cases)

- 12. Estimated cost of proposed works, \$... **about 750.00**.....
- 13. Construction work will begin on or before **Nov. 1st, 1920**.....
- 14. Construction work will be completed on or before **Jan. 1st, 1921**.....
- 15. The water will be completely applied to the proposed use on or before **Jan. 1st, 1921**.....

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Water Board, accompany this application.

**Louis Stark**.....  
(Name of applicant)  
**F. L. Steffen**.....  
**J. Q. Church**.....

Signed in the presence of us as witnesses:

- (1) **Maggie Stark**....., **R # 2 Portland, Ore.**.....  
(Name) (Address of Witness)
- (2) **Chas H. Heys**....., **965 E. Market St., Portland, Ore.**.....  
(Name) (Address of Witness)

Remarks: .....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows:

.....  
.....  
.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

State Engineer.

Application No. 7518

Permit No. 4772

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2 day of September, 1920, at 8:30 o'clock A.M.

Returned to applicant for correction

Corrected application received

Approved:

Sept. 10, 1920

Recorded in Book No. 17 of Permits, on Page 4772

Percy A. Cupper

State Engineer.

1 map R.S. \$8.00

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from two un-
drained springs for domestic purposes.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.002 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is September 2, 1920

Actual construction work shall begin on or before September 10, 1921 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1922

Complete application of the water to the proposed use shall be made on or before October 1, 1923

WITNESS my hand this 10th day of September 1920.

Percy A. Cupper

State Engineer.

Permits for power development are subject to the limitation of franchise as provided in Section 6633, Lord's Oregon Laws, and the payment of annual fees as provided in Chapter 213, Session Laws of 1915.