

APPLICATION FOR A PERMIT

CERTIFICATE NO. 9041

To Appropriate the Public Waters of the State of Oregon

We, T C Dearing, Daisy F Dearing, ~~Perry S Burdhead~~, S P Colt, Frank Colt,
S P Colt, Jr., Mary B Colt, Sr., Mary B Colt, Jr., and Leila Colt
(Name of Applicant)

of Hereford, County of Baker
(Postoffice)
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is North Fork of Burnt River
(Name of stream)

tributary of Snake River

2. The amount of water which the applicant intends to apply to beneficial use is 1092 1/2 inches
miners measurement
or 28.31 cubic feet per second.

3. The use to which the water is to be applied is Irrigation and domestic purposes
(Irrigation, power, mining, manufacturing,
domestic supplies, etc.)

4. The point of diversion is located See Exhibit A
(Give distance and bearing to section corner)

being within the 37 E of Sec. 30, Tp. 11 S
(Give smallest legal subdivision) (No. N. or S.)
R. Baker
(No. E. or W.)

5. The See Exhibit A to be
(Main ditch, canal or pipe line)
miles in length, terminating in the of Sec. Tp.
(Smallest legal subdivision) (No. N. or S.)

R. W. M., the proposed location being shown throughout on the accompanying map.
(No. E. or W.)

6. The name of the ditch, canal or other works is Big Flat Ditch Enlargement

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
See Exhibit A (Loose rock, concrete,
masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate See Exhibit A
(Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate. Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR:

IRRIGATION—

9. The land to be irrigated has a total area of 963,5 acres, located in each smallest legal subdivision, as follows: (Give area of land in each smallest legal subdivision which you intend to irrigate.)

See Exhibit A

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Total fall to be utilized feet. (Head)

(c) The nature of the works by means of which the power is to be developed

(d) Such works to be located in of Sec. (Legal subdivision)

Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(e) Is water to be returned to any stream? (Yes or No)

(f) If so, name stream and locate point of return

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is

(h) The nature of the mines to be served

EXHIBIT "A".

The land to be irrigated has a total area of ~~968.5~~ acres, located in each smallest legal subdivision, as follows:

26 acres in the Northeast quarter (NE $\frac{1}{4}$) of the Southeast quarter (SE $\frac{1}{4}$)
 40 acres in the Southeast Quarter (SE $\frac{1}{4}$) of the Southeast Quarter (SE $\frac{1}{4}$)
 26 acres in the Northwest Quarter (NW $\frac{1}{4}$) of the Southeast Quarter (SE $\frac{1}{4}$)
 40 acres in the Southwest Quarter (SW $\frac{1}{4}$) of the Southeast quarter (SE $\frac{1}{4}$)
 26 acres in the Northeast quarter (NE $\frac{1}{4}$) of the Southwest quarter (SW $\frac{1}{4}$)
 40 acres in the Southeast Quarter (SE $\frac{1}{4}$) of the Southwest quarter (SW $\frac{1}{4}$)
 20 acres in the Northwest quarter (NW $\frac{1}{4}$) of the Southwest Quarter (SW $\frac{1}{4}$)
 40 acres in the Southwest quarter (SW $\frac{1}{4}$) of the Southwest quarter (SW $\frac{1}{4}$)
 10 acres in the Southwest quarter (SW $\frac{1}{4}$) of the Northwest quarter (NW $\frac{1}{4}$)

All in Section Twenty-four (24) in Township Twelve (12) South, of Range Thirty-seven (37), East of the Willamette Meridian.

40 acres in the Southeast quarter (SE $\frac{1}{4}$) of the Southeast Quarter (SE $\frac{1}{4}$)
 40 acres in the Southwest quarter (SW $\frac{1}{4}$) of the Southeast quarter (SE $\frac{1}{4}$)
 40 acres in the Northeast quarter (NE $\frac{1}{4}$) of the Southeast quarter (SE $\frac{1}{4}$)
 40 acres in the Northwest quarter (NW $\frac{1}{4}$) of the Southeast quarter (SE $\frac{1}{4}$)
 40 acres in the Southeast quarter (SE $\frac{1}{4}$) of the Northeast quarter (NE $\frac{1}{4}$)
 40 acres in the Southwest quarter (SW $\frac{1}{4}$) of the Northeast quarter (NE $\frac{1}{4}$)
 40 acres in the Northeast quarter (NE $\frac{1}{4}$) of the Northeast quarter (NE $\frac{1}{4}$)
 40 acres in the Northwest quarter (NW $\frac{1}{4}$) of the Northeast quarter (NE $\frac{1}{4}$)
 20 acres in the Southeast quarter (SE $\frac{1}{4}$) of the Northwest quarter (NW $\frac{1}{4}$)
 20 acres in the Northeast quarter (NE $\frac{1}{4}$) of the Northwest quarter (NW $\frac{1}{4}$)
 3 acres in the Northwest quarter (NW $\frac{1}{4}$) of the Northwest quarter (NW $\frac{1}{4}$)

All in Section Twenty-three (23) in Township Twelve (12) South, of Range Thirty-seven (37) East of the Willamette Meridian.

7 acres in the Northeast quarter (NE $\frac{1}{4}$) of the Northeast quarter (NE $\frac{1}{4}$) in Section Twenty-two (22) in Township Twelve (12) South, of Range Thirty-seven (37) East of the Willamette Meridian.

40 acres in the Southwest quarter (SW $\frac{1}{4}$) of the Southwest quarter (SW $\frac{1}{4}$) in Section Thirteen (13) in Township Twelve (12) South, of Range Thirty-seven (37) East of the Willamette Meridian.

40 acres in the Southeast quarter (SE $\frac{1}{4}$) of the Southeast quarter (SE $\frac{1}{4}$)
 40 acres in the Southwest quarter (SW $\frac{1}{4}$) of the Southeast quarter (SE $\frac{1}{4}$)
 40 acres in the Southeast quarter (SE $\frac{1}{4}$) of the Southwest quarter (SW $\frac{1}{4}$)

37 acres in the Southwest quarter ($SW\frac{1}{4}$) of the Southwest quarter ($SW\frac{1}{4}$)
 40 acres in the Northwest quarter ($NW\frac{1}{4}$) of the Southwest quarter ($SW\frac{1}{4}$)
 35 acres in the Northeast quarter ($NE\frac{1}{4}$) of the Southwest quarter ($SW\frac{1}{4}$)

All in Section Fourteen (14) in Township Twelve (12) South, of Range Thirty-Seven (37) East of the Willamette Meridian.

$5\frac{1}{2}$ acres in the Northeast quarter ($NE\frac{1}{4}$) of the Southeast quarter ($SE\frac{1}{4}$)
 13 acres in the Northwest quarter ($NW\frac{1}{4}$) of the Southeast quarter ($SE\frac{1}{4}$)
 35 acres in the Southeast quarter ($SE\frac{1}{4}$) of the Southeast quarter ($SE\frac{1}{4}$)

All in Section Fifteen (15) in Township Twelve (12) South, of Range Thirty-seven (37) East of the Willamette Meridian.

The point of diversion, description of works, etc., and contemplated plan and system of irrigation works, is as follows: The point of diversion is located in the West half ($W\frac{1}{2}$) of the Northwest quarter ($NW\frac{1}{4}$) of Section Thirty (30), in Township Eleven (11) South of Range Thirty-seven (37) East of Willamette Meridian, commonly known as the headgate of the Big Flat Ditch. The plan of the works is to increase or enlarge/what is known as the Big Flat Ditch, and to enlarge the siphon which is a part of said Big Flat Ditch and which carries the water across the North Fork of Burnt River, and to extend the said Big Flat Ditch from its present terminus to such points as may be convenient or necessary to convey the water hereby sought to be appropriated on the above described lands, and to use the water hereby sought to be appropriated through the said Big Flat Ditch and said extensions.

DIVERSION WORKS: Height of dam, 6 feet; length on top, 50 feet; length on bottom, 30 to 35 feet; material to be used and character of construction, loose rock and timber. Description of headgate: Of two-inch planking, about 4 feet high, 16 feet long and 12 feet wide.

Reference is hereby made to the maps and plats on file in the office of the State Engineer for a more complete description, length and course of said Big Flat Ditch, the same being shown in the matter of the adjudication of the waters of Burnt River, a tributary of Snake River.

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of, and an
(Name of)
estimated population of in 19.....

(Answer questions 12, 13, 14 and 15 in all cases)

- 12. Estimated cost of proposed works, \$.....
- 13. Construction work will begin on or before
- 14. Construction work will be completed on or before
- 15. The water will be completely applied to the proposed use on or before

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the
State Water Board, accompany this application.

T C Dearinger
Daisy F Dearinger
Perry S Burkhead
S P Colt (Name of applicant)

Mary B Colt,
Mary B Colt, Jr.

Signed in the presence of us as witnesses:

Leila Colt,
Frank Colt &
S P Colt, Jr. by S P Colt, Attorney in fact.
Hereford, Oregon.
(Address of Witness)

(1)
(Name)

(2) Joseph Heilner,
Armand H Ruchis
(Name)

(Address of Witness)

Remarks:
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

STATE OF OREGON, }
County of Marion, } ss.

160
12
2/22

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for correction or completion, as follows:
Answer to Question No. 9 & maps

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions, on or before Nov. 2, 1920.

WITNESS my hand this 3d day of Oct., 1920.

Percy A Cupper,
RJS State Engineer.

Application No. 7309

Permit No. 4827

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27 day of May, 1920, at 8:30 o'clock A.M.

Returned to applicant for correction

Oct. 3, 1920

Corrected application received

Oct. 28, 1920

Approved:

Nov. 12, 1920

Recorded in Book No. 17 of Permits, on Page 4827

Percy A Cupper

1 map RS State Engineer.

\$66.20

STATE OF OREGON, } ss. County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from the North Fork of Burnt River for irrigation and domestic purposes.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 12.05 cubic feet per second, or its equivalent in case of

rotation. The priority date of this permit is May 27, 1920

Actual construction work shall begin on or before November 12, 1921 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1922

Complete application of the water to the proposed use shall be made on or before

October 1, 1924

WITNESS my hand this 12th day of November, 1920

Percy A Cupper

State Engineer.

Permits for power development are subject to the limitation of franchise as provided in Section 6633, Lord's Oregon Laws, and the payment of annual fees as provided in Chapter 213, Session Laws of 1915.

10/1/25 10/1/26 10/1/28 10/1/29 Extended to Oct. 1, 1930