*Permit No. 488

APPLICATION FOR A PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

f	Joel Blackwell Sheridan (Postoffice)	(Name o	of Applicant)			
	Sheridan			77. 7. * 7 7		
tate of.			, $County$ of	Yamniii		
$tate\ of.$		_				
	Oregon					
re follo	wing described public water	s of the State of	f Oregon, sub	ject to existing	rights.	
If the	e applicant is a corporation	n, give date and	l place of inc	orporation		
1. I	The source of the proposed appropriation is(Name of stream)					
	A small spring.	A	ຕາກາ ຈຳ ກ ດາ			
seco	the amount of water which nd ftcubic feet per secon		intends to ap	oply to beneficia	l use is 1/80	
2 7	'he use to which the water i	e to be applied a	'e			
o. 1			.0	(Irrigation,	power, mining, manufacturin	
	applies, etc.)					
4. T	the point of diversion is loc	eated623	S. and 66'	E of North an	a most	
eas	terly corner of Harriso	n Roster D.		ance and bearing to		
eing wi	thin the SE $\frac{1}{4}$ (Give smallest legal		of Sec	13	<i>Tp.</i> 5 S	
	Give smallest legal	subdivision)	Yamhill		(No. N. or S.)	
?.	7 W, W. M., in	the County of		·		
	Thepipe				be	
<i>9.</i> 1		ditch, canal or pipe	line)	to	0e	
illes in	length, terminating in the	SE 🕹		of Sec. 13		
1	ry *+1					
(No. E	, W. M., the pr	roposed location	being shown	throughout on	the accompanying ma	
6. T	The name of the ditch, cana	d or other work	cs is			
					ų.	
			· ····		······································	
		Description	n of Works			
)iversio	n Works-				•	
7. (a) Height of dam	feet,	length on top.	•	feet, length at botto	
	feet; material	to be used and	character of	construction	(Loose rock, concre	
		•				
	ock and brush, timber crib, etc., v				······································	
		·			······································	
((b) Description of headgat	<i></i> (T	imber, concrete, et	c., number and size	of openings)	
					<u>.</u>	

Canal System—	
8. (a) Give dimensions at each point of	canal where materially changed in size, stating miles from
headgate. At headgate: Width on top (at	water line)feet; width on bottom
feet; depth of water	feet; gradefeet fall per 1000 feet.
(b) Atmiles from	headgate: Width on top (at water line)
feet; width on bottom	feet; depth of water
feet; gradefeet fall p	er 1000 feet.
Fill in the Following Infor	mation Where the Water is Used for:
Irrigation— 9. The land to be irrigated has a total of	area ofacres, located in each
smallest legal subdivision, as follows:	
(Give area of land in each smal	lest legal subdivision which you intend to irrigate)
	······································
(If more space	e required, attach separate sheet)
Power, Mining, Manufacturing or Transporta	
10. (a) Total amount of power to be de	velopedhorsepower.
(b) Total fall to be utilized	(
(c) The nature of the works by med	ans of which the power is to be developed
(d) Such works to be located in	(Legal subdivision) of Sec.
Tp, R	o. E. or W.)
	stream?(Yes or No)
(f) If so, name stream and locate p	point of return
	(No. N. or S. (No. E. or W.)
(g) The use to which the power is	to be applied is
•	served
,	

County having a presen	t population ofand an estimated					
(Name of)	v population of					
opulation ofin 19	· 					
12. Estimated cost of proposed works, \$						
13. Construction work will begin on or before	struction work will begin on or before 1 yr. from approval					
	before 2 yrs. from approval					
15. The water will be completely applied to th	e proposed use on or before					
	2 wrs. from approval					
Duplicate maps of the proposed ditch or other	works, prepared in accordance with the rules of the					
Soard of Control, accompany this application.	his					
ourse of Control, accompany this application.	Joel + Blackwell					
	mark (Name of Applicant)					
Signed in the presence of us as witnesses:						
1) W. 0. Sims (Name)	Sheridan, Or. (Address of Witness)					
(Name)	Sheridan, Or. (Address of Witness)					
Remarks:						
,						
$TATE\ OF\ OREGON,$ $\bigg\}$ SS.						
$TATE\ OF\ OREGON,$ $SS.$	regoing application, together with the accompanying					
$TATE\ OF\ OREGON,$ $SS.$ $County\ of\ Marion$ $SS.$ $This\ is\ to\ certify\ that\ I\ have\ examined\ the\ for$						
$TATE\ OF\ OREGON,$ $SS.$ $County\ of\ Marion$ $SS.$ $This\ is\ to\ certify\ that\ I\ have\ examined\ the\ for$	on or completion, as follows:					
STATE OF OREGON, County of Marion This is to certify that I have examined the for naps and data, and return the same for correction	on or completion, as follows:					
County of Marion This is to certify that I have examined the for naps and data, and return the same for correction For completion in accordance with print	on or completion, as follows: ted instructions.					
STATE OF OREGON, County of Marion This is to certify that I have examined the for naps and data, and return the same for correction For completion in accordance with print In order to retain its priority, this applies	cation must be returned to the State Engineer, with					
STATE OF OREGON, County of Marion This is to certify that I have examined the for naps and data, and return the same for correction For completion in accordance with print In order to retain its priority, this applies	on or completion, as follows: ted instructions. cation must be returned to the State Engineer, wit					
TATE OF OREGON, County of Marion This is to certify that I have examined the for caps and data, and return the same for correction For completion in accordance with print In order to retain its priority, this applies	on or completion, as follows: ted instructions. cation must be returned to the State Engineer, wit					

PERMIT To appropriate the public waters of the State of Oregon Division No. 1 District No. This instrument was first received in the office of the State Engineer at Salem, Origina, on the 2 day of is.vol. 1910, at 8100 et 0.000 A M. Returned to applicant or correction Sept. 15, 1910 Ret. Jun. 10, 1911 Corrected application received Oct. 10, 1910 9100 A M. Approved Jan 23 1911 Recorded in Book No. 2 of Permits on Page 488 John H Levile Some Engineer State Of OREGON, Country of Marion This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed. 2/100 19.02)		Application No. 536
Division No. 1 District No. This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2 day of Merch 1910, at 8100 o'clock à M. Returned to applicant for correction Sept. 15, 8810 Ret. Jan. 10, 1911 Corrected application received Oct. 10, 1910 8100 à 11. Approved Jan 23 1911 Recorded in Book No. 2 of Permits on Page 488 John H Lewis 8.00 STATE OF OREGON, County of Marion This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 2/100, 10,02) cubic feet per second. Actual construction work shall begin on or before	2-	Permit No. 488
Division No. 1 District No. This instrument was first received in the office of the State Engineer at Satem, Oregon, on the 2 day of Merch. 19 10, at 8100 octock A. M. Returned to application received Oct. 10, 1910 8100 A. L. Approved Jan 23 1911 Recorded in Book No. 2 of Permits on Page 488 John H Lewis 8.00 STATE OF OREGON, County of Marion This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions: The amount of water appropriated shall be limited to the amount which can be applied to benefician use and not to exceed. 2/102. (0,02) enbic feet per second. Actual construction work shall begin on or before		PERMIT
Division No. 1 District No. This instrument was first received in the editic of the State Engineer at Salem, Oregon, on the 2 day of Earth 1910, at \$100, at \$100, o'clock \$\lambda\$. Returned to applicant for correction Sept. 15, 2910 Ret. Jan. 10, 1911 Corrected application received Oct. 10, 1910 \$100 & M. A.		
This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2 day of Yeroh 1910, at 8:00 o'clock A. N. Returned to application correction Sept. 15, 2910 Ret. Jun. 10, 1911 Corrected application received Oct. 10, 1910 8:00 A.Y. Approved Jan 23 1911 Recorded in Book No. 2 of Permits on Page 460 John H Lewis State Engineer State Indicates the same subject to the following limitations and conditions: This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions: The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 2/100 (0.02) cubic feet per second. Actual construction work shall begin on or before. Jan 25 1912 Complete application of the water to the proposed use shall be made on or before. Jan 25 1914 WITNESS my hand this. 25rd day of January 19 .11 John H Lewis	, • •	
This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2 day of Yeroh 1910, at 8:00 o'clock A. N. Returned to application correction Sept. 15, 2910 Ret. Jun. 10, 1911 Corrected application received Oct. 10, 1910 8:00 A.Y. Approved Jan 23 1911 Recorded in Book No. 2 of Permits on Page 460 John H Lewis State Engineer State Indicates the same subject to the following limitations and conditions: This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions: The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 2/100 (0.02) cubic feet per second. Actual construction work shall begin on or before. Jan 25 1912 Complete application of the water to the proposed use shall be made on or before. Jan 25 1914 WITNESS my hand this. 25rd day of January 19 .11 John H Lewis	∠`ૄ•	
office of the State Engineer at Salem, Oregon, on the 2 day of Merch 1910, st 8:00 octock A M. Returned to applicant for correction Sept. 15, 2910 Ret. Jun. 10, 1911 Corrected application received Oct. 10, 1910 8:00 A E. Approved Jan 23 1911 Recorded in Book No. 2 of Permits on Page 468 John H Lewis 6.00 STATE OF OREGON, County of Marion This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 2/100 (9,92) cubic feet per second. Actual construction work shall begin on or before Jun 23 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before. Jun 23 1913 Complete application of the water to the proposed use shall be made on or before. Jun 23 1914 WITNESS my hand this 25rd day of Junuary 19 11. John H Lewis	á	Division No District No
office of the State Engineer at Salem, Oregon, on the 2 day of March 1910, at 8:00 octock M. Returned to applicant for correction Sept. 15, 4910 Ret. Jan. 10, 1911 Corrected application received Oct. 10, 1910 8:00 A M. Approved Jan 23 1911 Recorded in Book No. 2 of Permits on Page 488 John F. Lewis 8.00 STATE OF OREGON, County of Marion This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions: The amount of water appropriated shall be limited to the amount which can be applied to beneficia use and not to exceed 2/100 (9.92) cubic feet per second. Actual construction work shall begin on or before. Jan 23 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before. Jan 23 1913 Complete application of the water to the proposed use shall be made on or before. Jan 23 1914 WITNESS my hand this 25rd day of January 19 11. John H Lewis		This instrument was first received in the
1910, at 8:00 o'clock M. Returned to applicant for correction Sept. 15, \$910 Ret. Jan. 10, 1911 Corrected application received Oct. 10, 1910 8:00 A M. Approved Jan 23 1911 Recorded in Book No. 2 of Permits on Page 488 John H Lewis State Engineer STATE OF OREGON, County of Marion This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The amount of water appropriated shall be limited to the amount which can be applied to beneficians and not to exceed 2/100 (0.02) cubic feet per second. Actual construction work shall begin on or before. Jan 23 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before. Jan 23 1913 Complete application of the water to the proposed use shall be made on or before. Jan 23 1914 WITNESS my hand this. State Engineer. State Engineer.		
Sept. 15, 2910 Ret. Jan. 10, 1911 Corrected applicant for correction Sept. 16, 2910 Ret. Jan. 10, 1911 Corrected application received Oct. 10, 1910 8100 A M. Approved Jan 23 1911 Recorded in Book No. 2 of Permits on Page 488 John H Lowis 8,00 State Engineer State Engineer State Engineer State Engineer This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions: The amount of water appropriated shall be limited to the amount which can be applied to beneficia use and not to exceed 2/100 (19.92). cubic feet per second. Actual construction work shall begin on or before. Jon 23 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before. Jon 23 1913 Complete application of the water to the proposed use shall be made on or before. Jan 23 1914 WITNESS my hand this. State Engineer. State Engineer.		on the 2 day of March,
Sept. 15, 2910 Ret. Jan. 10, 1911 Corrected applicant for correction Sept. 16, 2910 Ret. Jan. 10, 1911 Corrected application received Oct. 10, 1910 8100 Am. Approved Jan 23 1911 Recorded in Book No. 2 of Permits on Page 488 John H Lewis 6.00 State Engineer State Engineer State Engineer This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed. 2/100 (19.02). cubic feet per second. Actual construction work shall begin on or before. John 23 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before. John 23 1913 Complete application of the water to the proposed use shall be made on or before. Jan 23 1914 WITNESS my hand this. State Engineer.		10 TO 04 8:00 delet A M
Corrected application received Oct. 10, 1910 8:00 A Approved Jan 23 1911 Recorded in Book No. 2 of Permits on Page 488 John H Lewis 8:00 State Engineer State Engineer State Engineer State Engineer State Indicated the foregoing application and do hereby grant the same, subject to the following limitations and conditions: This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 2/100 (0.02) cubic feet per second. Actual construction work shall begin on or before. Jan 23 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before. Jan 23 1913 Complete application of the water to the proposed use shall be made on or before. Jan 25 1914 WITNESS my hand this. 25rd day of January 19-11. John H Lewis State Engineer.		
Corrected application received Oct. 10, 1910 8:00 A Approved Jan 23 1911 Recorded in Book No. 2 of Permits on Page 488 John H Lewis 8:00 State Engineer State Engineer State Engineer State Engineer State Indicated the foregoing application and do hereby grant the same, subject to the following limitations and conditions: This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 2/100 (0.02) cubic feet per second. Actual construction work shall begin on or before. Jan 23 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before. Jan 23 1913 Complete application of the water to the proposed use shall be made on or before. Jan 25 1914 WITNESS my hand this. 25rd day of January 19-11. John H Lewis State Engineer.		
Oct. 10, 1910 8100 A Approved Jan 25 1911 Recorded in Book No. 2 of Permits on Page 488 John H Lewis 6.00 STATE OF OREGON, County of Marion This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 2/100 (0.02). cubic feet per second. Actual construction work shall begin on or before. Jan 23 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before. Jan 23 1913 Complete application of the water to the proposed use shall be made on or before. Jan 25 1914 WITNESS my hand this. 23rd day of January. John H Lewis State Engineer.		
Approved Jan 23 1911 Recorded in Book No. 2 of Permits on Page 488 John H Lewis 8.00 STATE OF OREGON, County of Marion This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed. 2/100 (0.02). cubic feet per second. Actual construction work shall begin on or before. Jan 23 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before. Jan 25 1913 Complete application of the water to the proposed use shall be made on or before. Jan 25 1914 WITNESS my hand this. 23rd. John H Lewis State Engineer.		
Recorded in Book No. 2 of Permits on Page 488 John H Lewis State Engineer STATE OF OREGON, County of Marion This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions: The amount of water appropriated shall be limited to the amount which can be applied to beneficianuse and not to exceed 2/100 (0.02) cubic feet per second. Actual construction work shall begin on or before. Jun 23 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before. Jun 23 1913 Complete application of the water to the proposed use shall be made on or before. Jan 23 1914 WITNESS my hand this 25rd day of Junuary 19 11. John H Lewis State Engineer.		
John H Lewis State Engineer		Jan 23 1911
John H Lewis 8.00 STATE OF OREGON, County of Marion This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 2/100 (0.02) cubic feet per second. Actual construction work shall begin on or before. Jan 23 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before. Jan 23 1913 Complete application of the water to the proposed use shall be made on or before. Jan 23 1914 WITNESS my hand this 23rd day of January 19 11. John H Lewis State Engineer.		Recorded in Book No. 2 of Permits on
STATE OF OREGON, County of Marion This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions: The amount of water appropriated shall be limited to the amount which can be applied to beneficians and not to exceed 2/100 (0.02) cubic feet per second. Actual construction work shall begin on or before. Jun 23 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before. Jun 23 1913 Complete application of the water to the proposed use shall be made on or before. Jun 23 1914 WITNESS my hand this 25rd day of Junuary 19 11 John H Lewis State Engineer.		Page 488
STATE OF OREGON, County of Marion This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions: The amount of water appropriated shall be limited to the amount which can be applied to beneficianuse and not to exceed 2/100 (0.02) cubic feet per second. Actual construction work shall begin on or before. Jan 23 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before. Jan 23 1913 Complete application of the water to the proposed use shall be made on or before. Jan 23 1914 WITNESS my hand this 23rd day of January , 19 11 John H Lewis State Engineer.		John U Towis
STATE OF OREGON, County of Marion This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions: The amount of water appropriated shall be limited to the amount which can be applied to beneficia use and not to exceed. 2/100 (0.02). cubic feet per second. Actual construction work shall begin on or before. Jun 23 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before. Jun 23 1913 Complete application of the water to the proposed use shall be made on or before. Jan 25 1914 WITNESS my hand this. 25rd. day of. Junuary., 19.11. John H Lewis		
This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions: The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed. 2/100 (0.02)		8.00
This is to certify that I have examined the foregoing application and do hereby grant the same subject to the following limitations and conditions: The amount of water appropriated shall be limited to the amount which can be applied to beneficia use and not to exceed. 2/100 (0.02)cubic feet per second. Actual construction work shall begin on or before	STATE OF OREGON,	Q G G
The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 2/100 (0.02)	County of Marion	
use and not to exceed 2/100 (0.02) cubic feet per second. Actual construction work shall begin on or before Jan 23 1912 and shall thereafter be prosecuted with reasonable diligence and be completed on or before Jan 23 1913 Complete application of the water to the proposed use shall be made on or before Jan 23 1914 WITNESS my hand this 23rd day of January 19.11. John H Lewis	subject to the following la	imitations and conditions:
Actual construction work shall begin on or before		
and shall thereafter be prosecuted with reasonable diligence and be completed on or before		
Complete application of the water to the proposed use shall be made on or before		
Complete application of the water to the proposed use shall be made on or before	and shall thereafter be pr	
Jan 23 1914 WITNESS my hand this 23rd day of January 19 11. John H Lewis State Engineer.		Jun 23 1913
WITNESS my hand this 23rd day of January, 19.11. John H Lewis State Engineer.	Complete application of	f the water to the proposed use shall be made on or before
WITNESS my hand this 23rd day of January, 19 11. John H Lewis State Engineer.		Jan 23 1914
John H Lewis State Engineer.	WITNESS mu hand th	
State Engineer.		