

STATE OF OREGON

COUNTY OF DOUGLAS

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

ROLAND THEISS
PO BOX 824
MYRTLE CREEK, OREGON 97457

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: S-73112

SOURCE OF WATER: Hilp Creek, tributary of South Umpqua River

PURPOSE OR USE: Domestic Use Expanded for one household

MAXIMUM FLOW/VOLUME ALLOWED: 0.01 CFS

PERIOD OF USE: The period of allowed use is year round. However, the quantity of use is limited to 0.01 CFS for Domestic Expanded December 1 through June 30 of each year, and RESTRICTED to 0.005 CFS for Human Consumption, Livestock Consumption and irrigation of up to 0.5 acre non-commercial garden from July 1 through November 30 each year.

DATE OF PRIORITY: December 30, 1992

POINT OF DIVERSION LOCATION: NE 1/4 SE 1/4, Section 1, T 30 S, R 6 W, WM.; 1398 FEET NORTH AND 1263 FEET WEST FROM THE SE CORNER OF SECTION 1

THE PLACE OF USE IS LOCATED AS FOLLOWS:

NE 1/4 NE 1/4, Section 12, T 30 S, R 6 W, WM.

Measurement recording and reporting conditions:

- A. The Director may require the permittee to install a meter or other suitable measuring device as approved by the Director. If the Director notifies the permittee to install a meter or other measuring device, the permittee shall install such device within the period stated in the notice. Such installation period shall not be less than 90 days unless special circumstances warrant a shorter installation period. Once installed, the permittee shall maintain the meter or measuring device in good working order and shall allow the watermaster access to the meter or measuring device. The Director may provide an opportunity for the permittee to submit alternative measuring procedures for review and approval.
- B. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

ODFW requires fish screening in the form of Small Pump Screen requirements and further requires said screens are in place, functional, and inspected prior to diversion of any water.

Application S-73112 Water Resources Department

PERMIT 51706

STANDARD CONDITIONS

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction work shall begin no later than 1 year after issuance of this permit, and shall be completed on or before October 1, 1997. Complete application of the water to the use shall be made on or before October 1, 1998.

Issued October 17, 1995.



Water Resources Department
Martha O. Pagel
Director

BC 09