

STATE OF OREGON

COUNTY OF LANE

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

PHILIP H. AND ROSALIE LAKE  
78432 MOSBY CREEK ROAD  
COTTAGE GROVE, OREGON 97424

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: S-73075

SOURCE OF WATER: A SPRING, A TRIBUTARY OF KYLE CREEK

PURPOSE OR USE: DOMESTIC

MAXIMUM FLOW ALLOWED: 0.005 CUBIC FOOT PER SECOND

PERIOD OF USE: YEAR-ROUND

DATE OF PRIORITY: DECEMBER 16, 1992

POINT OF DIVERSION LOCATION: SW 1/4 NE 1/4, SECTION 34, TOWNSHIP 20 SOUTH, RANGE 3 WEST, W.M.; 778 FEET SOUTH & 1918 FEET WEST FROM THE SW CORNER OF A. ALEXANDER DLC 71

THE PLACE OF USE IS LOCATED AS FOLLOWS:

SW 1/4 NE 1/4  
SECTION 34  
TOWNSHIP 20 SOUTH, RANGE 3 WEST, W.M.

Measurement recording and reporting conditions:

- A. The Director may require the permittee to install a meter or other suitable measuring device as approved by the Director. If the Director notifies the permittee to install a meter or other measuring device, the permittee shall install such device within the period stated in the notice. Such installation period shall not be less than 90 days unless special circumstances warrant a shorter installation period. Once installed, the permittee shall maintain the meter or measuring device in good working order and shall allow the watermaster access to the meter or measuring device. The Director may provide an opportunity for the permittee to submit alternative measuring procedures for review and approval.

- B. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

#### STANDARD CONDITIONS

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction work shall begin within one year from permit issuance and shall be completed on or before October 1, 1998. Complete application of the water to the use shall be made on or before October 1, 1999.

Issued February 15, 1996

  
Water Resources Department  
for Martha O. Pagel  
Director

Application S-73075  
Basin 02

Water Resources Department  
Volume 1A Row River & Misc.

PERMIT 51949  
District 02