

STATE OF OREGON

COUNTY OF WASCO

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

WILLIAM S AND PENNY RITCHIE
2941 NW LUREY TERRACE
PORTLAND, OREGON 97210

(503)329-1191

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: S-75033

SOURCE OF WATER: TWO SPRINGS STREAMS, TRIBUTARIES OF EIGHTMILE CREEK

PURPOSE OR USE: MAINTENANCE OF A RESERVOIR, CONSTRUCTED UNDER APPLICATION R-75034, PERMIT R-11930, FOR RECREATIONAL USE

MAXIMUM RATE/VOLUME ALLOWED: 0.086 CUBIC FOOT PER SECOND

PERIOD OF USE: OCTOBER 1 THROUGH APRIL 15

DATE OF PRIORITY: NOVEMBER 22, 1994

POINT OF DIVERSION LOCATION: SW 1/4 NE 1/4, SE 1/4 NE 1/4, SECTION 26, TOWNSHIP 1 SOUTH, RANGE 12 EAST, W.M.; SPRING STREAM 1 - 1860 FEET SOUTH AND 2300 FEET WEST, SPRING STREAM 2 - 1450 FEET SOUTH AND 1480 FEET WEST, BOTH FROM THE NE CORNER SECTION 26

THE PLACE OF USE IS LOCATED AS FOLLOWS:

NE 1/4 NE 1/4
NW 1/4 NE 1/4
SW 1/4 NE 1/4
SE 1/4 NE 1/4
SECTION 26

TOWNSHIP 1 SOUTH, RANGE 12 EAST, W.M.

Measurement recording and reporting conditions:

- A. The Director may require the permittee to install a meter or other suitable measuring device as approved by the Director. If the Director notifies the permittee to install a meter or other measuring device, the permittee shall install such device within the period stated in the notice. Such installation period shall not be less than 90 days unless special circumstances warrant a shorter installation period. Once installed, the permittee shall maintain the meter or measuring device in good working order and shall allow the watermaster access to the meter or measuring device.

The Director may provide an opportunity for the permittee to submit alternative measuring procedures for review and approval.

- B. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

STANDARD CONDITIONS

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction work shall begin within one year from permit issuance and shall be completed on or before October 1, 1998. Complete application of the water to the use shall be made on or before October 1, 1999.

Issued August 7, 1996


 for Martha O. Page, Director
 Water Resources Department

Application S-75033 Water Resources Department
 Basin 04 Volume 2 Eightmile Creek & Misc.

PERMIT 52630
 District 03

STATE OF OREGON

COUNTY OF CLATSOP

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

LYLE G. AND LILLIE M. ORDWAY
R R 1 BOX 899
ASTORIA, OREGON 97103

(503) 325-4966

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: S-74203

SOURCE OF WATER: AN UNNAMED STREAM, A TRIBUTARY OF TWILIGHT CREEK

PURPOSE OR USE: DOMESTIC USE EXPANDED FOR ONE HOUSEHOLD

RATE OF ALLOWED USE: 0.01 CUBIC FOOT PER SECOND

PERIOD OF ALLOWED USE: YEAR ROUND

DATE OF PRIORITY: JUNE 13, 1994

POINT OF DIVERSION LOCATION: NE 1/4 NW 1/4, SECTION 20, T8N, R8W, W.M.;
NORTH 89 DEGREES 52 MINUTES 45 SECONDS WEST 924.81 FEET FROM THE C-N
1/16 CORNER OF SECTION 20, THENCE NORTH 30 FEET

THE PLACE OF USE IS LOCATED AS FOLLOWS:

NE 1/4 NW 1/4
SECTION 20
TOWNSHIP 8 NORTH, RANGE 8 WEST, W.M.

Measurement recording and reporting conditions:

- A. The Director may require the permittee to install a meter or other suitable measuring device as approved by the Director. If the Director notifies the permittee to install a meter or other measuring device, the permittee shall install such device within the period stated in the notice. Such installation period shall not be less than 90 days unless special circumstances warrant a shorter installation period. Once installed, the permittee shall maintain the meter or measuring device in good working order and shall allow the watermaster access to the meter or measuring device. The Director may provide an opportunity for the permittee to submit alternative measuring procedures for review and approval.