APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

Of Leland (Creatotice) State of OPSECH do hereby make application for a permit to appropriate the following described public waters of the State of Oregon subject to existing rights: If the applicant is a corporation, give date and place of incorporation. 1. The source of the proposed appropriation is	<i>I</i> ,	Earl E Wallace				3 y
State of OPESON	•					
State of	of	Leiano	, Cou	nty of Jos	ephine	NA .
1. The source of the proposed appropriation is	State of		, do hereby make a	pplication for	a permit to a	ppropriate the
1. The source of the proposed appropriation is Hugh's Gulch, (Name of stream) tributary Wolf Oresk (Grave Greek) tributary of Rogue River 2. The amount of water which the applicant intends to apply to beneficial use is C.06 cubic feet per second. 3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing intends to supplies, etc.) 4. The point of diversion is located Commencing at the east quarter corner of Sect 25; thence west 80 rods, thence north 53 rols. being within the Ship River (Green malate legal subdivision) of Sec. 25 , Tp. 33 S (No. N. or S.) R. 7 , W. M., in the county of Josephine (Go. R. or W.) (Main citch, canal or pipe line) mitter in length, terminating in the Ship River (No. R. or W.) 6. The name of the ditch, canal or other works is Wallace Ditch DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 1 feet, length on top 19 feet, length at botton 10 feet; material to be used and character of construction (Losse rock, concever) management, etc., wastewny over or around dam)	following des	cribed public waters of	the State of Oregon subj	ect to existing	g rights:	
tributary Wolf Creek (Grave Greek) tributary of Rogue River 2. The amount of water which the applicant intends to apply to beneficial use is C.06	If the ap	pplicant is a corporation	on, give date and place of	incorporation	· <u></u>	. ,
tributary Wolf Creek (Grave Greek) tributary of Rogue River 2. The amount of water which the applicant intends to apply to beneficial use is C.06					· · · · · · · · · · · · · · · · · · ·	
tributary Wolf Creek (Grave Vreek) tributary of Regue River 2. The amount of water which the applicant intends to apply to beneficial use is 0.06	1. The s	source of the proposed of	appropriation is			•••••
tributary of Rogue River 2. The amount of water which the applicant intends to apply to beneficial use is C.06	-t ri ha tara-	····Wolf-fiftpak{firave	Grack			andre Sanda
2. The amount of water which the applicant intends to apply to beneficial use is 0.06 cubic feet per second. 3. The use to which the water is to be applied is Irrigation Commencing at the east quarter corner of Sect 4. The point of diversion is located 25; thence west 80 rods, thence north 55 rods. 25; thence west 80 rods, thence north 55 rods. being within the Give smallest legal subdivision) R. 7 V						
3. The use to which the water is to be applied is Irrigation Commencing at the east quarter corner of Sect 4. The point of diversion is located 25; thence west 60 rods, thence north 53 rods. being within the SE4 NE4 of Sec. 25 , Tp. 33 S (Give smallest legal subdivision) R. 7 W , W. M., in the county of Josephine (No. E. or W.) 5. The ditch to be 50 rods (Main ditch, canal or pipe line) Miles in length, terminating in the SE4 NE4 (Smallest legal subdivision) R. 7 W , W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is Wall soe Ditch DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 1 feet, length on top 19 feet, length at bottom Logs, brush, etc. massonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Wood	2. The a					
Irrigation Onumencing at the east quarter corner of Sect 4. The point of diversion is located 25; thence west 80 rods, thence north 58 rods, being within the (Give smallest legal subdivision) R. 7 W. M., in the county of Josephine (Main ditch, canal or pipe line) 5. The ditch to be 30 rods (Main ditch, canal or pipe line) (Main eight, terminating in the Share (Smallest legal subdivision) R. 7 W. M. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is Wallace Ditch DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 1 feet, length on top 19 feet, length at botton 10 feet; material to be used and character of construction Logs, brush, etc. massoury, rock and brush, timber crib, etc. wasteway over or around dam) (b) Description of headgate	0.06	cubic feet pe	er second.			
Irrigation Ommencing at the east quarter corner of Sect 4. The point of diversion is located 25; thence west 80 rods, thence north 53 rods, being within the SE4 Read of Sec. 25 Tp. 33 S (Give smallest legal subdivision) R. 7 W. M., in the county of Josephine (Main ditch, canal or pipe line) 5. The ditch to be 30 rods (Main eight, terminating in the SE4 RE4 Smallest legal subdivision) R. 7 W. M. M., the proposed location being shown throughout on the accompanying map. (No. E or W.) (No. E or W.) DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 1 feet, length on top 19 feet, length at botton 10 feet; material to be used and character of construction Logs, brush, etc. massonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Wood	3. The	use to which the water	r is to be applied is			
Commencing at the east quarter corner of Sect 4. The point of diversion is located 25; thence west 80 rods, thence north 53 rods. being within the SET NE OF Sec. 25 Telescope (No. N. or 8) being within the SET NE OF Sec. 25 Telescope (No. N. or 8) Commencing at the east quarter corner of Sect 25; thence west 80 rods, thence north 53 rods. being within the SET NE OF Sec. 25 Telescope (No. N. or 8) being within the SET NE OF Sec. 25 Telescope (No. N. or 8) The Office smallest legal subdivision) 5. The Office Sec. 25 Telescope (No. N. or 8) Commencing at the east quarter corner of Sect 25; thence west 60 rods. Commencing at the east quarter corner of Sect 25; thence west 60 rods. Commencing at the east quarter corner of Sect 25; thence west 60 rods. Commencing at the east quarter corner of Sect 25; thence west 60 rods. Commencing at the east quarter corner of Sect 25; thence west 60 rods. Commencing at the east quarter corner of Sect 25; thence west 60 rods. Commencing at the east quarter corners? Commencing at the east quarter corners. Commencing at the east quarter corner of Sect 25; thence west 60 rods. Commencing at the east quarter corners? Commencing at the section and bearing to section corners. Commencing at the east quarter corners? Commencing at the section and bearing to section corners. Commencing at the section conserved of Sec. 25 Telescope (No. N. or 8) Commencing at the section conserved of Sec. 25 Telescope (No. N. or 8) Commencing and bearing to section corners. Commenci						ing, manufacturing,
25; thence west 80 rods, thence north 53 rods. 25; thence west 80 rods, thence north 53 rods. being within the SE NE NE OF Sec. 25 TE NE NE OF Sec. 25 TE NE OF SEC. 25 TE NE OF SEC. 33 SEC. 35 TE NE OF SEC. 35 SE	domestic supplies	, etc.)				
25; thence west 60 rods, thence north 53 rods. being within the SEA NEA Of Sec. 25 , Tp. 33 S (Give smallest legal subdivision)	h The r	noint of diversion is loc	MTAM			ner of Section
being within the SET NE Of Sec. 25 , Tp. 33 S (Give smallest legal subdivision) Josephine (No. N. or S.) R. 7 W. W. M., in the county of Josephine (No. E. or W.) 5. The ditch to be 30 rods (Main ditch, canal or pipe line) of Sec. 25 , Tp. 33 S (Smallest legal subdivision) of Sec. 25 , Tp. 33 S (No. N. or S.) R. 7 W. W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is Vallace Ditch DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 1 feet, length on top 19 feet, length at botton feet; material to be used and character of construction (Loose rock, concrete Logs, brush, etc.) masonry, rock and brush, timber crib, etc., wasteway over or around dam)	25. the	ance west 80 rods	(Give distanted thence north 53 rods.	ance and bearing to	o section corner)	
Clive smallest legal subdivision) R. 7 W , W. M., in the county of Josephine (No. E. or W.) 5. The ditch to be 30 rods (Main ditch, canal or pipe line) (Min. E. or W.) (No. N. or S.) (Man ditch, canal or pipe line) (Min. E. or W.) (No. E. or W.) 6. The name of the ditch, canal or other works is Vallace Ditch DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam	ab; the	ince west ou rous,		·		
Give smallest legal subdivision) R. 7 W , W. M., in the county of Josephine (No. E. or W.) 5. The ditch to be 30 rods (Main ditch, canal or pipe line) (Min. E. or W.) (No. N. or S.) (Man lest legal subdivision) R. 7 W (No. E. or W.) 6. The name of the ditch, canal or other works is Vallace Ditch DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of daml feet, length on topl9 feet, length at bottonl0 feet; material to be used and character of construction (Loose rock, concrete long short, rock and brush, timber crib, etc., wasteway over or around dam)						
Clive smallest legal subdivision) R. 7 W , W. M., in the county of Josephine (No. E. or W.) 5. The ditch to be 30 rods (Main ditch, canal or pipe line) (Min. E. or W.) (No. N. or S.) (Man ditch, canal or pipe line) (Min. E. or W.) (No. E. or W.) 6. The name of the ditch, canal or other works is Vallace Ditch DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam				EW		
(Give smallest legal subdivision) R. 7 W , W. M., in the county of Josephine (No. E. or W.) 5. The ditch to be 30 rods (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Mo. N. or S.) (Mo. N. or S.) (No. N. or S.)	being within	tne	01 Se	c. 25	. $Tp.$	
(No. E. or W.) 5. The ditch to be 30 rods (Main ditch, canal or pipe line) (Smallest legal subdivision) (R. 7 W , W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.) 6. The name of the ditch, canal or other works is Vallace Ditch DESCRIPTION OF WORKS DIVERSION WORKS 7. (a) Height of daml feet, length on topl9 feet, length at bottom 10	-	(Give smallest l	legal subdivision)		(1	Vo. N. or S.)
(Main ditch, canal or pipe line) mites in length, terminating in the Shid NHD of Sec. 25 , Tp. 33 S (Smallest legal subdivision) R. 7 W (No. E. or W.) 6. The name of the ditch, canal or other works is Wallace Ditch DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 1 feet, length on top 10 feet, length at bottom 10 feet; material to be used and character of construction (Loose rock, concret Logs, brush, etc.) masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Wood	(No. E. or	, W. M., in the (county of	phine		
Miles in length, terminating in the Sha Nha of Sec. 25 , Tp. 33 S (Smallest legal subdivision) (No. N. or S.) R. 7 W , W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is Wallace Ditch DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of daml feet, length on toplo feet, length at bottom 10	5. The	ditch		to be	30 rods	
R, W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is	med∓m : 7					77 0
R, W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is	mites in lengt	in, terminating in the S	(Smallest legal subdivision)	of Sec	, Tp	(No, N, or S.)
DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of daml feet, length on top19 feet, length at bottom 10 feet; material to be used and character of construction Logs, brush, etc. (Loose rock, concrete masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate	R. 7 W (No. E. or W	, W . M ., the propose W .)	ed location being shown the	roughout on th	e accompanyi	ng map.
DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of damlfeet, length on topl0feet, length at botton 10feet; material to be used and character of construction Logs, brush, etc. masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgateWood	6. The	name of the ditch, can				
DIVERSION WORKS— 7. (a) Height of daml feet, length on topl0 feet, length at bottom 10 feet; material to be used and character of construction Logs, brush, etc. masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate			Wallace Ditch	i de		
DIVERSION WORKS— 7. (a) Height of daml feet, length on topl0 feet, length at bottom 10 feet; material to be used and character of construction Logs, brush, etc. masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate				· · · · · · · · · · · · · · · · · · ·	ti. Life and the second	
7. (a) Height of dam feet, length on top 10 feet, length at bottom 10 feet; material to be used and character of construction (Loose rock, concrete masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Wood			DESCRIPTION OF WO	ORKS		
feet; material to be used and character of construction Logs, brush, etc. masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Wood	Diversion W	orks—			Artist Services	
feet; material to be used and character of construction Logs, brush, etc. masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Wood	7. (a)	Height of dam1	feet, length on t	op 10	feet. le	nath at bottom
Logs, brush, etc. masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Wood	7.0					-
masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Wood		hanah ata i			(L	
(b) Description of headgate Wood	masonry, rock ar	nd brush, timber crib, etc., wa	steway over or around dam)		y s f	***************************************
						8 . S
	(0)	_ 150. tp 10010 of 1000wgwo			and size of opening	ξ s)

^{*} A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM-

8. (a) Give dimensions at each point of canal where materially charge from headgate. At headgate: Width on top (at water line)	
feet; depth of water feet; grade	
thousand feet.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
(b) At miles from headgate. Width on top (at wa	iter line)
feet; width on bottom feet; depth of u	
fact fall man one thousand fact	•
	grand to the second of the second
FILL IN THE FOLLOWING INFORMATION WHERE THE WA	and the second of the second o
IRRIGATION—	
9. The land to be irrigated has a total area of5	acres, located in each
smallest legal subdivision, as follows:	vision which you intend to irrigate.)
smallest legal subdivision, as follows: (Give area of land in each smallest legal subdivision, 25, Twp. 33 S Range 7 W.W.M.	
on the second of the control of the	
	Service Control of the Control of th
Company of the Compan	g Alika kana sa mara ka
υν του	<u> </u>
	· · · · · · · · · · · · · · · · · · ·
	the state of the s
(If more space required, attach separate sheet) POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—	
10. (a) Total amount of power to be developed	theoretical horsenower
	theoretical horsepower
(b) Total fall to be utilized	
(c) The nature of the works by means of which the power is to be	
(d) Such works to be located in(Legal subdivision)	0/ Dec
Tp, R, W. M. (No. E. or W.)	
(e) Is water to be returned to any stream? (Yes or No)	
(f) If so, name stream and locate point of return	· · · · · · · · · · · · · · · · · · ·
, Sec. , Tp. (No. N. or S.)	
(g) The use to which power is to be applied is	
(h) The nature of the mines to be served	

MUNICIPAL SUPPLY—	
11. To supply the city of	
(Name of) County, having a present population estimated population of in 19	
(Answer questions 12, 13, 14 and 1	
12. Estimated cost of proposed works, \$ 100.00	
13. Construction work will begin on or before	March 1, 1922
14. Construction work will be completed on or before	
15. The water will be completely applied to the propos	
	October 1, 1924
Duplicate maps of the proposed ditch or other works, pr	
State Water Board, accompany this application.	Earl E Wallace
	(Name of applicant)
	Leland, Oregon
Signed in the presence of us as witnesses:	
T. II. Warner	Speaker, Oregon
(Name)	(Address of Witness)
(2) M L Opdycke (Name)	,
Remarks:	
······································	
	•
STATE OF OREGON,]	
County of Marion, \\ \}	
This is to certify that I have examined the foregoing a	pplication, together with the accompanying
maps and data, and return the same for correction or compl	etion, as follows:
	· · · · · · · · · · · · · · · · · · ·
In order to retain its priority, this application must be n	returned to the State Engineer, with correc-
tions, on or before, 19	· · · · · · · · · · · · · · · · · · ·
WITNESS my hand this day of	, 19

	Application	No. 8151
--	-------------	----------

Permit No. 5264

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.....

This instrument was first received

	in the office of the State	Engineer at	
	Salem, Oregon, on the		
en de la companya de La companya de la co	at 8:30 o'clock A		
error en	Returned to applicant for		
		<u> </u>	rington especially state.
	Corrected application rece	•	
	Approved:		
	Nov. 18, 1921		
	Recorded in Book No	·	
	Permits, on Page 5264	 V Distriction	
	Percy A Cupper	State Engineer.	
	1 map RS	State Baymoor.	
	\$3.75		
STATE OF OREGON,]			
\}ss. County of Marion,		10 m	
This is to certify that I have	e examined the foregoing a	nnlication and do herebu	grant the same, sub-
ject to the following limitations	and conditions: If for irri	gation, this appropriation	n shall be limited to
one-eightieth of one cubic foot p to such reasonable rotation syste	per second, or its equivalent em as may be ordered by th	t, for each acre irrigated he proper state officer.	, and shall be subject
The right here	in granted is limited	to the appropriation	a of water from
Hugh's Gulch fo	or irrigation purposes		
		<u> </u>	
The amount of water appro	priated shall be limited to	the amount which can b	e applied to beneficial
use and not to exceed	0.06 cub	oic feet per second, or its	equivalent in case of
rotation. The priority date of t			
Actual construction work s	hall begin on on before	November 18, 1922	and shall
thereafter be prosecuted with re	easonable diligence and be		
***************************************		June 1, 1923	
Complete application of the	e water to the proposed use	shall be made on or before	ore
;		October 1, 1924	
WITNESS my hand this	18th day of	November, 1921	
WILLIAMON MAN MANAGE		Percy A Cupper	
en e		9 - TW2 T	State Engineer.

Permits for power development are subject to the limitation of franchise as provided in Section 6633, Lord's Oregon Laws, and the payment of annual fees as provided in Chapter 213, Session Laws of 1915.