

STATE OF OREGON

COUNTY OF CLACKAMAS

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

DAVID BERNERT
4330 IMPERIAL
WEST LINN, OREGON 97068

(503) 598-8145

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: S-78402

SOURCE OF WATER: AN UNNAMED RESERVOIR CONSTRUCTED UNDER APPLICATION R-74022, PERMIT R-12169, A TRIBUTARY OF WILLAMETTE RIVER

PURPOSE OR USE: NURSERY OPERATIONS OF 6.0 ACRES

AMOUNT OF WATER: 0.73 ACRE-FEET PER YEAR

THE PERIOD OF ALLOWED USE IS: YEAR ROUND

DATE OF PRIORITY: FEBRUARY 21, 1995

POINT OF DIVERSION LOCATION: SE 1/4 SW 1/4, SECTION 23, TOWNSHIP 3 SOUTH, RANGE 1 WEST W.M.; 200 FEET NORTH AND 1440 FEET EAST FROM THE SW CORNER OF SECTION 23

The amount of water used for NURSERY OPERATIONS is limited to a diversion of 0.15 cubic foot per second per acre. For the irrigation of **containerized nursery plants**, the amount of water diverted is limited to ONE-FORTIETH of one cubic foot per second (or its equivalent) and 5.0 acre feet per acre per year. For the irrigation of **in ground nursery plants** the amount of water diverted is limited to ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre feet per acre per year. The use of water for NURSERY OPERATIONS may be made at anytime of the year that the use is beneficial. For the irrigation of **any other crop**, the amount of water diverted is limited to ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre feet per acre during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

SW 1/4 SW 1/4 1.7 ACRES
SE 1/4 SW 1/4 2.8 ACRES
SECTION 23
TOWNSHIP 3 SOUTH, RANGE 1 WEST, W.M.

Application S-78402 Water Resources Department

PERMIT 53117

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

STANDARD CONDITIONS

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction work shall begin within one year from permit issuance. Complete application of water to the use shall be made on or before October 1, 2001.

Issued April 17, 1997



for Water Resources Department
Martha O. Pagel
Director

Application S-78402 Water Resources Department PERMIT 53117
Basin 2 Volume 25 Willamette River N1/2 & Misc N1/2 District 16
LLS