STATE OF OREGON

COUNTY OF DOUGLAS

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

HAZEL E GODWIN FAMILY TRUST 426 S 2ND ST. COTTAGE GROVE, OREGON 97424

PHONE: (541)942-1216

The specific limits for the use are listed below along with conditions of use:

APPLICATION FILE NUMBER: S-81172

SOURCE OF WATER: DOMPIER CREEK, A TRIBUTARY OF THE SOUTH UMPQUA RIVER, WITHIN THE UMPQUA BASIN

PURPOSE OR USE: DOMESTIC USE INCLUDING IRRIGATION OF UP TO 1/2 ACRE LAWN AND NON-COMMERCIAL GARDEN; HUMAN CONSUMPTION USE

MAXIMUM RATE ALLOWED: 0.01 CUBIC FOOT PER SECOND FOR DOMESTIC USE; 0.005 CUBIC FOOT PER SECOND FOR HUMAN CONSUMPTION FURTHER LIMITED TO A TOTAL VOLUME OF 325 GALLONS PER DAY FOR HUMAN CONSUMPTION

PERIOD OF USE: DECEMBER 1 THROUGH MAY 31 FOR DOMESTIC USE; JUNE 1 THROUGH NOVEMBER 30 FOR HUMAN CONSUMPTION

DATE OF PRIORITY: MAY 23, 1996

POINT OF DIVERSION LOCATION: SE 1/4 NW 1/4, SECTION 23, T30S, R2W, W.M.; 288 FEET NORTH & 997 FEET WEST FROM CENTER % CORNER, SECTION 23

THE PLACE OF USE IS LOCATED AS FOLLOWS:

SE 1/4 NW 1/4 SECTION 23 TOWNSHIP 30 SOUTH, RANGE 2 WEST, W.M.

Measurement, recording and reporting conditions:

Before water use may begin under this permit, the permittee Α. shall install a totalizing flow meter. The meter shall be sufficient to determine the actual rate of diversion at any time and the total volume of water diverted over a particular period of time. The meter shall be designed and installed to the satisfaction of the watermaster.

- В. The permittee shall maintain the meter in good working order and allow the watermaster access to the meter at any time. If the meter is located within a private structure, the watermaster shall request access upon reasonable notice.
- C. During the period of June 1 through November 30 of each year the permittee shall keep a complete record of the rate and volume of water diverted from Dompier Creek each month and submit a report which includes this information to the Department annually or more frequently as may be required by the Director.

The permittee shall install, maintain, and operate fish screening and by-pass devices as required by the Oregon Department of Fish and Wildlife to prevent fish from entering the proposed diversion. The required screen is to be in place and functional prior to diversion of any water.

If the riparian area is disturbed in the process of developing a point of diversion, the permittee shall be responsible for restoration and enhancement of such riparian area.

The use may be restricted if the quality of the source stream, namely the South Umpqua River, decreases to the point that it no longer meets state and federal water quality standards due to reduced flows.

STANDARD CONDITIONS

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Application S-81172 Water Resources Department

PERMIT 53299

Actual construction work shall begin within one year from permit issuance. Complete application of the water to the use shall be made on or before October 1, 2001.

Issued December 17, 1997

Water Resources Department

Director

Basin 16

Volume 3A South Umpqua River & Misc.

District 15

Application S-81172

Water Resources Department

PERMIT 53299