

* Permit No. 5330

APPLICATION FOR A PERMIT CERTIFICATE NO. 8175

To Appropriate the Public Waters of the State of Oregon

I, S. O. Hamblin (Name of Applicant)
of Hood River, County of Hood River
(Postoffice)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Overflow from Coe Spring
(Name of stream)

tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is One cubic feet per second.

3. The use to which the water is to be applied is Power purposes and irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 497.9 feet North and 148 feet West of the
(Give distance and bearing to section corner)
Southeast corner of Section 26, T 3 North, Range 10 East, W.M.

being within the SE 1/4 of SE 1/4 of Sec. 26, Tp. 3 No. 3
(Give smallest legal subdivision) (No. N. or S.)

R. 10 E, W. M., in the county of Hood River, Oregon
(No. E. or W.)

5. The pipe line to be 160 feet
(Main ditch, canal or pipe line)

miles in length, terminating in the SE 1/4 of SE 1/4 of Sec. 26, Tp. 3 No. 3
(Smallest legal subdivision) (No. N. or S.)

R. 10 E, W. M., the proposed location being shown throughout on the accompanying map.
(No. E. or W.)

6. The name of the ditch, canal or other works is

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Concrete box, 2 ft. X 4 ft. with timber gate
(Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate. Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR:

IRRIGATION—

9. The land to be irrigated has a total area of only one-fourth acres, located in each smallest legal subdivision, as follows:

(Give area of land in each smallest legal subdivision which you intend to irrigate.) SE 1/4 of the SE 1/4 of Section 26 T 3 No. R 10 E.W.M.,

Being Lot 14 of Block 2 of Riverside Park Addition to

the City of Hood River, Oregon.

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed 3.5 theoretical horsepower.

(b) Total fall to be utilized 31 feet. (Head)

(c) The nature of the works by means of which the power is to be developed Pelton Wheel

(d) Such works to be located in SE 1/4 of SE 1/4 of Sec. 26 (Legal subdivision)

Tp. 3 No., R. 10 E, W. M. (No. N. or S.) (No. E. or W.)

(e) Is water to be returned to any stream? Yes. (Yes or No)

(f) If so, name stream and locate point of return Spring branch 190 ft. No. & 30 ft. W. of pt. of Div.

Sec. 26, Tp. 3 No., R. 10 E, W. M. (No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is Private lighting plant

(h) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of, and an
(Name of) estimated population of in 19.....

(Answer questions 12, 13, 14 and 15 in all cases)

12. Estimated cost of proposed works, \$.....410.00.....

13. Construction work will begin on or beforeApril 1st, 1922.....

14. Construction work will be completed on or beforeNovember 1st, 1922.....

15. The water will be completely applied to the proposed use on or before
.....Nov. 1st, for power and
.....June 1st, 1923 for irrigation

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Water Board, accompany this application.

.....S. O. Hamblin
.....(Name of applicant)
.....1223 Cascade Ave.,
.....Hood River, Ore.

Signed in the presence of us as witnesses:

- (1)A K Cruikshank.....,Hood River, Ore.
.....(Name).....(Address of Witness)
- (2)P. S. Davidson.....,
.....(Name).....(Address of Witness)

Remarks:

W A I V E R

The right acquired for the appropriation of water for power development under Application No. 8239 shall be, is deemed to be, and is hereby expressly made subsequent in right and time to any appropriations of water which may hereafter be made at points above on overflow from Coe Spring, and its tributaries, for irrigation or storage purposes. The State Engineer is hereby authorized to so limit this application in his permit issued thereon.

Dated this Twelfth day of January, 1922.

.....S. O. Hamblin,
.....(Signature of applicant).

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows:

Completion, waiver signed, & maps, & Application to correspond.

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or beforeFebruary 10....., 19 22.....

WITNESS my hand this11..... day of January....., 19 22.....

.....Percy A Cupper
.....L.A. State Engineer.

Application No.....8239.....

Permit No.....5330.....

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

District No.....

This instrument was first received
in the office of the State Engineer at
Salem, Oregon, on the 10..... day
of January....., 1922,
at 1:30 o'clock P.M.

Returned to applicant for correction
January 11, 1922

Corrected application received
January 13, 1922

Approved:
Jan. 25, 1922

Recorded in Book No. 19..... of
Permits, on Page 5330.....

Percy A. Cupper
State Engineer.

1 map RS \$4.15

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, sub-
ject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to

one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject
to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of overflow water from Coe
Spring for irrigation and the development of 3.5 horsepower, and the right acquired
by this appropriation for power development shall be, is deemed to be and is hereby
expressly made subsequent in right and time to any appropriations of water which
may hereafter be made at points above on the overflow water from Coe Spring and its
tributaries for irrigation or storage purposes.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial
use and not to exceed 1.0..... cubic feet per second, or its equivalent in case of

rotation. The priority date of this permit is January 10, 1922.....

Actual construction work shall begin on or before January 25, 1923..... and shall
thereafter be prosecuted with reasonable diligence and be completed on or before

June 1, 1924..... EXTENDED TO 6/1/25 6/1/26 6/1/27 6/1/28

Complete application of the water to the proposed use shall be made on or before

October 1, 1925..... EXTENDED TO 10/1/26 10/1/27 10/1/28

WITNESS my hand this 25th day of January, 1922.....

Percy A. Cupper
State Engineer.

Permits for power development are subject to the limitation of franchise as provided in Section 6633, Lord's Oregon Laws, and the
payment of annual fees as provided in Chapter 213, Session Laws of 1915.