

STATE OF OREGON

COUNTY OF DOUGLAS

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

CLINE FAMILY TRUST, MICHAEL J. AND SANDRA G. CLINE  
7997 SHANNON COURT  
DUBLIN, CALIFORNIA 94568

(510) 829-5261

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: S-81855

SOURCE OF WATER: NORTH UMPQUA RIVER, A TRIBUTARY OF UMPQUA RIVER

PURPOSE OR USE: DOMESTIC USE EXPANDED AND HUMAN CONSUMPTION

MAXIMUM RATE ALLOWED: 0.005 CUBIC FOOT PER SECOND

PERIOD OF USE: DOMESTIC USE EXPANDED DECEMBER 1 THROUGH JUNE 30 LIMITED  
TO HUMAN CONSUMPTION JULY 1 THROUGH NOVEMBER 30

DATE OF PRIORITY: DECEMBER 27, 1996

POINT OF DIVERSION LOCATION: NE 1/4 SW 1/4, SECTION 10, T26S, R3W, W.M.;  
570 FEET SOUTH AND 1910 FEET EAST FROM THE W 1/4 CORNER SECTION 10.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

NE 1/4 SW 1/4  
SECTION 10  
TOWNSHIP 26 SOUTH, RANGE 3 WEST, W.M.

Measurement, recording and reporting conditions:

- A. The Director may require the permittee to install a meter or other suitable measuring device as approved by the Director. If the Director notifies the permittee to install a meter or other measuring device, the permittee shall install such device within the period stated in the notice. Such installation period shall not be less than 90 days unless special circumstances warrant a shorter installation period. Once installed, the permittee shall maintain the meter or measuring device in good working order and shall allow the watermaster access to the meter or measuring device. The Director may provide an opportunity for the permittee to submit alternative measuring procedures for review and approval.
- B. The Director may require the permittee to keep and maintain a record of the amount (volume) of water used and may require the permittee to report water use on a periodic schedule as established by the Director. In addition, the Director may require the

permittee to report general water use information, the periods of water use and the place and nature of use of water under the permit. The Director may provide an opportunity for the permittee to submit alternative reporting procedures for review and approval.

The permittee shall install, maintain, and operate fish screening and by-pass devices as required by the Oregon Department of Fish and Wildlife to prevent fish from entering the proposed diversion. The required screen is to be in place and functional prior to diversion of any water.

#### STANDARD CONDITIONS

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction work shall begin by June 22, 1999. Complete application of water to the use shall be made on or before October 1, 2002. Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).

Issued June 22, 1998



Martha O. Pagel, Director  
Water Resources Department

Application S-81855  
Basin 16  
RWK WEEK 141

Water Resources Department  
Volume 2A N UMPQUA R MISC  
MGMT.CODE

PERMIT 53407  
District 15