

STATE OF OREGON

COUNTY OF CLATSOP

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

SOAPSTONE GROUP, MARY C. FORST
624 SE 29TH ST.
PORTLAND, OREGON 97214

PHONE: (503) 243-2663

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: S-83378

SOURCE OF WATER: SOAPSTONE CREEK, TRIBUTARY TO NORTH FORK NEHALEM RIVER

PURPOSE OR USE: HUMAN CONSUMPTION USE ONLY FOR ONE HOUSEHOLD

MAXIMUM RATE ALLOWED: 0.005 CUBIC FOOT PER SECOND, FURTHER LIMITED TO NO MORE THAN 150.0 GALLONS PER DAY DURING (GPD) THE PERIOD AUGUST 1 THROUGH OCTOBER 15 AND 300.0 GPD DURING THE PERIOD OCTOBER 16 THROUGH JULY 31

PERIOD OF USE: YEAR ROUND

DATE OF PRIORITY: APRIL 28, 1997

POINT OF DIVERSION LOCATION: SE 1/4 NW 1/4, SECTION 22, T4N, R9W, W.M.; 1289 FEET NORTH & 822 FEET WEST FROM C1/4 CORNER, SECTION 22

THE PLACE OF USE IS LOCATED AS FOLLOWS:

NE 1/4 NW 1/4
SECTION 22
TOWNSHIP 4 NORTH, RANGE 9 WEST, W.M.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

Application S-83378 Water Resources Department

PERMIT 53464

The permittee shall install, maintain, and operate fish screening and by-pass devices as required by the Oregon Department of Fish and Wildlife to prevent fish from entering the proposed diversion. The required screen is to be in place and functional prior to diversion of any water.

The permittee shall not construct, operate or maintain any artificial obstruction to fish passage in the channel of the subject stream.

A ranney collector system shall be used to appropriate water from the subject stream at the described point of diversion.

STANDARD CONDITIONS

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction work shall begin by September 15th, 1999. Complete application of water to the use shall be made on or before October 1, 2002. Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).

Issued September 15, 1998


 Martha O. Pagel, Director
 Water Resources Department

Application S-83378 Water Resources Department
 Basin 01 Volume 1 N FK NEHALEM R MISC
 RWK

PERMIT 53464
 District 1