

* Permit No. 5413

CERTIFICATE NO. 5322

APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

I, S. McCamey (Name of Applicant) of Amity (Postoffice), County of Yamhill, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Small Unnamed Springs (Name of stream)

tributary of Yamhill Watershed

2. The amount of water which the applicant intends to apply to beneficial use is One-tenth cubic feet per second.

3. The use to which the water is to be applied is Domestic supply including use for steam boiler. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 562.26 feet North and 143.71 feet East of the cor. to Sections 23, 24, 25 & 26. (Give distance and bearing to section corner)

being within the SW 1/4 SW 1/4 SW 1/4 of Sec. 24, Tp. 5 S (Give smallest legal subdivision) (No. N. or S.)

R. 4 W, W. M., in the county of Yamhill (No. E. or W.)

5. The pipe line to be about one-half miles in length, terminating in the SE 1/4 of SE 1/4 of Sec. 23, Tp. 5 S (Main ditch, canal or pipe line) (Smallest legal subdivision) (No. N. or S.)

R. 4 W, W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.)

6. The name of the ditch, canal or other works is -

constructed to collect the water to be applied to

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction

Each seepage dug out and cemented to collect the water to be piped to house, barn & quarry. (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate. Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

Pipe line at beginning to 2 1/2 inches diameter, and at the end it will be 3/4 inch (total fall to be about 30 feet.)

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR:

IRRIGATION—

9. The land to be irrigated has a total area of acres, located in each smallest legal subdivision, as follows:

(Give area of land in each smallest legal subdivision which you intend to irrigate)

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Total fall to be utilized feet. (Head)

(c) The nature of the works by means of which the power is to be developed

(d) Such works to be located in of Sec..... (Legal subdivision)

Tp....., R....., W. M. (No. N. or S.) (No. E. or W.)

(e) Is water to be returned to any stream? (Yes or No)

(f) If so, name stream and locate point of return

....., Sec....., Tp....., R....., W. M. (No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is

(h) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of _____

(Name of) County, having a present population of _____,
and an estimated population of _____ in 19_____.

(Answer questions 12, 13, 14 and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 250.00
- 13. Construction work will begin on or before One year from date of approval.
- 14. Construction work will be completed on or before Two years from date of approval
- 15. The water will be completely applied to the proposed use on or before _____
Three years from date of approval

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Water Board, accompany this application.

S. McCamey

(Name of applicant)

Signed in the presence of us as witnesses:

- (1) R. W. Potter _____
(Name) (Address of Witness)
- (2) _____
(Name) (Address of Witness)

Remarks: This is intended as a refileing under Application No. 2693, Permit No. 1471, and the same map may be used. However, the tank shown on the map will not be constructed, but small cement catchment basins will be constructed at each seepage.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows:

Correction as to location of ditch lines and place of use.

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before April 17th, 1922

WITNESS my hand this 17th day of March, 1922

Percy A Cupper,

Ed. R.

State Engineer.

Application No.....8295.....

Permit No.....5413.....

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

District No.....

*This instrument was first received
in the office of the State Engineer at*

Salem, Oregon, on the11th day

of March , 1922,

at 2:00 o'clock P. M.

Returned to applicant for correction
March 17, 1922

Corrected application received

Approved:

May 8, 1922

Recorded in Book No.....19..... of
Permits, on Page5413.....

Percy A Cupper

State Engineer.

1 map RS

\$8.00

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from a small
unnamed Spring for domestic purposes including water for use in steam boilers.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed0.1..... cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is March 11, 1922

Actual construction work shall begin on or before May 8, 1923 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1924

Complete application of the water to the proposed use shall be made on or before October 1, 1925

WITNESS my hand this 8th day of May, 1922

Percy A Cupper

State Engineer.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.