

STATE OF OREGON
COUNTY OF MARION

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

SIDNEY IRRIGATION COOPERATIVE
PO BOX 736
JEFFERSON, OREGON 97352

541-327-7899

This superseding permit is issued to describe an amendment for a change in place of use proposed under Permit Amendment Application T-11606 and approved by Special Order Vol 21, Page 301, entered Sept 12, 2013, and to describe an extension of time for complete application of water approved October 30, 2009. This permit supersedes Permit S-53344.

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: S-70576

SOURCE OF WATER: NORTH SANTIAM RIVER AND DETROIT RESERVOIR,
CONSTRUCTED UNDER PERMIT R-1625, TRIBUTARIES OF SANTIAM RIVER

PURPOSE OR USE: IRRIGATION OF 2003.6 ACRES AND SUPPLEMENTAL IRRIGATION OF
230.0 ACRES

RATE OF USE: 27.92 CUBIC FEET PER SECOND FROM LIVE FLOW AND NOT MORE THAN
2233.6 ACRE-FEET PER YEAR FROM STORED WATER, PER THE WATER STORAGE
CONTRACT.

PERIOD OF ALLOWED USE: WATER MAY BE APPROPRIATED FROM LIVE FLOW FOR
IRRIGATION FROM MARCH 1 THROUGH JULY 31 AND SEPTEMBER 1 THROUGH OCTOBER
31; STORED WATER MAY BE USED FROM MARCH 1 THROUGH OCTOBER 31 OR AS MAY
BE FURTHER LIMITED BY THE BUREAU OF RECLAMATION WATER SUPPLY CONTRACT.

DATE OF PRIORITY: FEBRUARY 13, 1991

POINT OF DIVERSION LOCATION:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
9 S	2 W	WM	34	SW NE	50 FEET NORTH AND 1930 FEET WEST FROM E $\frac{1}{4}$ CORNER OF SECTION 34

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 2.5 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
9 S	2 W	WM	30	SE SW	21.60
9 S	2 W	WM	30	SW SE	2.15
9 S	2 W	WM	31	SW NE	12.25
9 S	2 W	WM	31	SE NE	15.50
9 S	2 W	WM	31	SW SW	7.00
9 S	2 W	WM	31	SE SW	1.65
9 S	2 W	WM	31	SE SE	7.00
9 S	2 W	WM	32	SW SW	12.20
9 S	2 W	WM	32	SE SW	12.75
9 S	2 W	WM	32	SW SE	1.75
9 S	2 W	WM	33	NE SW	0.45
9 S	2 W	WM	33	SW SW	0.75
9 S	2 W	WM	33	SE SW	19.30
9 S	2 W	WM	33	SW SE	10.19
9 S	2 W	WM	34	NW NE	1.20
9 S	2 W	WM	34	SW NE	3.40
9 S	2 W	WM	34	NE NW	2.80
9 S	2 W	WM	34	SE NW	2.05
9 S	2 W	WM	34	NE SW	4.30
9 S	2 W	WM	34	NW SE	8.50
9 S	3 W	WM	15	SW SW	0.60
9 S	3 W	WM	16	SW NW	1.30
9 S	3 W	WM	16	SE NW	2.20
9 S	3 W	WM	16	NE SW	13.90
9 S	3 W	WM	16	NW SW	17.95
9 S	3 W	WM	16	SW SW	1.50
9 S	3 W	WM	16	SE SW	3.40
9 S	3 W	WM	16	NE SE	3.30
9 S	3 W	WM	16	NW SE	9.10
9 S	3 W	WM	16	SE SE	13.25
9 S	3 W	WM	17	NW NW	0.40
9 S	3 W	WM	17	SW NW	8.00
9 S	3 W	WM	17	NE SE	0.10
9 S	3 W	WM	17	SW SE	..3.80
9 S	3 W	WM	17	SE SE	29.00
9 S	3 W	WM	18	SW NE	0.94
9 S	3 W	WM	18	SE NE	23.37
9 S	3 W	WM	18	SW SW	4.35
9 S	3 W	WM	18	SE SW	27.00
9 S	3 W	WM	18	NW SE	1.04
9 S	3 W	WM	18	SW SE	3.10
9 S	3 W	WM	19	NW NE	11.50
9 S	3 W	WM	19	SE NE	9.00
9 S	3 W	WM	19	NE NW	13.30
9 S	3 W	WM	19	NW NW	0.75
9 S	3 W	WM	19	SE SW	0.80
9 S	3 W	WM	19	NE SE	7.70
9 S	3 W	WM	19	SW SE	3.80
9 S	3 W	WM	19	SE SE	0.10

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
9 S	3 W	WM	20	NE NE	16.40
9 S	3 W	WM	20	NW NE	1.40
9 S	3 W	WM	20	SW NW	14.80
9 S	3 W	WM	20	SE NW	2.50
9 S	3 W	WM	20	NE SW	3.80
9 S	3 W	WM	20	NW SW	31.40
9 S	3 W	WM	21	NE NE	38.50
9 S	3 W	WM	21	NW NE	5.75
9 S	3 W	WM	21	SW NE	8.75
9 S	3 W	WM	21	SE NE	9.10
9 S	3 W	WM	21	NW NW	9.10
9 S	3 W	WM	21	SW NW	14.90
9 S	3 W	WM	21	SE NW	9.30
9 S	3 W	WM	21	NE SW	15.40
9 S	3 W	WM	21	NW SW	10.90
9 S	3 W	WM	22	SW NE	30.75
9 S	3 W	WM	22	SE NE	11.05
9 S	3 W	WM	22	NW NW	12.70
9 S	3 W	WM	22	SW NW	0.30
9 S	3 W	WM	22	NE SE	9.20
9 S	3 W	WM	22	NW SE	39.00
9 S	3 W	WM	23	NE SW	8.70
9 S	3 W	WM	23	SE SW	1.70
9 S	3 W	WM	23	NE SE	3.70
9 S	3 W	WM	23	NW SE	24.80
9 S	3 W	WM	23	SW SE	6.60
9 S	3 W	WM	23	SE SE	2.40
9 S	3 W	WM	25	SW NW	0.20
9 S	3 W	WM	25	NE SE	0.60
9 S	3 W	WM	25	NW SE	1.60
9 S	3 W	WM	26	NE NE	11.40
9 S	3 W	WM	26	NW NE	1.00
9 S	3 W	WM	26	SW NE	20.90
9 S	3 W	WM	26	SE NE	26.15
9 S	3 W	WM	26	NE NW	22.40
9 S	3 W	WM	26	SW NW	0.10
9 S	3 W	WM	26	SE NW	8.20
9 S	3 W	WM	26	SW SW	25.50
9 S	3 W	WM	26	SE SW	0.75
9 S	3 W	WM	26	SW SE	1.00
9 S	3 W	WM	27	SE NE	10.90
9 S	3 W	WM	27	NE NW	5.85
9 S	3 W	WM	27	NW NW	4.15
9 S	3 W	WM	27	SW NW	27.20
9 S	3 W	WM	27	SE NW	40.50
9 S	3 W	WM	27	NE SW	21.60
9 S	3 W	WM	27	NW SW	6.60
9 S	3 W	WM	27	NE SE	9.90
9 S	3 W	WM	27	SE SE	1.95
9 S	3 W	WM	28	SE NE	0.25
9 S	3 W	WM	28	NE SW	3.70

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
9 S	3 W	WM	28	SE SW	5.00
9 S	3 W	WM	28	NE SE	12.46
9 S	3 W	WM	28	NW SE	5.20
9 S	3 W	WM	28	SW SE	5.55
9 S	3 W	WM	28	SE SE	2.40
9 S	3 W	WM	29	NW NW	4.40
9 S	3 W	WM	29	SW NW	20.10
9 S	3 W	WM	29	NE SW	2.00
9 S	3 W	WM	29	SW SW	19.10
9 S	3 W	WM	29	NW SE	5.90
9 S	3 W	WM	29	SW SE	15.00
9 S	3 W	WM	29	SE SE	3.30
9 S	3 W	WM	30	NE NE	0.40
9 S	3 W	WM	30	NW NE	0.20
9 S	3 W	WM	30	SE NE	4.60
9 S	3 W	WM	30	SE SE	6.50
9 S	3 W	WM	31	NE NE	1.20
9 S	3 W	WM	32	NE NE	4.30
9 S	3 W	WM	32	SE NE	3.65
9 S	3 W	WM	32	NE NW	4.25
9 S	3 W	WM	32	NW NW	6.95
9 S	3 W	WM	33	NW NW	0.15
9 S	3 W	WM	33	SW NW	2.70
9 S	3 W	WM	34	NE NE	0.70
9 S	3 W	WM	34	NW NE	6.80
9 S	3 W	WM	34	SW NE	36.40
9 S	3 W	WM	34	SE NE	0.80
9 S	3 W	WM	34	NE NW	0.10
9 S	3 W	WM	34	SE NW	19.90
9 S	3 W	WM	34	NE SW	5.00
9 S	3 W	WM	34	NE SE	15.75
9 S	3 W	WM	34	NW SE	35.55
9 S	3 W	WM	34	SW SE	1.25
9 S	3 W	WM	34	SE SE	16.95
9 S	3 W	WM	35	NW NE	30.00
9 S	3 W	WM	35	SW NE	35.70
9 S	3 W	WM	35	SE NE	9.10
9 S	3 W	WM	35	NE NW	30.70
9 S	3 W	WM	35	NW NW	18.25
9 S	3 W	WM	35	SW NW	0.25
9 S	3 W	WM	35	SE NW	17.30
9 S	3 W	WM	35	SW SW	6.65
9 S	3 W	WM	36	SW NW	6.90
9 S	3 W	WM	36	NW SW	27.00
9 S	3 W	WM	36	SW SE	0.75
9 S	3 W	WM	36	SE SE	0.30
10 S	2 W	WM	4	NW NE	9.40
10 S	2 W	WM	4	SW NE	..1.50
10 S	2 W	WM	4	NE NW	36.80
10 S	2 W	WM	4	NW NW	25.00
10 S	2 W	WM	4	SW NW	6.75
10 S	2 W	WM	4	SE NW	4.50

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
10 S	2 W	WM	5	NW NE	11.20
10 S	2 W	WM	5	NE NW	35.80
10 S	2 W	WM	5	NW NW	25.30
10 S	2 W	WM	5	NE SE	5.30
10 S	2 W	WM	5	NW SE	2.15
10 S	2 W	WM	5	SW SE	1.20
10 S	2 W	WM	5	SE SE	3.40
10 S	2 W	WM	6	NE NE	7.50
10 S	2 W	WM	6	NE NW	4.00
10 S	2 W	WM	6	NW NW	14.20
10 S	2 W	WM	6	SW NW	23.50
10 S	2 W	WM	6	NW SW	14.80
10 S	2 W	WM	6	SW SW	37.35
10 S	2 W	WM	8	NE NE	1.00
10 S	2 W	WM	8	NW NE	0.20
10 S	3 W	WM	1	NE NE	2.55
10 S	3 W	WM	1	NW NE	6.90
10 S	3 W	WM	1	NE NW	8.55
10 S	3 W	WM	1	NW NW	14.75
10 S	3 W	WM	1	SE NW	5.85
10 S	3 W	WM	1	NE SE	9.75
10 S	3 W	WM	1	NW SE	5.80
10 S	3 W	WM	1	SW SE	20.20
10 S	3 W	WM	1	SE SE	31.00
10 S	3 W	WM	2	NW NW	10.75
10 S	3 W	WM	2	SW NW	34.25
10 S	3 W	WM	2	SE NW	11.60
10 S	3 W	WM	2	NE SW	14.00
10 S	3 W	WM	2	NW SW	27.25
10 S	3 W	WM	3	NE NE	45.20
10 S	3 W	WM	3	NW NE	3.60
10 S	3 W	WM	3	SW NE	1.10
10 S	3 W	WM	3	SE NE	14.20
10 S	3 W	WM	12	NE NE	6.20
10 S	3 W	WM	12	NW NE	40.00
10 S	3 W	WM	12	SW NE	4.70
10 S	3 W	WM	12	SE NE	0.50
Total					2003.60

SUPPLEMENTAL IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
9 S	3 W	WM	29	NE NE	9.10
9 S	3 W	WM	29	NW NE	23.50
9 S	3 W	WM	29	SW NE	39.40
9 S	3 W	WM	29	SE NE	31.60
9 S	3 W	WM	29	NE NW	33.90
9 S	3 W	WM	29	NW NW	23.70
9 S	3 W	WM	29	SW NW	6.75
9 S	3 W	WM	29	SE NW	30.00
9 S	3 W	WM	29	NE SE	5.50
9 S	3 W	WM	29	NW SE	6.60
9 S	3 W	WM	30	NE NE	0.10
10 S	2 W	WM	5	SW SE	1.00
10 S	2 W	WM	5	SE SE	3.40
10 S	2 W	WM	8	NE NE	11.45
10 S	2 W	WM	8	NW NE	4.00
Total					230.00

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

The use of water under this right is subject to the terms and conditions of contract No. 7-07-10-W1167 or a satisfactory replacement between the Bureau of Reclamation and the applicant, a copy of which is on file in the records of the Water Resources Department.

Diversion screening or fish passage facilities shall be designed, installed, and operated to Oregon Department of Fish & Wildlife specifications.

STANDARD CONDITIONS

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.

This right is limited to any deficiency in the available supply of any prior right existing for the same land.

In the event of a request for a change in point of appropriation, an additional point of appropriation or alteration of the appropriation facility associated with this authorized diversion, the quantity of water allowed herein, together with any other right, shall not exceed the capacity of the facility at the time of perfection of this right.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction work shall begin within one year from permit issuance. Complete application of water to the use shall be made on or before October 1, 2013.

Issued September 12 2013.



Dwight French, Water Right Services Administrator, for
PHILLIP C. WARD, DIRECTOR