STATE OF OREGON

COUNTY OF MORROW

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO:

WILLOW CREEK DISTRICT IMPROVEMENT CO. 530 CENTER ST NE, SUITE 400 SALEM OR 97301

This superseding permit is issued to describe an additional point of diversion proposed under Transfer Application T-11664 and approved by Special Order Vol. 98, Pages 343-346, and Transfer Application T-12135 and approved by Special Order Vol. 98, Pages 343-349, entered 52000 8 2016 and to describe an extension of time for complete application of water approved October 30, 2015. This permit supersedes Permit S-54839.

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: S-87373

SOURCE OF WATER: WILLOW CREEK RESERVOIR, CONSTRUCTED UNDER PERMIT

R-10880, TRIBUTARY TO WILLOW CREEK

USE: PRIMARY IRRIGATION AND SUPPLEMENTAL IRRIGATION OF 2538.14 ACRES

MAXIMUM VOLUME: 2500.0 ACRE FEET

DATE OF PRIORITY: JANUARY 6, 2009

PERIOD: SEE TABLE BELOW

Authorized Dam Location:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
2 S	26 E	WM	35	NW SE	1530 FEET NORTH AND 3050 FEET EAST FROM THE SW CORNER OF SECTION 35

Authorized Points of Diversion (POD):

HOSKINS MAP #1	Twp	Rng	Mer	Sec	Q-Q	Measured Distances
POD 1	2 S	26 E	WM	27	SE NW	1810 FEET SOUTH AND 400 FEET WEST FROM THE N'4 CORNER OF SECTION 27
POD 3	2 S	26 E	WM	27	SW NE	2510 FEET SOUTH AND 200 FEET EAST FROM THE N'4 CORNER OF SECTION 27

DAMON MAP #2A AND 2B	Twp	Rng	Mer	Sec	Q-Q	Measured Distances
POD 1	2 S	26 E	WM	8	sw sw	100 FEET NORTH AND 550 FEET EAST FROM THE SW CORNER OF SECTION 8
POD 2	2 S	26 E	WM	21	NE SW	2150 FEET NORTH AND 1300 FEET WEST FROM THE S1/4 CORNER OF SECTION 21
POD 3	2 S	26 E	WM	21	SW SE	50 FEET NORTH AND 1150 FEET EAST FROM THE S¼ CORNER OF SECTION 21

DAMON MAP #2A AND 2B	Twp	Rng	Mer	Sec	Q-Q	Measured Distances
TD1	2 S	26 E	WM	27	NE NW	1120 FEET SOUTH AND 1820 FEET EAST FROM THE NW CORNER OF SECTION 27

NEIFFER MAP #3A AND 3B	Twp	Rng	Mer	Sec	Q-Q	Measured Distances
POD 1	1S	25 E	WM	27	SW SW	1200 FEET NORTH AND 120 FEET EAST FROM THE SW CORNER OF SECTION 27
POD 2	1 S	25 E	WM	28	NE SE	1730 FEET NORTH AND 580 FEET WEST FROM THE SE CORNER OF SECTION 28
POD 3	1 S	23 E	WM	1	SW SE	100 FEET NORTH AND 1340 FEET WEST FROM THE SE CORNER OF SECTION 1

McELLIGOTT MAP #4	Twp	Rng	Mer	Sec	Q-Q	Measured Distances
POD 1	18	24 E	WM	12	SE NE	50 FEET NORTH AND 1960 FEET EAST FROM THE C¼ CORNER OF SECTION 12
POD 2	1 S	24 E	WM	12	SW NW	2100 FEET SOUTH AND 30 FEET EAST FROM THE NW CORNER OF SECTION 12

EMERT RANCHES MAP #5	Twp	Rng	Mer	Sec	Q-Q	Measured Distances
POD 2	18	24 E	WM	11	SE NE	2120 FEET SOUTH AND 30 FEET WEST FROM THE NE CORNER OF SECTION 11
POD 3	18	24 E	WM	11	SW NE	1400 FEET SOUTH AND 1000 FEET EAST FROM THE N¼ CORNER OF SECTION 11
POD 4	18	24 E	WM	11	SE NW	1750 FEET SOUTH AND 2060 FEET EAST FROM THE NW CORNER OF SECTION 11
POD 5	1S	24 E	WM	10	NE NE	20 FEET SOUTH AND 1240 FEET WEST FROM THE NE CORNER OF SECTION 10

THOMPSON MAP #6B AND 6C	Twp	Rng	Mer	Sec	Q-Q	Measured Distances
POD 1	2S	26 E	WM	7	SE NW	2350 FEET SOUTH AND 3040 FEET WEST FROM THE NE CORNER OF SECTION 7
POD 2	2S	26 E	WM	17	NE SW	800 FEET SOUTH FROM THE C¼ CORNER OF SECTION 17
TD1	2 S	26 E	WM	27	NE NW	1120 FEET SOUTH AND 1820 FEET EAST FROM THE NW CORNER OF SECTION 27

MEYER MAP #7	Twp	Rng	Mer	Sec	Q-Q	Measured Distances
POD 1	1 S	25 E	WM	35	NE SE	1540 FEET NORTH AND 2100 FEET EAST FROM THE S¼ CORNER OF SECTION 35
TD1	2 S	26 E	WM	27	NE NW	1120 FEET SOUTH AND 1820 FEET EAST FROM THE NW CORNER OF SECTION 27

HARRISON MAP #8	Twp	Rng	Mer	Sec	Q-Q	Measured Distances
POD 1	1S	25 E	WM	28	NE NW	560 FEET SOUTH AND 1920 FEET EAST FROM THE NW CORNER OF SECTION 28
POD 2	1S	25 E	WM	20	NW SE	1695 FEET NORTH AND 1325 FEET WEST FROM THE SE CORNER OF SECTION 20

TEMPLE MAP #9	Twp	Rng	Mer	Sec	Q-Q	Measured Distances
POD 1	18	25 E	WM	36	SW SW	560 FEET NORTH AND 450 FEET EAST FROM
						THE SW CORNER OF SECTION 36
POD 2	2 S	25 E	WM	1	SW NE	910 FEET NORTH AND 140 FEET EAST FROM
1002	2.5	25 L	VV 1V1		J SW NE	THE C¼ CORNER OF SECTION 1
TD1	2 S	26 E	WM	27	NE NW	1120 FEET SOUTH AND 1820 FEET EAST FROM
IDI	2.5	20 E	WIVI	27		THE NW CORNER OF SECTION 27

SHATTUCK /BARROW MAP #10	Twp	Rng	Mer	Sec	Q-Q	Measured Distances
POD 1	2S	25 E	WM	1	SW NE	920 FEET NORTH AND 160 FEET EAST FROM THE C¼ CORNER OF SECTION 1
TD1	2 S	26 E	WM	27	NE NW	1120 FEET SOUTH AND 1820 FEET EAST FROM THE NW CORNER OF SECTION 27

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall not exceed 3.0 acre-feet per acre for each acre irrigated during the irrigation season of each year. The right to the use of the water for the above purpose is restricted to beneficial use on the lands or place of use described.

Authorized Place of Use: (* represents land with existing ground water right for primary irrigation)

Q-Q	Acres	Twp	Rng	Mer	Sec	Primary Irrigation Season	Supplemental Irrigation Season	Primary Irrigation Season
SW NW*	4.40	1 S	23 E	WM	1		3/1 through 10/31	
NE SW*	1.30	1 S	23 E	WM	1	·	3/I through 10/31	
NW SW*	25.10	1 S	23 E	WM	1		3/1 through 10/31	
SW SW*	14.70	1 S	23 E	WM	l		3/1 through 10/31	
SE SW*	18.80	1 S	23 E	WM	1		3/1 through 10/31	
SW SE*	0.70	1 S	23 E	WM	1		3/1 through 10/31	
NW NE*	31.10	1 S	23 E	WM	12		3/1 through 10/31	
NE NW*	14.20	1 S	23 E	WM	12		3/1 through 10/31	
NW NW*	0.70	1 S	23 E	WM	12		3/1 through 10/31	
SW SW	1.50	1 S	24 E	WM	2		3/1 through 10/31	
SE SW	5.20	1 S	24 E	WM	3	3/1 through 3/14	3/15 through 10/1	10/2 through 10/31

Q-Q	Acres	Twp	Rng	Mer	Sec	Primary Irrigation Season	Supplemental Irrigation Season	Primary Irrigation Season
SE SW	3.00	1 S	24 E	WM	3		3/1 through 9/1	9/2 through 10/31
SE SW	4.00	1 S	24 E	WM	3		3/1 through 10/31	
SE SW	1.10	1 S	24 E	WM	3		3/1 through 10/31	
SW SE	1.80	1 S	24 E	WM	3	3/1 through 3/14	3/15 through 10/1	10/2 through 10/31
SW SE	4.30	1 S	24 E	WM	3		3/1 through 10/31	
SW SE	0.40	1 S	24 E	WM	3		3/1 through 9/1	9/2 through 10/31
SW SE	15.40	1 S	24 E	WM	3		3/1 through 10/31	
SE SE	2.70	1 S	24 E	WM	3		3/1 through 10/31	
SE SE	6.80	1 S	24 E	WM	3		3/1 through 10/31	
SE SE	12.50	1 S	24 E	WM	3		3/1 through 10/31	
NENE	2.70	1 S	24 E	WM	10		3/1 through 10/31	
NE NE	14.50	1 S	24 E	WM	10		3/1 through 9/1	9/2 through 10/31
NE NE	5.00	1 S	24 E	WM	10		3/1 through 10/31	
NW NE	14.50	1 S	24 E	WM	10		3/1 through 9/1	9/2 through 10/31
NWNE	1.00	1 S	24 E	WM	10		3/1 through 10/31	
NENW	22.65	1 S	24 E	WM	10		3/1 through 9/1	9/2 through 10/31
NWNW	3.40	1 S	24 E	WM	10		3/1 through 10/31	
NWNW	9.00	1 S	24 E	WM	10		3/1 through 9/30	10/1 through 10/31
NW NE	1.70	1 S	24 E	WM	11		3/1 through 10/31	
NW NE	0.10	1 S	24 E	WM	11		3/1 through 9/30	10/1 through 10/31
NW NE	1.40	1 S	24 E	WM	11		3/1 through 9/30	10/1 through 10/31
SW NE	11.70	1 S	24 E	WM	11		3/1 through 9/30	10/1 through 10/31
SW NE	5.00	1 S	24 E	WM	11		3/1 through 9/30	10/1 through 10/31
SW NE	17.30	1 S	24 E	WM	11		3/1 through 10/31	10/1 (11/0 (18/1))
SW NE	3.10	1 S	24 E	WM	11		3/1 through 10/31	
SE NE	3.60	1 S	24 E	WM	11		3/1 through 9/30	10/1 through 10/31
SE NE	5.20	1 S	24 E	WM	11		3/1 through 10/31	
SE NE	22.20	1 S	24 E	WM	11		3/1 through 10/31	
NE NW	13.70	1 S	24 E	WM	11		3/1 through 10/31	
NW NW	4.40	1 S	24 E	WM	11		3/1 through 10/31	
NW NW	13.40	1 S	24 E	WM	11		3/1 through 9/1	9/2 through 10/31
NWNW	2.60	1 S	24 E	WM	11		3/1 through 9/30	10/1 through 10/31
NWNW	3.80	1 S	24 E	WM	11		3/1 through 10/31	10/10/10/10/10
NWNW	2.70	1 S	24 E	WM	11		3/1 through 10/31	
SW NW	5.30	1 S	24 E	WM	11		3/1 through 9/1	9/2 through 10/31
SWNW	0.30	1 S	24 E	WM	11		3/1 through 10/31	
SENW	5.11	1 S	24 E	WM	11		3/1 through 10/31	
SE NW	6.60	1 S	24 E	WM	11		3/1 through 9/30	10/1 through 10/31
SENW	5.80	1 S	24 E	WM	11		3/1 through 10/31	10/14/19/19/19
SENW	2.33	1 S	24 E	WM	11		3/1 through 9/1	9/2 through 10/31
NE SE	10.90	1 S	24 E	WM	11		3/1 through 10/31	
NW SE	1.70	1 S	24 E	WM	11		3/1 through 10/31	
SW NW	17.00	1 S	24 E	WM	12		3/1 through 10/31	
SE NW	5.00	1 S	24 E	WM	12		3/1 through 10/31	
NE SW	28.00	1 S	24 E	WM	12		3/1 through 10/31	
NW SW	29.00	1 S	24 E	WM	12		3/1 through 10/31	
SE SW	13.00	1 S	24 E	WM	12		3/1 through 10/31	
SW NW	3.50	1 S	25 E	WM	20		3/1 through 8/1	8/2 through 10/31
SWNW	7.18	1 S	25 E	WM	20		3/1 through 10/31	
SE NW	1.21	1 S	25 E	WM	20		3/1 through 10/31	

Q-Q	Acres	Twp	Rng	Mer	Sec	Primary Irrigation Season	Supplemental Irrigation Season	Primary Irrigation Season
SE NW	6.00	1 S	25 E	WM	20		3/1 through 8/1	8/2 through 10/31
NE SW	18.14	1 S	25 E	WM	20		3/1 through 10/31	orz unough 10/31
NWSW	1.54	1 S	25 E	WM	20		3/1 through 10/31	
NE SE	8.40	1 S	25 E	WM	20		3/1 through 8/1	8/2 through 10/31
NW SE	6.00	1 S	25 E	WM	20		3/1 through 8/1	8/2 through 10/31
SE SE	5.00	1 S	25 E	WM	20		3/1 through 8/1	8/2 through 10/31
SW SW	11.10	1 S	25 E	WM	21		3/1 through 8/1	8/2 through 10/31
NWSW	2.50	1 S	25 E	WM	27	3/1 through 3/31	4/1 through 7/15	7/16 through 10/31
SW NE	15.50	1 S	25 E	WM	28	3/1 through 3/31	4/1 through 7/15	7/16 through 10/31
NE NW	5.50	1 S	25 E	WM	28	3/1 through 3/31	4/1 through 7/15	7/16 through 10/31
SENW	8.00	1 S	25 E	WM	28	3/1 through 3/31	4/1 through 7/15	7/16 through 10/31
NE SE	20.00	1 S	25 E	WM	28	3/1 through 3/31	4/1 through 10/31	, , , , o un o ugu toro i
NW SE	1.50	1 S	25 E	WM	28	3/1 through 3/31	4/1 through 7/15	7/16 through 10/31
NE NE	11.20	1 S	25 E	WM	34	8	3/1 through 10/31	
NE NE*	4.50	1 S	25 E	WM	34		3/1 through 10/31	
NWNE	1.00	1 S	25 E	WM	34		3/1 through 10/31	
NW NE*	16.20	1 S	25 E	WM	34		3/1 through 10/31	
SW NE*	39.30	1 S	25 E	WM	34		3/1 through 10/31	
SE NE*	40.00	1 S	25 E	WM	34		3/1 through 10/31	
NE NW*	10.90	1 S	25 E	WM	34		3/1 through 10/31	
NW NW*	21.90	1 S	25 E	WM	34		3/1 through 10/31	
SW NW*	30.40	1 S	25 E	WM	34		3/1 through 10/31	
SE NW*	16.80	1 S	25 E	WM	34		3/1 through 10/31	
NE SE*	40.00	1 S	25 E	WM	34		3/1 through 10/31	
NW SE*	34.40	1 S	25 E	WM	34		3/1 through 10/31	
SW SE*	30.10	1 S	25 E	WM	34		3/1 through 10/31	
SE SE*	40.00	1 S	25 E	WM	34		3/1 through 10/31	
SW NE*	0.40	1 S	25 E	WM	35		3/1 through 10/31	
SW NE	2.80	1 S	25 E	WM	35		3/1 through 10/31	
NWNW	1.40	1 S	25 E	WM	35		3/1 through 10/31	
NW NW*	0.70	1 S	25 E	WM	35		3/1 through 10/31	
SW NW	5.10	1 S	25 E	WM	35		3/1 through 10/31	
SW NW*	32.80	1 S	25 E	WM	35		3/1 through 10/31	
SE NW	11.60	1 S	25 E	WM	35		3/1 through 10/31	
SE NW*	13.30	1 S	25 E	WM	35		3/1 through 10/31	
NE SW*	40.00	1 S	25 E	WM	35		3/1 through 10/31	
NW SW*	40.00	1 S	25 E	WM	35		3/1 through 10/31	
SW SW*	40.00	1 S	25 E	WM	35		3/1 through 10/31	
SE SW*	40.00	1 S	25 E	WM	35		3/1 through 10/31	
NE SE	3.20	1 S	25 E	WM	35		3/1 through 10/31	
NE SE*	7.30	1 S	25 E	WM	35		3/1 through 10/31	
NW SE	9.80	1 S	25 E	WM	35		3/1 through 10/31	
NW SE*	26.00	1 S	25 E	WM	35		3/1 through 10/31	
SW SE*	40.00	1 S	25 E	WM	35		3/1 through 10/31	
SE SE*	31.50	1 S	25 E	WM	35		3/1 through 10/31	
SW SW	13.32	1 S	25 E	WM	36		3/1 through 9/1	9/2 through 10/31
SE SW	1.90	1 S	25 E	WM	36		3/1 through 10/31	
NE NW	13.40	2 S	25 E	WM	1		3/1 through 10/31	
NE NW	2.40	2 S	25 E	WM	1		3/1 through 9/1	9/2 through 10/31
SE NW	2.20	2 S	25 E	WM	1		3/1 through 10/31	

Q-Q	Acres	Twp	Rng	Mer	Sec	Primary Irrigation Season	Supplemental Irrigation Season	Primary Irrigation Season
SE NW	0.30	2 S	25 E	WM	1		3/1 through 9/1	9/2 through 10/31
NE NE*	17.60	2 S	25 E	WM	2		3/1 through 10/31	
NW NE*	40.00	2 S	25 E	WM	2		3/1 through 10/31	
SW NE*	36.80	2 S	25 E	WM	2		3/1 through 10/31	
SE NE*	9.40	2 S	25 E	WM	2		3/1 through 10/31	
NE NW*	40.00	2 S	25 E	WM	2		3/1 through 10/31	
NW NW*	39.20	2 S	25 E	WM	2		3/1 through 10/31	
SW NW*	40.00	2 S	25 E	WM	2		3/1 through 10/31	
SE NW*	40.00	2 S	25 E	WM	2		3/1 through 10/31	
NE NE*	12.00	2 S	25 E	WM	12		3/1 through 10/31	
SE NE*	24.00	2 S	25 E	WM	12		3/1 through 10/31	
NE SE*	5.00	2 S	25 E	WM	12		3/1 through 10/31	
NE NE*	19.60	2 S	26 E	WM	7		3/1 through 10/31	
NW NE*	29.70	2 S	26 E	WM	7		3/1 through 10/31	
SW NE*	34.90	2 S	26 E	WM	7		3/1 through 10/31	
SE NE*	16.00	2 S	26 E	WM	7		3/1 through 10/31	
NE NW	26.00	2 S	26 E	WM	7		3/1 through 10/31	
NE NW*	12.20	2 S	26 E	WM	7		3/1 through 10/31	
NW NW	10.00	2 S	26 E	WM	7	· · · · · · · · · · · · · · · · · · ·	3/1 through 10/31	
NW NW*	17.00	2 S	26 E	WM	7		3/1 through 10/31	
SW NW*	32.30	2 S	26 E	WM	7		3/1 through 10/31	
SE NW	9.00	2 S	26 E	WM	7		3/1 through 10/31	
SE NW*	23.30	2 S	26 E	WM	7		3/1 through 10/31	
NE SW	4.00	2 S	26 E	WM	7		3/1 through 10/31	
NE SW*	25.00	2 S	26 E	WM	7		3/1 through 10/31	
NW SW*	38.50	2 S	26 E	WM	7		3/1 through 10/31	
SW SW*	38.80	2 S	26 E	WM	7		3/1 through 10/31	
SE SW*	40.00	2 S	26 E	WM	7		3/1 through 10/31	
NE SE	15.00	2 S	26 E	WM	7		3/1 through 9/1	9/2 through 10/31
NE SE*	1.70	2 S	26 E	WM	7		3/1 through 10/31	7.2 oug 10.51
NE SE*	11.80	2 S	26 E	WM	7		3/1 through 10/31	
NE SE*	2.00	2 S	26 E	WM	7		3/1 through 10/31	
NW SE	18.00	2 S	26 E	WM	7		3/1 through 10/31	
NW SE*	13.10	2 S	26 E	WM	7		3/1 through 10/31	
NW SE	1.40	2 S	26 E	WM	7		3/1 through 10/31	
SW SE	5.00	2 S	26 E	WM	7		3/1 through 9/1	9/2 through 10/31
SE SE	30.00	2 S	26 E	WM	7		3/1 through 9/1	9/2 through 10/31
SE SE*	2.80	2 S	26 E	WM	7		3/1 through 10/31	3/2 unough 10/01
NW NW*	6.00	2 S	26 E	WM	8		3/1 through 10/31	
SW NW*	0.50	2 S	26 E	WM	8		3/1 through 10/31	
NW SW*	3.40	2 S	26 E	WM	8		3/1 through 10/31	
SW SW*	9.40	2 S	26 E	WM	8		3/1 through 10/31	
SW SW*	1.85	2 S	26 E	WM	8		3/1 through 10/31	
SW SW*	7.00	2 S	26 E	WM	8		3/1 through 10/31	, , , , ,
NE NW	1.00	2 S	26 E	WM	17		3/1 through 9/20	9/21 through 10/31
NWNW	28.00	2 S	26 E	WM	17		3/1 through 9/20	9/21 through 10/31
SW NW	4.00	2 S	26 E	WM	17		3/1 through 9/20	9/21 through 10/31
SW NW*	13.20	2 S	26 E	WM	17		3/1 through 10/31	7.2
SENW	8.87	2 S	26 E	WM	17		3/1 through 9/20	9/21 through 10/31
SE NW*	15.63	2 S	26 E	WM	17		3/1 through 10/31	

Q-Q	Acres	Twp	Rng	Mer	Sec	Primary	Supplemental	Primary
						Irrigation Season	Irrigation Season	Irrigation Season
NE SW	2.39	2 S	26 E	WM	17		3/1 through 9/20	9/21 through 10/31
NE SW*	32.51	2 S	26 E	WM	17		3/1 through 10/31	
NW SW*	33.20	2 S	26 E	WM	17		3/1 through 10/31	
SW SW*	34.50	2 S	26 E	WM	17		3/1 through 10/31	
SE SW*	39.80	2 S	26 E	WM	17		3/1 through 10/31	
NE SE*	0.02	2 S	26 E	WM	17		3/1 through 9/30	10/1 through 10/31
NW SE*	9.00	2 S	26 E	WM	17		3/1 through 9/30	10/1 through 10/31
NW SE	12.50	2 S	26 E	WM	17	3/1 through 3/31	4/1 through 10/31	
SW SE	15.80	2 S	26 E	WM	17		3/1 through 7/1	7/2 through 10/31
SW SE*	0.02	2 S	26 E	WM	17		3/1 through 9/30	10/1 through 10/31
SE SE*	2.60	2 S	26 E	WM	17		3/1 through 9/30	10/1 through 10/31
SE SE	4.50	2 S	26 E	WM	17	3/1 through 3/31	4/1 through 10/31	
SE SE	2.80	2 S	26 E	WM	17	3/1 through 3/31	4/1 through 10/31	
SE SE*	4.10	2 S	26 E	WM	17		3/1 through 10/31	
SE SE	4.00	2 S	26 E	WM	17	3/1 through 3/14	3/15 through 9/15	9/16 through 10/31
SE SE	4.20	2 S	26 E	WM	17		3/1 through 7/1	7/2 through 10/31
NE NE*	5.10	2 S	26 E	WM	18		3/1 through 10/31	
NE NE	19.00	2 S	26 E	WM	20	3/1 through 3/14	3/15 through 9/15	9/16 through 10/31
NE NE	0.30	2 S	26 E	WM	20	3/1 through 3/31	4/1 through 10/31	
NE NE*	3.00	2 S	26 E	WM	20		3/1 through 10/31	
SE NE	1.90	2 S	26 E	WM	20	3/1 through 3/31	4/1 through 10/31	
SWNW	32.00	2 S	26 E	WM	21		3/1 through 7/1	7/2 through 10/31
SW NW*	0.17	2 S	26 E	WM	21		3/1 through 9/30	10/1 through 10/31
NW NW*	1.15	2 S	26 E	WM	21		3/1 through 9/30	10/1 through 10/31
NWNW	16.00	2 S	26 E	WM	21	3/1 through 3/14	3/15 through 9/15	9/16 through 10/31
SE NW	4.50	2 S	26 E	WM	21		3/1 through 7/1	7/2 through 10/31
SE NW*	2.30	2 S	26 E	WM	21		3/1 through 10/31	-
SE NW*	1.65	2 S	26 E	WM	21		3/1 through 9/30	10/1 through 10/31
NE SW	4.00	2 S	26 E	WM	21		3/1 through 7/1	7/2 through 10/31
NW SW	3.00	2 S	26 E	WM	21		3/1 through 7/1	7/2 through 10/31
NW SW*	2.20	2 S	26 E	WM	21		3/1 through 10/31	
SW NE	1.00	2 S	26 E	WM	27		3/1 through 10/31	
NENW	4.50	2 S	26 E	WM	27		3/1 through 10/31	
NWNW	4.20	2 S	26 E	WM	27		3/1 through 10/31	
SWNW	4.70	2 S	26 E	WM	27		3/1 through 10/31	
SE NW	19.90	2 S	26 E	WM	27		3/1 through 10/31	
SE NW	1.10	2 S	26 E	WM	27		3/1 through 10/31	
NE SW	1.00	2 S	26 E	WM	27		3/1 through 10/31	
NW SE	2.00	2 S	26 E	WM	27		3/1 through 10/31	

Permit Amendment T-11664 Conditions:

Prior to diverting water, the water user shall install a headgate to control and regulate the quantity of water diverted. The type and plans of the headgate must be approved by the Department prior to beginning construction and shall be installed under the general supervision of the Department. The water user shall maintain the headgate as required by the Department.

Permit Amendment T-12135 Conditions:

Prior to water use from the additional point of diversion, the permittee shall install a ramp measurement flume or weir at the flood ditch on Willow Creek, previously approved by the Department.

By October 1, 2017 the water user shall install an approved fish screen at the new point of diversion. The water user may withdraw water at the new point of diversion without a screen until October 1, 2017. The water user shall provide to OWRD a written statement from Oregon Department of Fish and Wildlife (ODFW) that the installed screen meets the state's criteria, or that ODFW has determined a screen is not necessary. The water user shall maintain and operate the fish screen at the new point of diversion consistent with ODFW's operational and maintenance standards. If ODFW determines the screen is not functioning properly, and is unsuccessful in working with the water user to meet ODFW standards, ODFW may request that OWRD regulate the use of water until OWRD receives notification from ODFW that the fish screen is functioning properly.

Permit Amendment T-11664 and T-12135 Conditions:

The combined quantity of water diverted at the new point of diversion, together with that diverted at the old points of diversion, shall not exceed the quantity of water lawfully available at the original points of diversion.

Water shall be acquired from the same surface water source as the original points of diversion.

Extension of Time Conditions:

Fish Screen Condition

On or before June 1, 2017, the water user shall install, maintain, and operate fish screening on each authorized POD consistent with current ODFW standards. PODs not currently screened must have the required screen in place and functional, and approved in writing by ODFW on or before June 1, 2017, prior to diversion of water. PODs screened but without ODFW written approval, must obtain approval in writing on or before June 1, 2017. If a fish screen without ODFW written approval is not installed on or before June 1, 2017, that authorized POD will be excluded on the final certificate.

Checkpoint Condition

The permit holder must submit a completed Progress Report Form to the Department by October 1, 2017, 2020, 2025, and 2030.

a) At each checkpoint, the permit holder shall submit and the Department shall review evidence of the permit holder's diligence towards completion of the project and compliance with terms and conditions of the permit and extension. If, after this review, the Department determines the permit holder has not been diligent in developing and perfecting the water use permit, or complied with all

terms and conditions, the Department shall modify or further condition the permit or extension to ensure future compliance, or begin cancellation proceedings on the undeveloped portion of the permit pursuant to ORS 537.260 or 537.410, or require submission of a final proof survey pursuant to ORS 537.250;

Original Permit Conditions:

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a totalizing flow meter at each point of diversion. The permittee shall maintain the meter in good working order.
- B. The permittee shall keep a complete record of the amount of water used each month, and shall submit an annual report which includes the recorded water use measurements to the Department by December 1, of each year. Further, the Director may require the permittee to report general water-use information, including the place and nature of use of water under the permit.
- C. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.
- D. The Director may provide an opportunity for the permittee to submit alternative measuring and reporting procedures for review and approval.

The water user shall install, maintain, and operate fish screening and by-pass devices consistent with current Oregon Department of Fish and Wildlife (ODFW) standards. Fish screening is to prevent fish from entering the proposed diversion, while by-pass devices provide adequate upstream and downstream passage for fish. The required screen and by-pass devices are to be in place and functional, and approved in writing by ODFW prior to diversion of water. The water user may submit evidence in writing that ODFW has determined screens and/or by-pass devices are not necessary.

The use of water under this right is subject to the terms and conditions of Contract No. 129E101776, or a satisfactory replacement, between the Bureau of Reclamation and the applicant, a copy of which is on file in the records of the Water Resources Department.

Use of water under this permit shall be subject to applicable provisions of the articles of incorporation, bylaws, rules and regulations of the Willow Creek District Improvement Company.

The use of stored water under this permit may be used in place of any existing ground water right for primary irrigation of the same land in order to conserve ground water supplies.

STANDARD CONDITIONS

- 1. Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.
- 2. Where two or more water users agree among themselves as to the manner of rotation in the use of water and such agreement is placed in writing and filed by such water users with the watermaster,

- and such rotation system does not infringe upon such prior rights of any water user not a party to such rotation plan, the watermaster shall distribute the water according to such agreement.
- 3. This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.
- 4. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.
- 5. The use of water allowed herein may be made only at times when sufficient water is available to satisfy all prior rights, including prior rights for maintaining instream flows.
- 6. If the riparian area is disturbed in the process of developing a point of diversion, the permittee shall be responsible for restoration and enhancement of such riparian area in accordance with ODFW's Fish and Wildlife Habitat Mitigation Policy OAR 635-415. For purposes of mitigation, the ODFW Fish and Wildlife Habitat Mitigation Goals and Standards, OAR Chapter 635, Division 415, shall be followed.
- 7. The use may be restricted if the quality of the source stream or downstream waters decreases to the point that those waters no longer meet existing state or federal water-quality standards due to reduced flows.
- 8. The original permit was issued April 6, 2010. Completion of construction and application of the water was to be made by April 6, 2015. By Extension of Time final order dated October 30, 2015, the deadline for completion of construction and application of the water was extended to October 1, 2030.
- 9. Within one year after making beneficial use of water, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner.

Issued	FEB	0 8 2016	·

Dwight French Water Right Services Division Administrator, for

Thomas M./Byler, Director

Oregon Water Resources Department