CERTIFICATE NO. ~~2481~~ 50929

*Permit No. 582

APPLICATION FOR A PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

I, W. E. Daggett, (for Ten Others, jointly interested)
(Name of Applicant)

of Enterprise (Postoffice), County of Wallowa

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights.

If the applicant is a corporation, give date and place of incorporation.....

1. The source of the proposed appropriation is Silver Creek (Name of stream)

2. The amount of water which the applicant intends to apply to beneficial use is 1000 miners inches cubic feet per second.

3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located near the center of the unsurveyed section (Give distance and bearing to section corner) Thirty (30) (See field notes.)

~~being within the~~ ..... (Give smallest legal subdivision) ~~of Sec.~~ ....., Tp. Two South (No. N. or S.) R. 44 E (No. E. or W.), W. M., in the County of Wallowa, State of Oregon.

5. The main ditch (Main ditch, canal or pipe line) to be two and ½ miles in length, terminating in the Southeast quarter (Smallest legal subdivision) of Sec. 17, Tp. 2 S (No. N. or S.), R. 44 E (No. E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the ditch, canal or other works is The Silver Creek Ditch Company

Description of Works

Diversion Works—

7. (a) Height of dam Five feet, length on top Seven feet, length at bottom Nine feet; material to be used and character of construction loose rock, dirt, (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) with timber; wasteway over dam.

(b) Description of headgate The headgate is to be timber, box four feet wide, (Timber, concrete, etc., number and size of openings) five feet high and sixteen feet long, containing an adjustable vertical gate.

*A different form of application is provided where an appropriation is to be made by the enlargement of existing works, or where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

Canal System—

8. (a) *Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line)* Five *feet; width on bottom* Three *feet; depth of water* Three *feet; grade* 11.38 *feet fall per 1000 feet.*

(b) *At* Two and half *miles from headgate: Width on top (at water line)* Four *feet; width on bottom* Three *feet; depth of water* Three and half *feet; grade* 11.38 *feet fall per 1000 feet.*

At three miles from Headgate, width on top, four feet;width on bottom three feet; depth of water two feet; grade 11.38 feet fall per 1000 feet.

Fill in the Following Information Where the Water is Used for:

Irrigation—

9. *The land to be irrigated has a total area of* 1069 *acres, located in each smallest legal subdivision, as follows:*

(Give area of land in each smallest legal subdivision which you intend to irrigate)

(If more space required, attach separate sheet)

Power, Mining, Manufacturing or Transportation Purposes—

10. (a) *Total amount of power to be developed* ..... *horsepower.*

(b) *Total fall to be utilized* ..... (Head) *feet.*

(c) *The nature of the works by means of which the power is to be developed* .....

(d) *Such works to be located in* ..... (Legal subdivision) *of Sec.* ..... *Tp.* ..... (No. N. or S.), *R.* ..... (No. E. or W.), *W. M.*

(e) *Is water to be returned to any stream?* ..... (Yes or No)

(f) *If so, name stream and locate point of return* .....

..... *Sec.* ....., *Tp.* ..... (No. N. or S.), *R.* ..... (No. E. or W.), *W. M.*

(g) *The use to which the power is to be applied is* .....

(h) *The nature of the mines to be served* .....

AMENDED DESCRIPTION.

W. Homan proposes to irrigate 279 acres, aided by spring branches on his premises increased by 200 inches taken from the Silver Creek Ditch Company's Ditch. He estimates that the water taken from the ditch will irrigate 200 acres and the spring water 79 acres. The land proposed to be irrigated consists of fractional parts of sections 3 and 4 as shown by surveyors map.

Owing to the distance the water must travel across Section 9, it is estimated that a large per cent. will evaporate and be absorbed in traveling the distance stated.

SE¼ SE¼ 40 a
NE¼ SE¼ 40 a
SE¼ NE¼ 40 a
NE¼ NE¼ 39 a Sec. 4
SW¼ SW¼ 40 a
NW¼ SW¼ 40 Sec. 3
SW¼ NW¼ 40

O. Beecher proposes to irrigate 40 acres, being the SW¼ of SW¼ of Section 15.

Fred Shafer proposes to irrigate 50 acres, being the NW¼ of SW¼ and 10 acres on the south side of SE¼ of NW¼ of Section 15.

B. Kooch proposes to irrigate 80 acres, being the NE¼ of SW¼ and the SE¼ of SW¼ of Section 15.

W. A. Murray proposes to irrigate 120 acres , being the W½ of the NW¼ and the NE½ of NW¼ of Section 22.

W. E. Daggett proposes to irrigate 100 acres, being the N½ of SW¼ and the W½ of the NW¼ of SE¼ of Section 22.

S. T. Daggett proposes to irrigate 50 acres, being the SE¼ of SW¼ and the east ¼ of the SW¼ of SW¼ of Section 22.

N. D. Varner proposes to irrigate 200 acres, being situated as follows:
The S ½ of SE¼ Section 22
The SW¼ of SW¼ of Section 23
The NW¼ of NW¼ of Section 26
The NE¼ of NE¼ of Section 27
All in Township 2 south of Range 44 E. W. M. in Wallowa County, State of Oregon.

G. W. Brock proposes to irrigate 50 acres, being the SE¼ of NW¼ and 10 acres in the SW cor. of NW¼ of NE¼ of Section 16.

D. D. Brock proposes to irrigate 50 acres, being the SW¼ of SE¼ and 10 acres in the SW cor. of SE¼ of SE¼ Section 16.

T. G. Murray proposes to irrigate 50 acres, being the SE¼ of SE¼ and S¼ of NE¼ of SE¼ of Section 17.

Municipal Supply—

11. To supply the city of ..... *County, having a present population of* ..... *and an estimated population of* ..... *in 19*.....

(Name of)

12. Estimated cost of proposed works, $ 3,000

13. Construction work will begin on or before July 1st, 1911

14. Construction work will be completed on or before November 1st, 1912

15. The water will be completely applied to the proposed use on or before November 1st, 1912

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the Board of Control, accompany this application.

W. E. Daggett

(Name of Applicant)

Enterprise, Oregon.

Signed in the presence of us as witnesses:

(1) W H Gibson (Name), LaGrande, Oregon (Address of Witness)

(2) Chas. Thomas (Name), Enterprise, Oregon (Address of Witness)

Remarks:

STATE OF OREGON,
County of Marion } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows:

For correction and fees.

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before February 12, *19* 11.

WITNESS my hand this 13th *day of* January, *19* 11.

John H Lewis
M

State Engineer.

582(c)

Application No. 1042

Permit No. 582

PERMIT

To appropriate the public waters of the State of Oregon

Division No. 2 District No. _____

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25 *day of* Oct., *19*10, *at* 8:00 *o'clock* A *M.*

Returned to applicant for correction

Jan. 13th, 1911

Corrected application received

Feb. 9, 1911

Approved

Mar 29 1911

Recorded in Book No. 2 *of Permits on Page* 582.

John H Lewis

State Engineer

63.69

STATE OF OREGON,
County of Marion } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions:

The appropriation for irrigation purposes shall be limited to one-eightieth of one cu. ft. per sec. for each acre irrigated.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed Thirteen & 37/100 (13.37) *cubic feet per second.*

Actual construction work shall begin on or before Mar 29, 1912 *and shall thereafter be prosecuted with reasonable diligence and be completed on or before* Mar. 29, 1914

Complete application of the water to the proposed use shall be made on or before Mar. 29, 1916 EXTENDED TO 1917

WITNESS my hand this 29th *day of* March, *19*11.

John H Lewis
State Engineer.

63.69