

\* Permit No. 5994

CERTIFICATE NO. 5978

APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, C. A. Saubert (Name of Applicant) of Cushman (Postoffice), County of Lane State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Saubert Creek (Name of stream)

tributary of Siuslaw River

2. The amount of water which the applicant intends to apply to beneficial use is 2 cubic feet per second.

3. The use to which the water is to be applied is Municipal purposes including manufacturing, supplying cold storage plant, Fish Packing plant and other uses (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 229 feet East of the 1/4 Sec. cor. bet. Secs. 19 and 30 Tp 18 S R 11 W. (Give distance and bearing to section corner)

being within the NW 1/4 of the NE 1/4 of Sec. 30, Tp. 18 S, R. 11 W, W. M., in the county of Lane (No. E. or W.) (Give smallest legal subdivision) (No. N. or S.)

5. The Pipe line to be 1/8 miles in length, terminating in the NW 1/4 of NE 1/4 of Sec. 30, Tp. 18 S, R. 11 W, W. M., the proposed location being shown throughout on the accompanying map. (Main ditch, canal or pipe line) (Smallest legal subdivision) (No. E. or W.) (No. N. or S.)

6. The name of the ditch, canal or other works is C. A. Saubert Pipe Line

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam 3 feet, length on top 10 feet, length at bottom 3 feet; material to be used and character of construction Timber and earth. (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Timber. (Timber, concrete, etc., number and size of openings)

\* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate. Width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR:

IRRIGATION—

9. The land to be irrigated has a total area of ..... acres, located in each smallest legal subdivision, as follows: ..... (Give area of land in each smallest legal subdivision which you intend to irrigate)

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Total fall to be utilized ..... feet. (Head)

(c) The nature of the works by means of which the power is to be developed .....

(d) Such works to be located in NW 1/4 of NE 1/4 of Sec. 30, Tp. 18 S, R. 11 W, W. M. (Legal subdivision) (No. N. or S.) (No. E. or W.)

(e) Is water to be returned to any stream? Yes (Yes or No)

(f) If so, name stream and locate point of return Siuslaw River

NW 1/4 of NE 1/4, Sec. 30, Tp. 18 S, R. 11 W, W. M. (No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is Manufacture of Ice.

(h) The nature of the mines to be served .....

MUNICIPAL SUPPLY—

11. To supply the city of \_\_\_\_\_  
\_\_\_\_\_  
(Name of) County, having a present population of \_\_\_\_\_,  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_.

(Answer questions 12, 13, 14 and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 500.00
- 13. Construction work will begin on or before Sept. 1, 1923
- 14. Construction work will be completed on or before Sept. 30, 1923
- 15. The water will be completely applied to the proposed use on or before Sept. 30, 1925

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Water Board, accompany this application.

C. A. Saubert.  
(Name of applicant)

Signed in the presence of us as witnesses:

- (1) G. H. Waggoner 1069 3 Ave. W. Eugene, Ore.  
(Name) (Address of Witness)
- (2) Frank Saubert \_\_\_\_\_  
(Name) (Address of Witness)

Remarks: The uses for this water are for supplying a cold storage plant and a Fish Packing plant and general and domestic uses.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows:

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before \_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_

State Engineer.

Application No. 9 1 3 4

Permit No. 5994

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at

Salem, Oregon, on the 15 day of August, 1923, at 8:30 o'clock A.M.

Returned to applicant for correction

Corrected application received

Approved: August 31, 1923.

Recorded in Book No. 21 of Permits, on Page 5994

Rhea Luper.

State Engineer.

1 map ER

\$8.00

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from Saubert Creek for municipal purposes, including manufacturing, supply for cold storage plant, fish packing plant, etc.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 2.0 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is August 15, 1923.

Actual construction work shall begin on or before August 31, 1924. and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1925.

Complete application of the water to the proposed use shall be made on or before October 1, 1926.

WITNESS my hand this 31st day of August, 1923. Rhea Luper.

State Engineer.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.