

* Permit No. 6081

CONTINGENT FEE \$ 5.00

APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, City of Monroe (Name of Applicant) of Monroe (Postoffice), County of Benton, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring, unnamed (Name of stream)

tributary of Little Muddy Creek Long Tom - Willamette Watershed.

2. The amount of water which the applicant intends to apply to beneficial use is .25 cubic feet per second.

3. The use to which the water is to be applied is Domestic Supplies, Municipal Water Supply. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located N 83° E 1426 feet from the SW corner of Section 6 T 15 S R 6 W. (Give distance and bearing to section corner)

being within the SE 1/4 of the SW 1/4 of Sec. 6, Tp. 15 S, R. 6 W, W. M., in the county of Benton (No. E. or W.) (Give smallest legal subdivision) (No. N. or S.)

5. The Pipe line to be 3 1/4 miles in length, terminating in the NE 1/4 of the NW 1/4 of Sec. 33, Tp. 14 S, R. 5 W, W. M., the proposed location being shown throughout on the accompanying map. (Main ditch, canal or pipe line) (Smallest legal subdivision) (No. E. or W.)

6. The name of the ditch, canal or other works is Supply Line for Monroe Water System.

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

The diversion works will be a small concrete intake box with outlet and overflow pipe with necessary gates.

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate. Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR:

IRRIGATION—

9. The land to be irrigated has a total area of acres, located in each smallest legal subdivision, as follows: (Give area of land in each smallest legal subdivision which you intend to irrigate)

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Total fall to be utilized feet. (Head)

(c) The nature of the works by means of which the power is to be developed

(d) Such works to be located in of Sec., Tp., R., W. M. (Legal subdivision) (No. N. or S.) (No. E. or W.)

(e) Is water to be returned to any stream? (Yes or No)

(f) If so, name stream and locate point of return , Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is

(h) The nature of the mines to be served

Application No. 9202

Permit No. 6081

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at

Salem, Oregon, on the 1 day

of October, 1923,

at 1:30 o'clock P.M.

Returned to applicant for correction October 6, 1923.

Corrected application received Nov. 7, 1923

Approved: November 26, 1923.

Recorded in Book No. 21 of Permits, on Page 6081

Rhea Luper

1 map ER State Engineer. \$8.00

STATE OF OREGON,) ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from an unnamed spring for municipal water supply.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.25 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is November 7, 1923.

Actual construction work shall begin on or before November 26th, 1924. and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1925.

Complete application of the water to the proposed use shall be made on or before October 1, 1926.

WITNESS my hand this 26th day of November, 1923. Rhea Luper.

State Engineer.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.