APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

in length, terminating in the Lot 3 of Sec. 2 Tp. 2N (No. N. or S.) R. 10 W (No. E. or W.) (No. E. or W.) DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam feet, length on top feet, length at bottom	I,	н. А.	Bell,						-
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon subject to existing rights: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is	•	37 - 1 7				T	illamook		
following described public waters of the State of Oregon subject to existing rights: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is			(Postoffice)						,
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is 2. The amount of water which the applicant intends to apply to beneficial use is 2. cubic feet per second. 3. The use to which the water is to be applied is boiler and fire protection). West Fork of Zimmerman Creek in Sec. 2 4. The point of diversion is located Two. 2 N. of Range 10 W.W.M. in Tillamook County, Oregon. Desiry within the County, Oregon. Desiry within the County of Tillamook County, Oregon. Desiry within the County of Tillamook County, Oregon. E. 10 W.M., in the county of Tillamook County, Oregon. The pipe line (Main ditch, canal or pipe line) to be about 2500 feet miles in length, terminating in the LOL 3. (Main the Main	State of	oregor	1	, do hereby	make apple	ication for a	permit to	appropriate	the
1. The source of the proposed appropriation is Nehalem Bay 2. The amount of water which the applicant intends to apply to beneficial use is 2. cubic feet per second. 3. The use to which the water is to be applied is Bunufacturing (Water for (Irrigation, power, mining, manufacturing, boller and fire protection). West Fork of Zimmerman Creek in Sec. 2 4. The point of diversion is located Twp. 2 N. of Range 10 W.W.M. in Tillamook County, Oregon. being within the Lot 2 of Sec. 2 , Tp. 2 N being within the (Give smallest legal subdivision) R. 10 W (Give smallest legal subdivision) 5. The (Give smallest legal subdivision) 6. The name of the ditch, canal or pipe line) (Math ditch, canal or other works is to Wheeler Manufacturing To. Mill. (Co. now dead.) DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 4 feet, length on top feet, length at bottom Timber crib. (Loose rock, concrete, massenry, rock and brush, limber cril, etc., wasteway over or around dam)	following	described p	public waters of	the State of Ore	gon subject	t to existing	rights:		
tributary of Nehalem Bay 2. The amount of water which the applicant intends to apply to beneficial use is 2. cubic feet per second. 3. The use to which the water is to be applied is boiler and fire protection). West Fork of Zimmerman Creek in Sec. 2 4. The point of diversion is located. Twp. 2 N. of Range 10 W.W.M. in Tillamook County, Oregon. Deing within the Lot 2 of Sec. 2 Tp 2 N West Fork of Simmerman Creek in Sec. 2 4. The point of diversion is located. Twp. 2 N. of Range 10 W.W.M. in Tillamook County, Oregon. Deing within the Lot 2 of Sec. 2 Tp 2 N W.M., in the county of Tillamook County, Oregon. S. The pipe line to be about 2500 feet miles in length, terminating in the Lot 3 (Smallest legal subdivision) R. 10 W W.M., the proposed location being shown throughout on the accompanying map. R. 10 W W.M., the proposed location being shown throughout on the accompanying map. G. The name of the ditch, canal or other works is to Wheeler Manufacturing 20. Mill. (Co. now dead.) DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 4 feet, length on top 15 feet, length at bottom Timber crib. (Loose rock, concree, timber crib, etc., wasteway over or around dam)	If	the applican	ıt is a corporatio	on, give date and	place of inc	corporation	••••		
tributary of Nehalem Bay 2. The amount of water which the applicant intends to apply to beneficial use is 2. cubic feet per second. 3. The use to which the water is to be applied is boiler and fire protection). West Fork of Zimmerman Creek in Sec. 2 4. The point of diversion is located. Twp. 2 N. of Range 10 W.W.M. in Tillamook County, Oregon. Deing within the Lot 2 of Sec. 2 Tp 2 N West Fork of Simmerman Creek in Sec. 2 4. The point of diversion is located. Twp. 2 N. of Range 10 W.W.M. in Tillamook County, Oregon. Deing within the Lot 2 of Sec. 2 Tp 2 N W.M., in the county of Tillamook County, Oregon. S. The pipe line to be about 2500 feet miles in length, terminating in the Lot 3 (Smallest legal subdivision) R. 10 W W.M., the proposed location being shown throughout on the accompanying map. R. 10 W W.M., the proposed location being shown throughout on the accompanying map. G. The name of the ditch, canal or other works is to Wheeler Manufacturing 20. Mill. (Co. now dead.) DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 4 feet, length on top 15 feet, length at bottom Timber crib. (Loose rock, concree, timber crib, etc., wasteway over or around dam)								**	
tributary of Nehalem Bay 2. The amount of water which the applicant intends to apply to beneficial use is 2. cubic feet per second. 3. The use to which the water is to be applied is boiler and fire protection). West Fork of Zimmerman Creek in Sec. 2 4. The point of diversion is located. Twp. 2 N. of Range 10 W.W.M. in Ti (Give distance and bearing to section corner) Twp. 2 N. of Range 10 W.W.M. in Ti (Illamook County, Oregon.) Desing within the Lot 2 of Sec. 2, Tp. 2 N (No. N. or S.) West Fork of Zimmerman Creek in Sec. 2 4. The point of diversion is located Type 11 to be about 2500 feet miles (Since the county of Sec. 2, Tp. 2 N (No. N. or S.)) West Fork of Zimmerman Creek in Sec. 2 Twp. 2 N. of Range 10 W.W.M. in Ti (Illamook County, Oregon.) No. N. or S.) The Desing within the Lot 2 of Sec. 2, Tp. 2 N (No. N. or S.) (No. E or W.) pipe line to be about 2500 feet miles in length, terminating in the Lot 3 (Smallest legal subdivision) R. 10 W (M. the proposed location being shown throughout on the accompanying map. (No. E or W.) R. 10 W (M. the proposed location being shown throughout on the accompanying map. Fipe line from said creeks to Wheeler Manufacturing 20. Mill. (Co. now dead.) DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 4 feet, length on top 15 feet, length at bottom Timber crib. (Loose rock, concrete, Timber crib. (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)	1.	The source	of the proposed	annronriation is	Zin	merman Cr	e e k		
2. The amount of water which the applicant intends to apply to beneficial use is 2. cubic feet per second. 3. The use to which the water is to be applied is boiler and fire protection). **Manufacturing** (Water for trigation, power, mining, manufacturing, water for the point of diversion is located. Twp. 2 N. of Range 10 W.W.M. in Ti (Give distance and bearing to section corner) **West Fork of Zimmerman Creek in Sec. 2 4. The point of diversion is located. Twp. 2 N. of Range 10 W.W.M. in Ti (Give distance and bearing to section corner) **The point of diversion is located. Twp. 2 N. of Range 10 W.W.M. in Ti (Give distance and bearing to section corner) **The point of diversion is located. Twp. 2 N. of Range 10 W.W.M. in Ti (Give distance and bearing to section corner) **The point of diversion is located. Twp. 2 N. of Range 10 W.W.M. in Ti (Give distance and bearing to section corner) **The point of diversion is located. The country, which is the country of the location being shown throughout on the accompanying map. **The point of the ditch, canal or other works is to Wheeler Manufacturing Co. Mill. (Co. now dead.) **DESCRIPTION OF WORKS** **DIVERSION WORKS** Timber crib. **Timber crib.** **Timber crib.** **Cubic feet per second. **Manufacturing (Water for Simmerman Creek in Sec. 2			o, one proposes			(Name	of stream)		
2. The amount of water which the applicant intends to apply to beneficial use is 2. cubic feet per second. 3. The use to which the water is to be applied is boiler and fire protection). West Fork of Zinmerman Creek in Sec. 2 4. The point of diversion is located Twp. 2 N. of Range 10 W.W.M. in millamook County, Oregon. being within the Lot 2 of Sec. 2 , Tp. 2 N (No. N. or S.) R. 10 W , M. M., in the county of Tillamook County, Oregon. (No. E. or W.) pipe line to be about 2500 feet miles in length, terminating in the 10.5 of Sec. 2 , Tp. 2 N (Standitch, canal or pipe line) of Sec. 2 , Tp. 2 N (No. N. or S.) R. 10 W , M. M., the proposed location being shown throughout on the accompanying map. R. 10 W , M. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is to Wheeler Manufacturing 30. Mill. (Co. now dead.) DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 4 feet, length on top 15 feet, length at bottom 4 feet; material to be used and character of construction Timber crib. Cleose rock, concrete, maccourt, timber crib, etc., wasteway over or around dam)	trihutaru	of	Nehalem Bay		•••••••				
2 cubic feet per second. 3. The use to which the water is to be applied is boller and fire protection). West Fork of Zimmerman Creek in Sec. 2 4. The point of diversion is located Twp. 2 N. of Range 10 W.W.M. in Tillamook County, Oregon. being within the Lot 2 of Sec. 2 Tp. 2 N. N. N. N. N. N. Or. S.) R. 10 W (Give smallest legal subdivision) Tillamook County, Oregon. Con. E. or W.) pipe line to be about 2500 feet miles in length, terminating in the Lot. S (Smallest legal subdivision) (No. N. or. S.) R. 10 W (M. M. in the county of Tillamook M. N. Or. S.) Similarly tegal subdivision) Of Sec. 2 Tp. 2 N. (No. N. or. S.) (Smallest legal subdivision) Of Sec. 2 Tp. 2 N. (No. N. or. S.) (Smallest legal subdivision) Of Sec. 2 Tp. 2 N. (No. N. or. S.) R. 10 W (M. M. the proposed location being shown throughout on the accompanying map. (No. E. or W.) W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is to Wheeler Manufacturing 30. Mill. (Co. now dead.) DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction Timber crib, etc., wasteway over or around dam)							• • • •	••	
3. The use to which the water is to be applied is boiler and fire protection). West Fork of Zimmerman Creek in Sec. 2 4. The point of diversion is located Twp. 2 N. of Range 10 W.W.M. in Ti(Give distance and bearing to section corner) 111amook County, Oregon. being within the Lot 2 of Sec. 2 Tp. 2 N. of No. N. or S.) R. 10 W (Give smallest legal subdivision) Tillamook County, Oregon. West Fork of Zimmerman Creek in Sec. 2 4. The point of diversion is located Twp. 2 N. of Range 10 W.W.M. in Ti(Give distance and bearing to section corner) 11amook County, Oregon. Description of Sec. 2 Tp. 2 N. of No. N. or S.) R. 10 W (Give smallest legal subdivision) (No. E. or W.) S. The pipe line to be about 2500 feet miles in length, terminating in the Lot 3 (Smallest legal subdivision) R. 10 W , W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.) 6. The name of the ditch, canal or other works is to Wheeler Manufacturing 20. Mill. (Co. now dead.) DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam feet, length on top feet, length at bottom Timber crib. (Loose rock, concrete, massonry, rock and brush, timber crib, etc., wasteway over or around dam)	2.	9			tenas to ap	ply to benef	icial use is	*******	·····
boiler and fire protection). **Momestic supplies, etc.)** **West Fork of Zimmerman Creek in Sec. 2* **The point of diversion is located** Twp. 2 N. of Range 10 W.W.M. in Tillamook County, Oregon.** **Deing within the Lot 2	***-**								
boiler and fire protection). West Fork of Zimmerman Creek in Sec. 2 4. The point of diversion is located Twp. 2 N. of Range 10 W.W.M. in Ti(Give distance and bearing to section corner) Twp. 2 N. of Range 10 W.W.M. in Ti(Ismook County, Oregon. being within the Lot 2	3.	The use to	which the water	r is to be applied	is Manu	facturing	(Water for	or ining manufactu	······
West Fork of Zimmerman Creek in Sec. 2 Twp. 2 N. of Range 10 W.W.M. in Ti Cive distance and bearing to section corner) Twp. 2 N. of Range 10 W.W.M. in Ti 11amook County, Oregon. being within the Lot 2 of Sec. 2 Tp. 2 N (Give smallest legal subdivision) R. 10 W (Give smallest legal subdivision) Fillamook (No. E. or W.) 5. The pipe line to be about 2500 feet miles (Main ditch, canal or pipe line) in length, terminating in the (Main ditch, canal or pipe line) (No. E. or W.) (No. E. or W.) (No. E. or W.) (No. E. or W.) Fipe line from said creeks to Wheeler Manufacturing Co. Mill. (Co. now dead.) DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam feet, length on top feet, length at bottom 4 feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)			and fire pro	otection).					
Twp. 2 N. of Range 10 W.W.M. in Tillamook County, Oregon. being within the Lot 2 of Sec. 2 , Tp. 2 N (No. N. or S.) R. 10 W , W.M., in the county of Tillamook (No. E. or W.) 5. The pipe line to be about 2500 feet miles in length, terminating in the Lot. 3 (Smallest legal subdivision) of Sec. 2 , Tp. 2.N (No. N. or S.) R. 10 W , W.M., the proposed location being shown throughout on the accompanying map. R. 10 W , W.M., the proposed location being shown throughout on the accompanying map. (No. E. or W.) 6. The name of the ditch, canal or other works is to Wheeler Manufacturing 20. Mill. (Co. now dead.) DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 4 feet, length on top 15 feet, length at bottom 4 feet; material to be used and character of construction Timber crib. (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)				West	Fork of	Zimmerman	Creek in	Sec. 2	
being within the Lot 2 of Sec. 2 Tp. 2 N R. 10 W (Give smallest legal subdivision) R. 10 W , W. M., in the county of Tillamook (No. E. or W.) 5. The pipe line to be about 2500 feet miles (Main ditch, canal or pipe line) in length, terminating in the Lot 3 of Sec. 2 Tp. 2 N (No. N. or S.) R. 10 W , W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.) 6. The name of the ditch, canal or other works is to Wheeler Manufacturing 30. Mill. (Co. now dead.) DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 4 feet, length on top 15 feet, length at bottom 4 feet; material to be used and character of construction Timber crib. (Loose rock, concrete, masonry, rock and brush, timber cril, etc., wasteway over or around dam)	4.	The point of	of diversion is lo No. of Bange	cated	(Give dista	nce and bearing	to section cor	ner)	· • • • •
Design within the Give smallest legal subdivision) R. W. M., in the country of Tillamook (No. E. or W.) 5. The pipe line to be about 2500 feet miles in length, terminating in the Lot 3. of Sec. 2. Tp. 2. N. (No. N. or S.) R. 10 W. W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.) (No. E. or W.) 6. The name of the ditch, canal or other works is to Wheeler Manufacturing Co. Mill. (Co. now dead.) DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction Timber crib. (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)			, No OI Rango	10 W W W M M	11lamook	County, (Oregon.	**************************************	
R	being wit	hin the	Lot 2		of Sec	2	, Tp	2 N	
5. The pipe line to be about 2500 feet miles (Main ditch, canal or pipe line) in length, terminating in the Lot 3 of Sec. 2 , Tp. 2.N (No. N. or S.) R. 10 W (No. E. or W.) (No. E. or W.) 6. The name of the ditch, canal or other works is to Wheeler Manufacturing 30. Mill. (Co. now dead.) DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam feet, length on top feet, length at bottom 4 feet; material to be used and character of construction Timber crib. (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)	R	10 W	(Give smallest legal	subdivision)	Tillamoo	k		(No. N. or S.)	
in length, terminating in the Lot 3 of Sec. 2 , Tp. 2.N (Smallest legal subdivision) R. 10 W (No. E. or W.) (No. E. or W.) (No. E. or W.) (No. E. or W.) DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam feet, length on top feet, length at bottom 4 feet; material to be used and character of construction Timber crib. (No. N. or S.) (Pipe line from said creeks to Wheeler Manufacturing 30. Mill. (Co. now dead.) DESCRIPTION OF WORKS (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)	(No.	E. or W.)	nine line	nuncy 0/		5	shout 2500		
R			(Main dite	n, canal or pipe line)					
R	in length,	, terminating	g in the Lot	st legal subdivision)	of Sec	2	, Tp	2 N (No. N. or S.)	·
6. The name of the ditch, canal or other works is to Wheeler Manufacturing Co. Mill. (Co. now dead.) DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam feet, length on top feet, length at bottom 4 feet; material to be used and character of construction Timber crib. (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)	R	o w							
DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam feet, length on top feet, length at bottom 4 feet; material to be used and character of construction Timber crib. (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)		Ţ.	of the ditch cam	-1 +1		Pipe li	ine from s	said creeks	3
DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam feet, length on top feet, length at bottom 4 feet; material to be used and character of construction Timber crib. (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)								***************************************	
DIVERSION WORKS— 4 15 7. (a) Height of dam feet, length on top feet, length at bottom 4 feet; material to be used and character of construction Timber crib. (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)			· · · · · · · · · · · · · · · · · · ·	7. W.111. (OO.			•••••		
7. (a) Height of dam feet, length on top feet, length at bottom 4 feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)				DESCRIPTION	OF WORK	(S			
feet; material to be used and character of construction Timber crib. (Loose rock, concrete, masonry, rock and brush, timber crid, etc., wasteway over or around dam)	Diversion	N Works-							
masonry, rock and brush, timber crit, etc., wasteway over or around dam)	7.	(a) Heigh	t of dam	feet, len	gth on top	15	feet, l	ength at bot	tom
masonry, rock and brush, timber crit, etc., wasteway over or around dam)	4	feet;	material to be us	sed and character	of constru	ction			
······································			Timber Crib.						erete,
	masonry, ro	ck and brush, ti	mber crib, etc., wast						
······································	(b) Description	on of headgate						
					·		••••••		,

^{*} A different form of application is provided where storage works are contemplated. These forms can be secured without charge

CANAL	SYSTEM-
	CICIDIA

from headgate. At headgate: Width on top (at	water line)	feet; width on bottom
feet; depth of water	feet; grade	feet fall per one
thousand feet.		
(b) At miles from hea	dgaie. Width on top (at w	ater line)
feet; width on bottom	feet; depth of w	ater feet;
grade feet fall per one thouse	and feet.	
·····	·····	
FILL IN THE FOLLOWING INFORMA	TION WHERE THE WA	TER IS USED FOR:
IRRIGATION-		
9. The land to be irrigated has a total ar	ea of	acres, located in each
smallest legal subdivision, as follows:(Give area		
(Give area		
4		
······································		
	·	
(If more space roo	(uired, attach separate sheet)	
Power, Mining, Manufacturing, or Transpol	- · ·	
10. (a) Total amount of power to be der	veloped	theoretical horsepower.
(b) Total fall to be utilized	feet.	
(c) The nature of the works by med	Head)	be developed
(c) The nature of the serve of men		•
(d) Such works to be located in		of Sec.
(No. N. or S.) (No. E. or W.) (e) Is water to be returned to any s	tream? Yes. to Neh	alem River except steam
(f) If so, name stream and locate		
	$T_{\mathcal{D}}$	$(N_0, F, or W)$
, Sec	(No. N. or S.)	(110. 12. 01 11.)
(g) The use to which power is to be	applied is	

Mun	ICIPAL SUPPLY—	
	11. To supply the city of	
		ng a present population of,
and	an estimated population of	in 19
	(Answer questions 12, 13, 12. Estimated cost of proposed works, \$	
	13. Construction work will begin on or before	<u> </u>
	•	· before
	15. The water will be completely applied to the	ne proposed use on or before
	Duplicate maps of the proposed ditch or other	· works, prepared in accordance with the rules of
the S	State Water Board, accompany this application.	H. A. Bell,
	· .	(Name of applicant)
	-	
,	•	
	Signed in the presence of us as witnesses:	
(1)	A. A. Hall,	Tillamook, Ore.
(2)	(Nama)	(Address of Witness) Tillamook, Oregon.
(2)	(Name)	(Address of Witness)
	Remarks:	
C	$TE\ OF\ OREGON,\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	
*****	<u> </u>	
corre	ections, on or before February 9, 1924	
	WITNESS my hand this10 day	Jof January, 1924.
		Rhea Luper,
	-	L.A. State Engineer.

Application	No	9	2	6	7
ALPPUUUWUUUU	4 T U				

Permit No. 6176

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No
This instrument was first received in the office of the State Engineer at
Salem, Oregon, on the day
November _
of, 192,
at 8:30 o'clock A.M.
Returned to applicant for correction January 10, 1924.
Corrected application received February 2, 1924
Approved:
March 1st, 1924.
Recorded in Book No. 21 of
Permits, on Page6176.
RHEA LUPER.
State Engineer.

1 map ER

STATE OF OREGON,

\$8.00

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed
The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is November 19, 1923.
The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is November 19, 1923.
use and not to exceed cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is November 19, 1923.
rotation. The priority date of this permit is November 19, 1923.
rotation. The priority date of this permit is November 19, 1923.
thereafter be prosecuted with reasonable diligence and be completed on or before
June 1, 1926.
Complete application of the water to the proposed use shall be made on or before
October 1, 1927
WITNESS my hand thislstday ofMarch, 1924.
Rhea Luper.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.