

*Permit No. 6 2 6 5

5171

APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Fish Commission by Carl D. Shoemaker Master Fish Warden,
(Name of Applicant)
Portland, Multnomah
(Postoffice) County of
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Gate Creek
(Name of stream)

tributary of McKenzie River

2. The amount of water which the applicant intends to apply to beneficial use is
.5 under a priority of August 24, 1923 and
24.5 cubic feet per second. under a priority of March 17, 1924.

3. The use to which the water is to be applied is
Fish Hatchery & Feeding purposes.
(Irrigation, power, mining, manufacturing,
domestic supplies, etc.)

4. The point of diversion is located S 55° 47' E, 620.9 feet from the 1/4 section
(Give distance and bearing to section corner)
corner between Secs. 27 & 28 Tp. 16 S R 2 E

NE 1/4 SE 1/4 of Sec. 28
being within the NW 1/4 of SW 1/4 of Sec. 27, Tp. 16 S
(Give smallest legal subdivision) (No. N. or S.)
R. 2 E Lane
(No. E. or W.) W. M., in the county of

5. The flume to be one-fourth miles
(Main ditch, canal or pipe line)
in length, terminating in the NE 1/4 SE 1/4 of Sec. 28, Tp. 16 S
(Smallest legal subdivision) (No. N. or S.)
R. 2 E W. M., the proposed location being shown throughout on the accompanying map.
(No. E. or W.)

6. The name of the ditch, canal or other works is

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam 3 feet, length on top 120 feet, length at bottom
100 feet; material to be used and character of construction
Loose Rock and timber.
(Loose rock, concrete,
masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Timber 2 X 3.
(Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate. Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR:

IRRIGATION—

9. The land to be irrigated has a total area of acres, located in each smallest legal subdivision, as follows: (Give area of land in each smallest legal subdivision which you intend to irrigate)

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Total fall to be utilized ⁸ feet. (Head)

(c) The nature of the works by means of which the power is to be developed

(d) Such works to be located in ^{NW 1/4} of ^{SW 1/4} of Sec. ²⁷ (Legal subdivision)

Tp. ^{16 S} R. ^{2 E} W. M. (No. N. or S.) (No. E. or W.)

(e) Is water to be returned to any stream? Yes (Yes or No)

(f) If so, name stream and locate point of return ^{574° 50' W 403 feet from the 1/4} Sec. corner between Sec.s. ^{27 & 28} Tp. ^{16 S} R. ^{2 E} W. M. (No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is

(h) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(Answer questions 12, 13, 14 and 15 in all cases)

- 12. Estimated cost of proposed works, \$ 5,000.⁰⁰.....
- 13. Construction work will begin on or before Septebmer 1st, 1923.....
- 14. Construction work will be completed on or before December 1st, 1923.....
- 15. The water will be completely applied to the proposed use on or before
December 1st, 1923.

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Water Board, accompany this application.

Fish Commission of Oregon,
(Name of applicant)
by Carl D. Shoemaker,
Master Fish Warden.

Signed in the presence of us as witnesses:

- (1) M. T. Hoy, 1266 E 21st St. South, Portland, Ore.
(Name) (Address of Witness)
- (2) Margery B. Wilson, 1105 Gasco Bldg " "
(Name) (Address of Witness)

Remarks: All water taken runs through hatchery building and ponds and is then returned directly to the stream.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows:

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before

WITNESS my hand this day of

State Engineer.

Application No. 9 1 5 5

Permit No. 6265

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at

Salem, Oregon, on the 24 day of August, 1923, at 11:00 o'clock A.M.

Returned to applicant for correction

Corrected application received

Approved:

May 19, 1924

Recorded in Book No. 22 of Permits, on Page 6265

RHEA LUPER

State Engineer.

1 map ER

\$8.00

STATE OF OREGON,) ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from Gate Creek for propagation of fish.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 25.0 cubic feet per second, or its equivalent in case of August 24, 1923, for 0.5 second foot and rotation. The priority date of this permit is March 17, 1924 for 24.5 second feet.

Actual construction work shall begin on or before May 19, 1925 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1926

Complete application of the water to the proposed use shall be made on or before October 1, 1927

WITNESS my hand this 19th day of May 1924.

Rhea Luper

State Engineer.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.