

* Permit No. 6368

APPLICATION FOR A PERMIT

CERTIFICATE NO. 8189

To appropriate the Public Waters of the State of Oregon

I, Elmer Coleman (Name of Applicant)

of Milwaukie, R. 3, County of Clackamas

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Kellogg Creek in NW 1/4 of NW 1/4 of Sec. 8, and two springs in the W 1/2 of NW 1/4 Sec. 8, T. 2 S., R. 2 E., W.M. tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is Two springs 185/1000 from Creek 2/10 cubic feet per second. Total 385/1000. The entire flow,

3. The use to which the water is to be applied is Domestic and irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located Springs 200 and 267 ft. SE from initial point of 23 A. which point is South 654.72 ft. from the N.W. Cor. of Sec. 8. Thence E. 171.1 ft. to initial point. The diversion point from creek: South 1974 ft. E. 375 from N.W. Cor. Sec. 8,

being within the NE 1/4 NW 1/4 and SW 1/4 NW 1/4 of Sec. 8, Tp. 2 S., R. 2 E., W. M., in the county of Clackamas

5. The mostly gravity flow and to be pump or ram miles in length, terminating in the NW 1/4 NW 1/4 and SW 1/4 NW 1/4 of Sec. 8, Tp. 2 S., R. 2 E., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the ditch, canal or other works is no name

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam none feet, length on top feet, length at bottom feet; material to be used and character of construction no construction necessary

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate. Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR:

IRRIGATION—

9. The land to be irrigated has a total area of six (6) acres, located in each smallest legal subdivision, as follows:

(Give area of land in each smallest legal subdivision which you intend to irrigate)

1 acre in the NW 1/4 NW 1/4 and

5 acres in the SW 1/4 NW 1/4 of Sec. 8, T. 2 S., R. 2 E.W.M.

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Total fall to be utilized feet. (Head)

(c) The nature of the works by means of which the power is to be developed

(d) Such works to be located in of Sec. (Legal subdivision)

Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(e) Is water to be returned to any stream? (Yes or No)

(f) If so, name stream and locate point of return Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is

(h) The nature of the mines to be served

2 Application No. 9665.....

Permit No. 6368.....

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.....

This instrument was first received in the office of the State Engineer at

Salem, Oregon, on the 10 day

of July, 1924,

at 8:30 o'clock A.M.

Returned to applicant for correction

Corrected application received

Approved:

July 31, 1924.

Recorded in Book No. 22 of Permits, on Page 6368...

Rhea Luper,

1 Map ER State Engineer. \$8.90

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from Kellogg Creek and two springs tributary thereof in the NW 1/4 NW 1/4 of Section 8, T. 2 S., R. 2 E., W. M., for irrigation and domestic purposes.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.18 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is July 10, 1924.

Actual construction work shall begin on or before July 31, 1925 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1926

Complete application of the water to the proposed use shall be made on or before October 1, 1927.

WITNESS my hand this 31st day of July, 1924.

Rhea Luper, State Engineer.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.