

*Permit No. 6386

CERTIFICATE NO. 7529

APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Chas. F. Taylor (Name of Applicant) of Aumsville (Postoffice), County of Marion, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Beaver Creek and Mill Creek, (Name of stream)

tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.20 cubic feet per second.

3. The use to which the water is to be applied is irrigation. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located (Give distance and bearing to section corner)

being within the NW 1/4 SW 1/4 & SW 1/4 NW 1/4 of Sec. 26, and SE 1/4 NE 1/4 & SW 1/4 NE 1/4 of Sec. 27, Tp. 8 S., (Give smallest legal subdivision) (No. N. or S.)

R. 2 West, W. M., in the county of Marion, (No. E. or W.)

5. The pipe leads to be 200 feet -miles (Main ditch, canal or pipe line) irrigated in length, terminating in the See lands to be/ of Sec. 26 and 27, Tp. 8 S., (Smallest legal subdivision) (No. N. or S.)

R. 2 West, W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.)

6. The name of the ditch, canal or other works is Taylor Pumping System.

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete,

Water to be pumped from stream by portable Centrifugal pump, and spread over lands masonry, rock and brush, timber crib, etc., wasteway over or around dam) to be irrigated through 5 inch pipe.

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate. Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR:

IRRIGATION—

9. The land to be irrigated has a total area of 15 acres, located in each smallest legal subdivision, as follows:

(Give area of land in each smallest legal subdivision which you intend to irrigate)

- 1 acre in NW 1/4 SW 1/4 of sec. 26,
0.5 acre in SW 1/4 NW 1/4 of Sec. 26,
4 acres in NE 1/4 SE 1/4 of Sec. 27,
9.5 acres in SE 1/4 NE 1/4 of Sec. 27, T. 8 S., R. 2 West.

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Total fall to be utilized feet. (Head)

(c) The nature of the works by means of which the power is to be developed

(d) Such works to be located in of Sec., Tp., R., W. M. (Legal subdivision)

(e) Is water to be returned to any stream? (Yes or No)

(f) If so, name stream and locate point of return Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is

(h) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(Answer questions 12, 13, 14 and 15 in all cases)

12. Estimated cost of proposed works, \$ 300.

13. Construction work will begin on or before one year from date of approval.

14. Construction work will be completed on or before two years from date of approval.

15. The water will be completely applied to the proposed use on or before

..... three years from date of approval.

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Water Board, accompany this application.

Chas. F. Taylor

(Name of applicant)

Signed in the presence of us as witnesses:

(1) (Name) (Address of Witness)

(2) (Name) (Address of Witness)

Remarks: The areas to be irrigated within each forty acre tract as stated in question No. 9 have been estimated as approximately correct, but may be changed somewhat at the time of submitting final proof.

STATE OF OREGON, } ss.
County of Marion, }

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows:

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before

WITNESS my hand this day of

State Engineer.

²Application No. 9595

Permit No. 6386

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

District No.

*This instrument was first received
in the office of the State Engineer at*

Salem, Oregon, on the 16 day

of June, 1924.,

at 10:30 o'clock A.M.

Returned to applicant for correction

Corrected application received

Approved:

August 8, 1924.

Recorded in Book No. 22 of
Permits, on Page 6386

R H E A LUPER

State Engineer.

1 Map ER

\$5.25

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

*The right herein granted is limited to the appropriation of water from Beaver
Creek and Mill Creek for irrigation purposes.*

*The amount of water appropriated shall be limited to the amount which can be applied to beneficial
use and not to exceed 0.19 cubic feet per second, or its equivalent in case of
rotation. The priority date of this permit is June 16, 1924.*

*Actual construction work shall begin on or before August 8, 1925. and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
June 1, 1926.*

*Complete application of the water to the proposed use shall be made on or before
October 1, 1927.*

WITNESS my hand this 8th day of August, 1924.

Rhea Luper,

State Engineer.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.