

*Permit No. 6.4.2.6

CERTIFICATE NO. 6091

APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, Mrs. S. H. King, (Name of Applicant) of P.O. Box 306, Port Klamath (Postoffice), County of Klamath, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Wood River (Name of stream)

tributary of Klamath Lake

2. The amount of water which the applicant intends to apply to beneficial use is 0.04 cubic feet per second.

3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located About center of Lot 11, Sec. 10, Township 33 R 7 1/2 East in SE Qr. of NW 1/4 qr. of Sec. 10 (Give distance and bearing to section corner)

being within the SE 1/4 NW 1/4 of Sec. 10, Tp. 33 S (Give smallest legal subdivision) (No. N. or S.)

R. 7 1/2 East, W. M., in the county of Klamath (No. E. or W.)

5. The pipe line and hose to be less than 1/8 miles (Main ditch, canal or pipe line) in length, terminating in the SE 1/4 NW 1/4 of Sec. 10, Tp. 33 S (Smallest legal subdivision) (No. N. or S.)

R. 7 1/2 E, W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.)

6. The name of the ditch, canal or other works is

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction (Loose rock, concrete,

Water is pumped from the stream by means of a pump. masonry, rock and brush, timber crib, etc., wasteway over or around dam)

1 1/2 inches discharge, 2 inch suction.

Size of pipe:

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate. Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR:

IRRIGATION—

9. The land to be irrigated has a total area of 3 acres, located in each smallest legal subdivision, as follows:

(Give area of land in each smallest legal subdivision which you intend to irrigate) 3 acres in the SE 1/4 NW 1/4 of Sec. 10 T 33 S R 7 1/2 E.W.M.

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Total fall to be utilized feet. (Head)

(c) The nature of the works by means of which the power is to be developed

(d) Such works to be located in of Sec. (Legal subdivision)

Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(e) Is water to be returned to any stream? (Yes or No)

(f) If so, name stream and locate point of return

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is

(h) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(Answer questions 12, 13, 14 and 15 in all cases)

- 12. Estimated cost of proposed works, \$.....
- 13. Construction work will begin on or before One year from date of approval.
- 14. Construction work will be completed on or before Two years from date of approval.
- 15. The water will be completely applied to the proposed use on or before
Three years from date of approval.

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Water Board, accompany this application.

Hattie M. King
(Name of applicant)
Fort Klamath, Oregon.

Signed in the presence of us as witnesses:

- (1) Rose Cardwell, Ft. Klamath, Ore.
(Name) (Address of Witness)
- (2) Edward R. Cardwell, ""
(Name) (Address of Witness)

Remarks: Water is to be pumped direct from Wood River for irrigation of a
garden
three-acre tract, lying on both sides of the river. The water is pumped
through a pipe line to which hose with sprinkling device is attached.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows:

- Completion, fees, maps, signature.
- Question 9 and maps.

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before August 7, 1924.
September 1, 1924.

WITNESS my hand this 8 day of July, 1924
1 August, 1924.

Rhea Luper,
L.A. State Engineer.

Application No.....

Permit No..... 6426

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

District No.....

*This instrument was first received
in the office of the State Engineer at*

Salem, Oregon, on the7..... day

of July , 1924,

at 1:30 o'clock P.M.

Returned to applicant for correction
July 8th 1924

Corrected application received

July 23, 1924

Approved:

August 30, 1924.

Recorded in Book No. 22 of
Permits, on Page 6426

Rhea Luper

State Engineer.

1 map ER

\$3.45

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from Wood
River for irrigation purposes.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.04 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is July 7, 1924.

Actual construction work shall begin on or before August 30, 1925 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1926

Complete application of the water to the proposed use shall be made on or before October 1, 1927

WITNESS my hand this 30th day of August, 1927

Rhea Luper.

State Engineer.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.