

*Permit No. 6444

ABSTRACT MADE

APPLICATION FOR A PERMIT CERTIFICATE NO. 11696

To Appropriate the Public Waters of the State of Oregon

I, Peoples Warehouse
 (Name of Applicant)
 of Pendleton, County of Umatilla,
 (Postoffice)
 State of Oregon, do hereby make application for a permit to appropriate the
 following described public waters of the State of Oregon subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is McKay Creek
 (Name of stream)

tributary of Umatilla River

2. The amount of water which the applicant intends to apply to beneficial use is
0.52 cubic feet per second.

3. The use to which the water is to be applied is Irrigation
 (Irrigation, power, mining, manufacturing,
 domestic supplies, etc.)

4. The point of diversion is located South 450 ft. from $\frac{1}{4}$ corner on east side Sec. 5,
 (Give distance and bearing to section corner)
and pump about 900 ft. North of center of Sec. 5 Tp. 1 S R 33 E.

being within the NE $\frac{1}{4}$ SE $\frac{1}{4}$ & SE $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 5, Tp. 1 S
 (Give smallest legal subdivision) (No. N. or S.)
 R. 33 E, W. M., in the county of Umatilla
 (No. E. or W.)

5. The main ditch & pipe line to be 0.8 miles
 (Main ditch, canal or pipe line)
 in length, terminating in the SE $\frac{1}{4}$ NW $\frac{1}{4}$ & NE $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 5, Tp. 1 S
 (Smallest legal subdivision) (No. N. or S.)
 R. 33 E, W. M., the proposed location being shown throughout on the accompanying map.
 (No. E. or W.)

6. The name of the ditch, canal or other works is Peoples Warehouse Ditch

DESCRIPTION OF WORKS

DIVERSION WORKS— Small concrete dam in creek.

7. (a) Height of dam _____ feet, length on top _____ feet, length at bottom
 _____ feet; material to be used and character of construction _____
 (Loose rock, concrete,
 masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Concrete box with wood gate.
 (Timber, concrete, etc., number and size of openings)

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

6444(a)

CANAL SYSTEM— About 2 ft. wide & 1 ft. deep, fall 0.2 per 100 ft.

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate. Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR:

IRRIGATION—

9. The land to be irrigated has a total area of 41 acres, located in each smallest legal subdivision, as follows:

(Give area of land in each smallest legal subdivision which you intend to irrigate)

6 acres in NE 1/4 NW 1/4

30 acres SE 1/4 NW 1/4, and

5 acres in NW 1/4 SE 1/4, All in Sec. 5 Tp 1 S R 33 E. W.M.

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Total fall to be utilized feet. (Head)

(c) The nature of the works by means of which the power is to be developed

(d) Such works to be located in of Sec. (Legal subdivision)

Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(e) Is water to be returned to any stream? (Yes or No)

(f) If so, name stream and locate point of return

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is

(h) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(Answer questions 12, 13, 14 and 15 in all cases)

12. Estimated cost of proposed works, \$ 200.00

13. Construction work will begin on or before Sept. 1st, 1925

14. Construction work will be completed on or before Sept. 1st, 1927

15. The water will be completely applied to the proposed use on or before
Sept. 1st, 1927.

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Water Board, accompany this application.

Peoples Warehouse,

(Name of applicant)

Pendleton, Oregon.

Signed in the presence of us as witnesses:

(1) Aubrey E. Perry, Pendleton, Oregon.
(Name) (Address of Witness)

(2) Henry Pelmulder, Echo, Ore.
(Name) (Address of Witness)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows:

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before

WITNESS my hand this day of

State Engineer.

Application No. 9 7 4 7

Permit No. 6444

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.

This instrument was first received in the office of the State Engineer at

Salem, Oregon, on the 11 day of August, 1924, at 8:30 o'clock A.M.

Returned to applicant for correction

Corrected application received

Approved:

September 6 1924.

Recorded in Book No. 22 of Permits, on Page 6444

RHEA LUPER

1 map ER \$9.15 State Engineer.

STATE OF OREGON,) ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from McKay Creek for irrigation purposes.

The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 0.51 cubic feet per second, or its equivalent in case of rotation. The priority date of this permit is August 11, 1924.

Actual construction work shall begin on or before September 6, 1925, and shall thereafter be prosecuted with reasonable diligence and be completed on or before

June 1, 1926. EXTENDED TO 10/1/27 10/1/28 10/1/29

Complete application of the water to the proposed use shall be made on or before

Extended to Oct. 1, 1934 Extended to Oct. 1, 1936

October 1, 1927 EXTENDED 10/1/28 10/1/29

WITNESS my hand this 6th day of September, 1924

Extended to Oct. 1, 1931 Extended to Oct. 1, 1932 Extended to Oct. 1, 1933

Rhea Luper State Engineer. Extended to Oct. 1, 1934 Extended to Oct. 1, 1935 Extended to Oct. 1, 1936

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws. This form approved by the State Water Board, March 11, 1909.