APPLICATION FOR A PERMIT

CERTIFICATE NO. 7220

To Appropriate the Public Waters of the State of Oregon

State of Oregon subject to a permit to appropriate the following described public waters of the State of Oregon subject to existing rights: If the applicant is a corporation, give date and place of incorporation Not incorporated. 1. The source of the proposed appropriation is Spring Graek. (Name of stream) **Tributary of Bear Creek** 2. The amount of water which the applicant intends to apply to beneficial use is O.64 cubic feet per second. 3. The use to which the water is to be applied is Irrigating and for fish and ice pond. (Irrigation, power, mining, manufacturing trigating and for fish and ice pond. 4. The point of diversion is located No Survey (Cive distance and bearing to section corner) **Desing within the NEA NEA (No. N. or E.) **Desing within the NEA NEA (No. N. or E.) **End of the Casa and or pipe line) in length, terminating in the Nea (Smallest legal subdivision) of Sec. 11 , Tp. 1 N (No. N. or E.) **End of the Main Allen, canal or pipe line) in length, terminating in the (Main Allen, canal or pipe line) in length, terminating in the (Main Allen, canal or pipe line) in length, terminating in the (Main Allen, canal or pipe line) in length, terminating in the (Main Allen, canal or pipe line) in length, terminating in the (Main Allen, canal or pipe line) in length, terminating in the (Main Allen, canal or pipe line) in length, terminating in the (Main Allen, canal or pipe line) in length, terminating in the (Main Allen, canal or pipe line) in length, terminating in the (Main Allen, canal or pipe line) in length, terminating in the (Main Allen, canal or pipe line) in length, terminating in the (Main Allen, canal or pipe line) in length, terminating in the (Main Allen, canal or pipe line) in length, terminating in the (Main Allen, canal or pipe line) in length, terminating in the (Main Allen, canal or pipe line) in length, terminating in the (Main Allen, canal or pi	- C	Wallowa,	(Name of App		# ^73 ^-			
State of Oregon	of		***************************************	, County of	Wallov	V21.		
If the applicant is a corporation, give date and place of incorporation Not incorporated. 1. The source of the proposed appropriation is Bear Creek 2. The amount of water which the applicant intends to apply to beneficial use is O.64 cubic feet per second. 3. The use to which the water is to be applied is Irrigating and for fish and ice pond. (Irrigation, power, mining, manutacturing trigating and for fish and ice pond. 4. The point of diversion is located No survey (Give distance and bearing to section corner) being within the NE4 NE4 (Give smallest legal subdivision) of Sec. 15 , Tp. 1 N (No. N. or S.) R. 42 E , W. M., in the county of Wallowa (Give smallest legal subdivision) of Sec. 11 , Tp. 1 N (No. N. or S.) 5. The ditch (Cainal office, canal or pipe line) in length, terminating in the SW2 SW2 (Give distance and bearing to section corner) in length, terminating in the SW2 SW2 (Give distance and bearing to section corner) 6. The name of the ditch, canal or other works is Billings Ditch DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 6 feet, length on top 600 feet, length at botton for feet, material to be used and character of construction Waste over headgate. (Locae rock, conserved, maneonry, rock and brush, timber crim, etc., wasteway over or around dam)	State of							
Not incorporated. 1. The source of the proposed appropriation is Bpring Steak. (Name of stream) Bear Creek 2. The amount of water which the applicant intends to apply to beneficial use is O.64 cubic feet per second. 3. The use to which the water is to be applied is Irrigating and for fish and ice pond. (Cirrigation, power, mining, manufacturing irrigating and for fish and ice pond. (Cive distance and bearing to section corner) being within the NEA NEA (Cive smallest legal subdivision) R. 42 E (Cive smallest legal subdivision) S. The ditch (S.N. E. or W.) 5. The ditch (Son E. or W.) 6. The name of the ditch, canal or pipe line) in length, terminating in the SNA SULUS (Son E. or W.) 6. The name of the ditch, canal or other works is Billings Ditch DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 5 feet, length on top 500 feet, length at botton 600 feet; material to be used and character of construction Dirt. Waste over headgate. (Lone rock, concrete manager)	following	described public waters	of the State of Orego	n subject to exist	ting rights:			
1. The source of the proposed appropriation is Spring Srask (Name of stream) tributary of Bear Creek 2. The amount of water which the applicant intends to apply to beneficial use is	If	the applicant is a corpor	ation, give date and pl	ace of incorporat	ion			
tributary of Bear Creek 2. The amount of water which the applicant intends to apply to beneficial use is O.64 cubic feet per second. 3. The use to which the water is to be applied is Irrigating and for fish and ice pond. Give distance and bearing to section corner) 4. The point of diversion is located No survey (Give distance and bearing to section corner) being within the NEA NEA (Give smallest legal subdivision) R. 42 E W, M, in the county of Wallowa (No. E. or W.) ditch to be 1/8 miles in length, terminating in the SWA SWA (Swallest legal subdivision) R. 42 E (Smallest legal subdivision) C. (No. E. or W.) 6. The name of the ditch, canal or other works is Billings Ditch DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 5 feet, length on top 600 feet, length at botton 600 feet; material to be used and character of construction Waste over headgate. Machine free discountered for the construction (Loose rock, concrete missoury, rock and brush, timber orth, etc. westeway over or around dam)		Not in	ncorporated.					
### Bear Creek 2. The amount of water which the applicant intends to apply to beneficial use is O.64 cubic feet per second. 3. The use to which the water is to be applied is Irrigating and for fish and ice pond. (Irrigation, power, mining, manufacturing to section corner) 4. The point of diversion is located **No survey** 4. The point of diversion is located **No survey** (Give distance and bearing to section corner) being within the **No. E or W.** **O Survey** (Give distance and bearing to section corner) **Description** **O Survey** **O Survey** (Give distance and bearing to section corner) **No. E or W.** **O Survey** (No. N. or S.) **In Main ditch, canal or pipe line) in length, terminating in the **Survey** (Smallest legal subdivision) **O Sec. 11				(N	(ame of stream)			
O.64 cubic feet per second. 3. The use to which the water is to be applied is Irrigating and for fish and ice pond. (Give distance and bearing to section corner) 4. The point of diversion is located No survey (Give distance and bearing to section corner) being within the NE4 NE4 (Give smallest legal subdivision) R. 42 E , W. M., in the county of Wallowa (No. E or W.) 5. The ditch (Smallest legal subdivision) (Main ditch, canal or pipe line) in length, terminating in the SV4 SW4 (Smallest legal subdivision) R. 42 E , W. M., the proposed location being shown throughout on the accompanying map. 6. The name of the ditch, canal or other works is Billings Ditch DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 6 feet, length on top 600 feet, length at botton 600 feet; material to be used and character of construction Waste over headgate. (Loose rock, concrete masonry, rock and brush, timber crib, etc., wasteway over or around dam)			•					
S. The use to which the water is to be applied is Irrigating and for fish and ice pond. Omestic supplies, etc.) 4. The point of diversion is located	2.	The amount of water w	hich the applicant inte	nds to apply to be	eneficial use is			
Irrigating and for fish and ice pond. (Irrigation, power, mining, manufacturing domestic supplies, etc.) 4. The point of diversion is located	•••••	0.64 cubic feet	per second.			$\mathbf{s}_{i} = (s_{i})^{T}$		
Irrigating and for fish and ice pond. (Irrigation, power, mining, manufacturing domestic supplies, etc.) 4. The point of diversion is located	3.	The use to which the we	ater is to be applied is			***************************************		
being within the NE4 NE4 Of Sec. 15 Tp. 1 N (No. N. or S.) R. 42 E W. M., in the county of Wallows (No. E. or W.) 5. The ditch to be 1/8 miles (Main ditch, canal or pipe line) in length, terminating in the SW2 SW4 (Smallest legal subdivision) R. 42 E W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.) 6. The name of the ditch, canal or other works is Billings Ditch DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 6 feet, length on top 600 feet; material to be used and character of construction Waste over headgate. (Loose rock, concrete massonry, rock and brush, timber crib, etc., wasteway over or around dam)				(1	rrigation, power, n	nining, manufacturing		
being within the NE4 NE4 (Give smallest legal subdivision) of Sec. 15 , Tp. 1 N (No. N. or S.) R. 42 E , W. M., in the county of Wallows (No. E. or W.) 5. The ditch to be 1/8 miles (Main ditch, canal or pipe line) of Sec. 11 , Tp. 1 N (No. N. or S.) R. 42 E , W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.) 6. The name of the ditch, canal or other works is Billings Ditch DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 6 feet, length on top 600 feet; material to be used and character of construction Waste over headgate. (Loose rock, concrete massonry, rock and brush, timber crib, etc., wasteway over or around dam)	domestic su	pplies, etc.)	·					
being within the NE4 NE4 Of Sec. 15 Tp. 1 N (No. N. or S.) R. 42 E W. M., in the county of Wallows (No. E. or W.) 5. The ditch to be 1/8 miles (Main ditch, canal or pipe line) in length, terminating in the SW2 SW4 (Smallest legal subdivision) R. 42 E W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.) 6. The name of the ditch, canal or other works is Billings Ditch DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 6 feet, length on top 600 feet; material to be used and character of construction Waste over headgate. (Loose rock, concrete massonry, rock and brush, timber crib, etc., wasteway over or around dam)	4.	The point of diversion i	s located No si	ırvey				
R. 42 E , W. M., in the county of Wallowa (No. E. or W.) 5. The ditch to be 1/8 mile. (Main ditch, canal or pipe line) in length, terminating in the SW2 SW4 (Smallest legal subdivision) R. 42 E , W. M., the proposed location being shown throughout on the accompanying map. (No. E. or W.) 6. The name of the ditch, canal or other works is Billings Ditch DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam 6 feet, length on top 600 feet, length at bottom 600 feet; material to be used and character of construction Waste over headgate. (Loose rock, concrete massenry, rock and brush, timber crib, etc., wasteway over or around dam)				(Give distance and be	aring to section co	rner)		
DESCRIPTION OF WORKS DIVERSION WORKS— 7. (a) Height of dam	R. 42 (No. 5. in length	E. or W.) The ditch (Main , terminating in the SV (Sr	ditch, canal or pipe line)	Wallowa to be	1/8, <i>Tp</i>			
7. (a) Height of dam6 feet, length on top 600 feet, length at bottom 600 peet; material to be used and character of construction Waste over headgate. Masonry, rock and brush, timber crib, etc., wasteway over or around dam)	6.	The name of the ditch,	canal or other works i	3 Billings	Ditch			
feet; material to be used and character of construction Waste over headgate. masonry, rock and brush, timber crib, etc., wasteway over or around dam)			DESCRIPTION O	F WORKS				
feet; material to be used and character of construction Waste over headgate. Masonry, rock and brush, timber crib, etc., wasteway over or around dam)		N WORKS—		•				
feet; material to be used and character of construction Waste over headgate. Masonry, rock and brush, timber crib, etc., wasteway over or around dam)	Diversio		6 feet, leng	th on top 600	feet.	length at botton		
Waste over headgate. masonry, rock and brush, timber crib, etc., wasteway over or around dam)		(a) Height of dam	, , ,					
	7.		a wood and abaractor o	faconstruction				
(b) Description of headgate	7. 600	O feet; material to b				(Loose rock, concrete		
(b) Description of headgate	7. 600	O feet; material to b				(Loose rock, concrete		
(Timber, concrete, etc., number and size of openings)	7. 600 masonry, ro	feet; material to b Waste over head ook and brush, timber crib, etc.,	dgate. wasteway over or around dar	n)	<u></u>	(Loose rock, concrete		

^{*} A different form of application is provided where storage works are contemplated. These forms can be secured without charge cogether with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM-

feet fall per one	feet; grade	feet; depth of water
		housand feet.
r line)	Width on top (at water	(b) At miles from headgate.
	\$	feet; width on bottom
•		rade feet fall per one thousand fee
	······	
	•••••	······································
R IS USED FOR:	WHERE THE WATER	FILL IN THE FOLLOWING INFORMATION
		RRIGATION—
acres, located in each	<u>8, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,</u>	9. The land to be irrigated has a total area of
w which you intend to imigate	in each smallest legal subdivision	mallest legal subdivision, as follows:
J. Billings' property	R 42 E.W.M. N. J.	5 acres in SW_{4}^{1} SW_{4}^{1} Sec. 11 T 1 N I
	n n)	3 acres in $NE_4^1 NE_4^1$ Sec. 15 " "
L. Maxwell property.	") J. L.	3 acres in $NE_4^1 NE_4^1$ Sec. 15 "" Pond in """ """
·		······································
	tach separate sheet)	(If more space required, at
	tach separate sheet)	
	tach separate sheet) N PURPOSES—	(If more space required, attended on the control of
	tach separate sheet) N PURPOSES—	(If more space required, att
theoretical horsepower	tach separate sheet) N PURPOSES— feet.	(If more space required, attended on the control of
theoretical horsepower	tach separate sheet) N PURPOSES— feet. which the power is to be de	(If more space required, attempted, Manufacturing, or Transportation 10. (a) Total amount of power to be developed (b) Total fall to be utilized(Head) (c) The nature of the works by means of utilized in(d) Such works to be located in
theoretical horsepower developed	tach separate sheet) N PURPOSES— feet. which the power is to be decomposed to be	(d) Such works to be located in
theoretical horsepower developed	tach separate sheet) N PURPOSES— feet. which the power is to be decomposed to be	(d) Such works to be located in
theoretical horsepower developed	tach separate sheet) N PURPOSES— feet. which the power is to be de Legal subdivision)	(d) Such works to be located in
theoretical horsepower	tach separate sheet) N PURPOSES— feet. which the power is to be de Legal subdivision) (Yes or No) of return	(If more space required, atterprise and coate point of the works by means of the works to be located in
theoretical horsepower developed	tach separate sheet) N PURPOSES— feet. which the power is to be de Legal subdivision) (Yes or No) of return (No. N. or S.)	(If more space required, atterprise of the works by means of using the following of the works by means of using the following of the works to be located in the works of the works of the works of the works of using the works of the works of the works of using the works of the wo

MUNICIPAL SUPPLY—	
11. To supply the city of	
	y, having a present population of,
nd an estimated population of	in 19
(Answer question 12. Estimated cost of proposed works,	ns 12, 13, 14 and 15 in all cases) \$ 25 on ditch. \$700 dam, already constructed
	before One year.
	ed on or before
15. The water will be completely applied	ed to the proposed use on or before
Duplicate maps of the proposed ditch o	or other works, prepared in accordance with the rules of
ne State Water Board, accompany this applic	
	N. J. Billings,
	(Name of applicant) J. L. Maxwell
	· · · · · · · · · · · · · · · · · · ·
Signed in the presence of us as witness C. H. Thorp	ses: Wallowa, Oreg.
1)(Name)	(Address of Witness)
2)	,
	(Address of Witness)
TATE OF OREGON,	
County of Marion, ss.	
This is to certify that I have examined	the foregoing application, together with the accompanying
naps and data, and return the same for correction.	
For answer to Question No. 4,	and map and iees.
1	
	oplication must be returned to the State Engineer, with
orrections, on or beforeJune	
WITNESS my hand this2	
	Rhea Luper,
	ER State Engineer.

8

Application	No	1	0	1	4	6
	1 ¥ 1/a.		•	_	_	•

6727 Permit No.....

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No.
This instrument was first received in the office of the State Engineer at
Salem, Oregon, on the30 day
ofApril, 192 5
at 1:30 o'clock P.M.
Returned to applicant for correction
May 2, 1925.
Corrected application received
May 7, 1925.
Approved:
May 25, 1925.
Recorded in Book No. 23 of
Permits, on Page 6 7 2 7
RHEA LUPER
State Engineer.

\$9.20

STATE OF OREGON,)

			•	ss.
County	of	Marion,		

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

	Par Hololi Stanfe	7 12 11W1060 00	tue app	ropriation of water	irom opring creek
for ir	rigation purposes	and supply for	fish and	d ice pond.	
	······································				
Th	re amount of water app	propriated shall be	limited to	the amount which can be	applied to beneficial
use and a	not to exceed	0.64	cul	bic feet per second, or its	equivalent in case of
rotation.	The priority date of	this permit is	••••••	April 30, 1925	
	ctual construction wor				and shall
				completed on or before	
				June 1, 1927	
$C\epsilon$	omplete application of	the water to the	proposed i	ıse shall be made on or b	efore
	*************************			October 1, 1928	
W	ITNESS my hand the	25th	dan of	May, 1925.	
				Rhea Luper	

State Engineer.