APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

of La Grande, (Name of applicant) State of Oregon (Postotilice) State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Mill Creek, Hulick Branch of Mill Creek and springs located in the Northwest quarter of the Northwest quarter of Sec. 16. T. 3. S. R. 40 K.W.K. 2. The amount of water which the applicant intends to apply to beneficial use is two cubic feet per second. 3. The use to which the water is to be applied is (Irrigation, power, unions, manufacturing, domestic supplies, etc.) I. The points of diversion is located and 6 rods East of the center of Sec. 16 Tp. 3. S. R. 40 K.W.K., being within the lww Northwest and 6 rods East of the center of Sec. 16 Tp. 3. S. R. 40 K.W.K., being within the lww Northwest of Sec. 16 Tp. 3. S. R. 40 K.W.K., being within the lww Northwest of Sec. 16 Tp. 3. S. R. 40 K.W.K., being within the low of Sec. 16 Tp. 3. S. R. 40 K.W.K., being within the low of Sec. 16 Tp. 3. S. R. 40 K.W.K., being within the low of Sec. 16 Tp. 3. S. R. 40 K.W.K., being within the low of Sec. 16 Tp. 3. S. R. 40 K.W.K., being within the low of Sec. 16 Tp. 3. S. R. 40 K.W.K., being within the low of Sec. 16 Tp. 3. S. R. 40 K.W.K., being within the low of Sec. 16 Tp. 3. S. R. 40 K.W.K., being within the low of Sec. 16 Tp. 3. S. R. 40 K.W.K., being within the low of Sec. 16 Tp. 3. S. R. 40 K.W.K., being within the south line of Said Section 16, the second diversion four rode sout and 4 Pods seat of the quarter of Sec. 16 Tp. 3. S. R. 40 K.W.K., being with the second diversion four rode sout supplies the second diversion four rode sout supplies in the second diversion four rode sout suppli	I	O. E. Silverthon				
State of	1,		(Name of applicant)		
State of	of	La Grande,	, C	ounty of	Union	-,
1. The source of the proposed appropriation is Mill Creek, Hulick Branch of Mill Creek and springs located in the Northwest quarter of the Northest quarter of Sec. 16, tribulary of Catherine Greek. 2. The amount of water which the applicant intends to apply to beneficial use is two cubic feet per second. 3. The use to which the water is to be applied is (Irrigation, power, missig, manufacturing, domestic supplies, etc.) Irrigetion (as follows: 1. From the springs about 120 rods North The property of the water is to be applied is (Irrigation, power, missig, manufacturing, domestic supplies, etc.) Irrigetion (as follows: 1. From the springs about 120 rods North The property of the water of said session, power, missig, manufacturing, domestic supplies, etc.) Irrigetion (as follows: 1. From the springs about 120 rods North The property of the water to triget and 6. rods East of the center of Sec. 16 Tp. 3 S. R. 40 E.W.M., being within the NW NW 10 of said session, and bearing no section can be contained to the section of the center of said Section 16, and then various points on the land of applicant wherever he finds it necessary to divert water to trigets any of his lands, the stream being small, acts as an irrigat ditch. 3. From Mill Creek, one diversion point 6 rods south and 4 rods east of the was added to proper the south line of said section 16, the second diversion four rods south and did property of the said quarter corner on the synthyline of said Section 16, being with the said section 16, being wi	State of	(Postoffice) Oregon	, do hereby make app	lication for a	permit to appropriate th	e
1. The source of the proposed appropriation is Mill Greek, Hulick Branch of Mill Greek and springs located in the Northwest quarter of the Northest quarter of Sec. 16, tribulary of Gatherine Greek. 2. The amount of water which the applicant intends to apply to beneficial use is two cubic feet per second. 3. The use to which the water is to be applied is (trigation, power, mining, manufacturing, domestic supplies, etc.) Irrigation (as follows: 1. From the springs about 120 rods North The portago of diversion of located and 6 rods Sast of the center of Sec. 16 Th. 3 S. R. AO E.W.M., being within the NW PS of said sweeting water to section one for the control of said section 16, and then various points on the land of applicant wherever he finds it necessary to divert water to trigests any of his India, the stream being small, sets as an ifrigat ditch. 3. From Mill Creek, one diversion point 6 rods south and 4 rods east of the water of trigests any of his India, the stream being small, sets as an ifrigat ditch. 3. From Mill Creek, one diversion point 6 rods south and 4 rods east of the water of trigests any of his India, the stream being small, sets as an ifrigat ditch. 3. From Mill Creek, one diversion point 6 rods south and 4 rods east of the water of the water to corner rods the south line of said section 16, the second diversion for rods south and 4 prods east of said quarter corner on the spyth, line of said Section 18, being with New Corner (South Marketter of Control of the Section 21 of the Section 22 of the water of Section 23 of the water of Section 24 of Section 25 of Section	following des	cribed public waters of the	e State of Oregon, subject	t to existing r	rights:	
and springs located in the Northwest quarter of the Northeast quarter of Sec. 16. T3. S. R 40 K.W.M. 2. The amount of water which the applicant intends to apply to beneficial use is two cubic feet per second. 3. The use to which the water is to be applied is (Irrigation, power, unions, manufacturing, domestic supplies, etc.) Irrigation (as follows: 1. From the springs about 120 rods Nort 1. The prings of diversion is located; and 6 rods East of the center of Sec. 16 Tp. 3 S. R. 40 E.W.M., Deling within the NW RE of said sequiphies and bearing to section comes) 2. From Muliak Branch, one diversion located, 60, rods, south of the center of. said. Section 16, and then various points on the land of applicant wherever he finds it necessary to divert water to irrigate any of his lands, the stream being small, acts as an irrigat ditch. 3. From Mill Oresk, one diversion point 6 rods south and 4 rods sast of the was corner located on the south line of said section 16, the second diversion four rods southend within the south line of said section 16, the second diversion four rods southend within the south line of said section 16, the second diversion four rods southend within the south line of said section 16, the second diversion four rods southend within the second diversion four rods southend within the second diversion four rods southern the second diversion four rods for the sec	If the i	applicant is a corporation,	give date and place of in	acorporation .		- -
2. The amount of water which the applicant intends to apply to beneficial use is two cubic feet per second. 3. The use to which the water is to be applied is Irrigation (as follows: L. From the springs about 120 rods Nort 1. The provise of diversion is located and 5 rods East of the center of Sec. 16 Tp. 2 S. R 40 E.W.M., being within the NN NE of said seleptimane and bearing to section corner) 2. From Hulick Branch, one diversion located 50 rods south of the center of said Section 16, and then various points on the land of applicant wherever he finds it necessary to divert water to irrigate any of his lands, the stream being small, asts as an Irrigat ditch. 3. From Mill Creek, one diversion point 6 rods south and 4 rods east of the water and 40 rods, least of said quarter corner on the springline of said Section 16, the second diversion four rods south and 40 rods, least of said quarter corner on the springline of said Section 16, being with (Give smallest legal middivision) (Give smallest legal middivision) (No. N. or S.) 5. The main ditches (Main ditch, canal or pipe line) 5. The main ditches (Main ditch, canal or pipe line) (Mo. E. or W.) 6. The name of the ditch, canal or other works is Allen Pitchesa DESCRIPTION OF WORKS DIVERSION WORKS— Temporary earth dams each year. 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate 7. The province of the ditch, can round dam)	1. The	e source of the proposed an	opropriation is Mill Cothwest quarter of th	reek, Huli Name	ck Branch of Mill Cra of stream) t quarter of Sec. 16,	ek
two cubic feet per second. 3. The use to which the water is to be applied is Irrigation A. The follows:	T 3. S. F	40 E.W.M.	, or to war y of	Catherin	e Greek	••
Irrigation (as follows: 1. From the springs about 120 rods Nort 4. The points of diversion is located and 6 rods East of the center of Sec. 16 Tp. 3 S. R 40 E.W.M., being within the NW 1NE of said sesticingnes and bearing to section corner) 2. From Hulick Branch, one diversion located 60 rods south of the center of said Section 16, and then various points on the land of applicant wherever he finds it necessary to divert water to irrigate any of his lands, the stream being small, acts as an irrigat of diversion to divert water to irrigate any of his lands, the stream being small, acts as an irrigat ditch. 3. From Mill Creek, one diversion point 6 rods south and 4 rods east of the was corner located on the south line of said section 16, the second diversion four rods south and 40 states of said quarter corner on the south-line of said Section 16, being with section within the control of said section 18, with the control of section 18, with the control of section 18, with section 18, with section 19, with the control of section 21, with the sect	2. The	e amount of water which t	he applicant intends to an	pply to benef	icial use is	
ringation are (as follows: 1. From the springs about 120 rods Nort 1. The powers of diversion is located and 6 rods East of the center of Sec. 16 Tp. 3 S. R 40 E.W.M., being within the NW NB of said sentionnee and bearing to section corner) 2. From Hulick Branch, one diversion located 60 rods south of the center of said Section 16, and then various points on the land of applicant wherever he finds it necessary to divert water to irrigate any of his lands, the stream being small, acts as an irrigat ditch. 3. From Mill Creek, one diversion point 6 rods south and 4 rods east of the water corner located on the south 11ne of said section 16, the second diversion four rods south and 4. rods, east of said quarter corner on the south line of said Section 16, being with land 4. rods, east of said quarter corner on the south line of said Section 16, being with land 4. rods, east of said quarter corner on the south line of said Section 16, being with land 4. rods, east of said quarter corner on the south line of said Section 16, being with land 10 follows smallest legal subdivision) (No. E or W.) 5. The main ditches (Main ditch, canal or pipe line) (Mo. E or W.) 6. The name of the ditch, canal or other works is Allen Ditches. DESCRIPTION OF WORKS DIVERSION WORKS— Temporary earth dams each year. 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) Will put in timber headgates where required.	two	cubic feet per	second.			
ringation are (as follows: 1. From the springs about 120 rods Nort 1. The powers of diversion is located and 6 rods East of the center of Sec. 16 Tp. 3 S. R 40 E.W.M., being within the NW NB of said sentionnee and bearing to section corner) 2. From Hulick Branch, one diversion located 60 rods south of the center of said Section 16, and then various points on the land of applicant wherever he finds it necessary to divert water to irrigate any of his lands, the stream being small, acts as an irrigat ditch. 3. From Mill Creek, one diversion point 6 rods south and 4 rods east of the water corner located on the south 11ne of said section 16, the second diversion four rods south and 4. rods, east of said quarter corner on the south line of said Section 16, being with land 4. rods, east of said quarter corner on the south line of said Section 16, being with land 4. rods, east of said quarter corner on the south line of said Section 16, being with land 4. rods, east of said quarter corner on the south line of said Section 16, being with land 10 follows smallest legal subdivision) (No. E or W.) 5. The main ditches (Main ditch, canal or pipe line) (Mo. E or W.) 6. The name of the ditch, canal or other works is Allen Ditches. DESCRIPTION OF WORKS DIVERSION WORKS— Temporary earth dams each year. 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) Will put in timber headgates where required.	3. The	e use to which the water is	s to be applied is			
(as follows: 1. From the springs about 120 rods North In The Power of Mineral and 6 rods East of the center of Sec. 16 Tp. 3 S. R 40 E.W.M., being within the NM NE of said sectionare and being to section corner) 2. From Hulick Branch, one diversion located 60 rods south of the center of said Section 16, and then various points on the land of applicant wherever he finds it necessary to divert water to irrigate any of his lands, the stream being small, acts as an irrigat ditch. 3. From Mill Creek, one diversion point 6 rods south and 4 rods east of the qua corner located on the south line of said section 16, the second diversion four rods sout and 40 rods east of said quarter corner on the spytheline of said Section 16, being with NM				power, mining, m	anufacturing, domestic supplies, etc.	.)
to divert water to irrigate any of his lands, the stream being small, acts as an irrigate ditch. 3. From Mill Creek, one diversion point 6 rods south and 4 rods east of the qua corner losated on the south line of said section 16, the second diversion four rods sout and 40 rods, east of said quarter corner on the sypthe line of said Section 16, being with the county of the property of the first of said Section 16, being with the county of the second diversion four rods sout the south of the county of the second diversion four rods sout on the south of the second diversion four rods sout the second diversion 16, being with the second diversion 16, being with the second diversion 16, being with the second diversion 16, being south south second diversion 16, being south south second diversion 16, being south south second second diversion 16, being south	e. From Hu	various e points of diversion is loca being within the NW4 ulick Branch, one dive	(as follows: 1. ted(and 6 rods East NE of said sections ersion located 60 rod	of the cen nce and bearing is south of	ter of Sec. 16 Tp. 3 to section corner) the center of said \$	S. R ec-
5. The main ditches (Main ditch, canal or pipe line) (No. It is is shown on the accompanying map attached here (No. N. or S.) (No. E. or W.) (No. E. or W.) 6. The name of the ditch, canal or other works is Allen Ditches. DESCRIPTION OF WORKS DIVERSION WORKS— Temporary earth dams each year. 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Will put in timber headgates where required.	being within on NW1 NE1 of	Section 21 m the county	former on the solition	ine or sa المرا	ald Section 15, being	south within
miles in length, terminating in the various forties irrigated as shown on any map attached here (Smallest legal subdivision) R		·		to be	rerinus lanathe	
(Smallest legal subdivision) R						
6. The name of the ditch, canal or other works is Allen Ditches. DESCRIPTION OF WORKS DIVERSION WORKS— Temporary earth dams each year. 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Will put in timber headgates where required.		(Sn	nallest legal subdivision)		(No. N. or S.)	,hereto
DESCRIPTION OF WORKS DIVERSION WORKS— Temporary earth dams each year. 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Will put in timber headgates where required.	R	W. W . M ., the proposed	location being shown thre	oughout on th	he accompanying map.	
DESCRIPTION OF WORKS DIVERSION WORKS— Temporary earth dams each year. 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate #ill put in timber headgates where required.	6. The	e name of the ditch, canal	or other works is			
DIVERSION WORKS— Temporary earth dams each year. 7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Will put in timber headgates where required.		Allen Ditch	es.			
7. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Will put in timber headgates where required.		D	ESCRIPTION OF WOR	KS		
feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Will put in timber headgates where required.		mportary our		n	feet length at hotton	n
rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate						
(b) Description of headgate Will put in timber headgates where required. (Timber, concrete, etc., number and size of openings)						···
	(b) D	escription of headgate	Will put in timber	headgates	where required. umber and size of openings)	
	•					

^{*}A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM-

8. (a)	Give dimensions at each point of canal where material	ly changed in size, stating miles
from headgate	. At headgate: Width on top (at water line)	feet; width on bottom
	feet; depth of water feet; grade	feet fall per one
thousand feet.	Dimensions of ditches all vary.	
(b) At	miles from headgate: Width on top (at	water line)
	feet; width on bottom feet; dept	h of water feet;
grade	feet fall per one thousand feet.	
	IN THE FOLLOWING INFORMATION WHERE THI	
IRRIGATION—	IN THE FOLLOWING INFORMATION WHERE THE	WAILIN IS USED FOR
	land to be irrigated has a total area of120	acres, located in each
	subdivision, as follows: (Give area of land in each smallest legal acres in Northeast quarter of Northwest quarter)	
20 8	acres in Southeast quarter of Northwest quarte	er,
40 s 30 s	acres in Northeast quarter of Southwest quarter of Southwest quarter of Southwest quarter of Southwest quarter	er,
	All in Township 3 South, of Hange 40	
	(If more space required, attach separate sheet)	
Power, Minin	IG, MANUFACTURING, OR TRANSPORTATION PURPOSES-	
10. (a)	Total amount of power to be developed	theoretical horsepower.
(b)	Total fall to be utilized feet.	
(c)	The nature of the works by means of which the power	-
(d) Such works to be located in(Legal subdivision)	
	, R, W. M.	
	Is water to be returned to any stream?(Yes or No)	
(<i>f</i>)	If so, name stream and locate point of return	······
	, Sec, Tp	, R, W. M.
) The use to which power is to be applied is	
(h) The nature of the mines to be served	

Mun	ICIPAL SUPPLY—	
	11. To supply the city of	
	(Name of)	ving a present population of,
and e	an estimated population of	in 19
	(Answer questions 12	13, 14 and 15 in all cases)
	12. Estimated cost of proposed works, \$	Ditches already prepared and water will be used immediately.
	13. Construction work will begin on or before	re
	14. Construction work will be completed on	or before
	15. The water will be completely applied to	the proposed use on or before One year.
•	Duplicate maps of the proposed ditch or oth	ner works, prepared in accordance with the rules of
the S	State Water Board, accompany this application	
		0. E. Silverthorn,
		(Name of applicant)
	Signed in the presence of us as witnesses:	
(1)	Geo. T. Cochran.	La Grande, Or.
	(Name)	(Address of Withess)
(2)	(Name)	La Grande, Or. (Address of Witness)
	•	in connection with the water right given
		k debree gives a water right for all of
	applicant's land. The ditch	system is already constructed and is be-
	ing used for the decree water	and will be used to make the applica-
	tion of water under this per	mit.
STA	TE OF OREGON,	
ϵ	ounty of Marion, ss.	
	This is to certify that I have examined the	foregoing application, together with the accompanying
mans	and data, and return the same for correction	
	`	
	1	
	In order to retain its priority, this applica	tion must be returned to the State Engineer, with
corre	ections, on or before	
		lay of
	y	
		State Engineer.

8

Application No. 10302

Permit No. 6 8 8 6

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

\$19.00

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The right herein granted is limited to the appropriation of water from Mill Creek. Hulick Branch of Mill Creek, and Springs in NW1 NE1 Section 16, Township 3 South, Range 40 East W.M., for irrigation purposes. The amount of water appropriated shall be limited to the amount which can be applied to beneficial cubic feet per second, or its equivalent in case of use and not to exceed rotation. The priority date of this permit is ______ July 23, 1925 Actual construction work shall begin on or before ____Sept ember 18, 1926 and shall thereafter be prosecuted with reasonable diligence and be completed on or before June 1, 1927

Complete application of the water to the proposed use shall be made on or before October 1, 1928

WITNESS my hand this day of September, 1925.

Rhea Luper.

State Engineer.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the payment of annual fees as provided in Section 5803, Oregon Laws.