

APPLICATION FOR A PERMIT

To appropriate the Public Waters of the State of Oregon

I, L. C. Thompson (Name of applicant) of Carlton (Postoffice), County of Yamhill, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, subject to existing rights:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed (spring branch) (Name of stream), tributary of Nestucca River

2. The amount of water which the applicant intends to apply to beneficial use is .075 cubic feet per second.

3. The use to which the water is to be applied is Domestic supplies. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located S. 48 degrees 40' E. 1230 feet from NW corner of Section 20, T. 4 S., R. 10 W., W.M. (Give distance and bearing to section corner)

being within the NW 1/4 of NW 1/4 of Sec. 20, Tp. 4 S., R. 10 W., W. M., in the county of Tillamook (Give smallest legal subdivision) (No. N. or S.) (No. E. or W.)

5. The pipe line (Main ditch, canal or pipe line) to be 3500 feet miles in length, terminating in the SE 1/4 of the NE 1/4 of Sec. 19, Tp. 4 S., R. 10 W., W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (No. N. or S.) (No. E. or W.)

6. The name of the ditch, canal or other works is Thompson's Water System

DESCRIPTION OF WORKS

DIVERSION WORKS—

7. (a) Height of dam 6 feet, length on top 20 feet, length at bottom 10 feet; material to be used and character of construction concrete. (Loose rock, concrete, masonry, Wasteway over dam. rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate concrete, with outlet and cleanout pipe through dam. (Timber, concrete, etc., number and size of openings) Outlet pipe 4 inches reduced to two inches. Cleanout pipe 4 inches.

* A different form of application is provided where storage works are contemplated. These forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

CANAL SYSTEM—

8. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: Width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

.....
.....
.....

FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR IRRIGATION—

9. The land to be irrigated has a total area of acres, located in each smallest legal subdivision, as follows:
(Give area of land in each smallest legal subdivision which you intend to irrigate)

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

(If more space required, attach separate sheet)

POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—

10. (a) Total amount of power to be developed theoretical horsepower.

(b) Total fall to be utilized feet.
(Head)

(c) The nature of the works by means of which the power is to be developed

(d) Such works to be located in of Sec.,
Tp., R., W. M.
(No. N. or S.) (No. E. or W.)
(Legal subdivision)

(e) Is water to be returned to any stream?
(Yes or No)

(f) If so, name stream and locate point of return
....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(g) The use to which power is to be applied is

(h) The nature of the mines to be served

MUNICIPAL SUPPLY—

11. To supply the city of _____
_____ County, having a present population of _____,
(Name of)
and an estimated population of _____ in 192_____.

(Answer questions 12, 13, 14, and 15 in all cases)

12. Estimated cost of proposed works, \$ 1500.00 _____

13. Construction work will begin on or before Sept. 1, 1925 _____

14. Construction work will be completed on or before November 1, 1925 _____

15. The water will be completely applied to the proposed use on or before Nov. 1, 1925 _____

Duplicate maps of the proposed ditch or other works, prepared in accordance with the rules of the State Engineer, accompany this application.

L. C. Thompson
(Name of applicant)

Signed in the presence of us as witnesses:

(1) James E. Burdett _____, McMinnville, Oregon
(Name) (Address of witness)

(2) R. R. Thompson _____, Carlton, Oregon
(Name) (Address of witness)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction or completion, as follows: _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before _____, 192_____.

WITNESS my hand this _____ day of _____, 192_____.

STATE ENGINEER.

1 Application No. 1 0 3 5 2
Permit No. 6 9 4 4

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

District No.

*This instrument was first received in the
office of the State Engineer at Salem, Oregon,*

on the 24 day of August
1925, at 8:30 o'clock A.M.

Returned to applicant for correction:

Corrected application received:

Approved:

October 15, 1925

Recorded in Book No. 24 of
Permits, on page 6944

R H E A L U P E R

STATE ENGINEER.

1 Map ER

\$8.00

STATE OF OREGON, }
County of Marion, } ss.

*This is to certify that I have examined the foregoing application and do hereby grant the same,
subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited
to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject
to such reasonable rotation system as may be ordered by the proper state officer.*

The right herein granted is limited to the appropriation of water from an
unnamed spring branch for domestic purposes.

The amount of water appropriated shall be limited to the amount which can be applied to bene-
ficial use and not to exceed 0.07 cubic feet per second, or its equivalent in case of
rotation. The priority date of this permit is August 24, 1925.

Actual construction work shall begin on or before October 15, 1926 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
June 1, 1927

Complete application of the water to the proposed use shall be made on or before
October 1, 1928

WITNESS my hand this 15 day of October, 1925.

Rhea Luper,
STATE ENGINEER.

Permits for power development are subject to the limitation of franchise as provided in Section 5728, Oregon Laws, and the
payment of annual fees as provided in Section 5803, Oregon Laws.